SCREEN WASH - READY MIX P20



SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ISSUE DATE: 28.03.2017 REVISION DATE: 22.02.2023 SUPERSEDES: 19.02.2021

VERSION: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Screen Wash - Ready Mix P20
Product code : Ford Internal Ref.: 198426

SDS Number : 6019

UFI : CSHQ-SJCK-S00H-9NXU

Type of product : Detergent Product use : Public use

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Function or use category : Windscreen cleaner with frost protection

1.2.2. Uses advised against

Restrictions on use : None known

1.3. Details of the supplier of the safety data sheet

Supplier Distributor

Ford-Werke GmbH Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14 Parts Distribution Centre
50769 Cologne Royal Oak Way South
Germany NN11 8NT Daventry, Northants

+49 221 90-33333 United Kingdom sdseu@ford.com +44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Physical hazards Flammable liquids, Category 3 H226 Flammable liquid and vapour.

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Hazard pictograms



Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

General

P102 Keep out of reach of children.

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves, eye protection.

Response

P370+P378 In case of fire: Use Water fog, dry extinguishing powder, carbon dioxide (CO2) to extinguish.

Disposal

P501 Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	20 - < 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319	(50 ≤C ≤ 100) Eye Irrit. 2, H319
Ethanediol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28-XXXX	1-<5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373	substance with a Community workplace exposure limit

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if

vou feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

First-aid measures after ingestion : Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed. Carbon monoxide. Nitrogen oxides.

5.3. Advice for firefighters

Firefighting instructions : Cool containers / tanks with spray water if possible.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : For personal protection, see section 8 of the SDS.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing mist or vapor.

If spilled, may cause the floor to be slippery.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid release to the environment. Dilute with plenty of water. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Large Spills: Stop leak if safe to do so. Absorb remaining liquid with sand or inert absorbent and

remove to safe place. Flush residue with large amounts of water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Prevent the build-up of electrostatic charge. Keep away from sources of ignition - No smoking. Use

explosion-proof equipment.

Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a dry, cool and well-ventilated place. Protect against frost. Keep container tightly closed.

Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Windscreen cleaner.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

8.1.1. National occupational exposure and biolog ethanol (64-17-5)	nous milit values
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Ethanediol (107-21-1)	E1140/2003 (FOURTH GUILIOH, 2020). FISE
EU - Indicative Occupational Exposure Limit (IOE	<u>=L)</u>
Local name	Ethylene glycol
IOEL TWA	52 mg/m³
IOEL TWA [ppm]	20 ppm
IOEL STEL	104 mg/m³
IOEL STEL [ppm]	40 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m³ particulate 52 mg/m³ vapour
WEL TWA (OEL TWA) [2]	20 ppm vapour
WEL STEL (OEL STEL)	104 mg/m³ vapour
WEL STEL	40 ppm vapour
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
8.1.2. Recommended monitoring procedures	
Monitoring methods	
Monitoring methods	Follow standard monitoring procedures.
8.1.3. Air contaminants formed	
No additional information available	
8.1.4. DNEL and PNEC	
ethanol (64-17-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	8238 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	380 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	114 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l

PNEC aqua (marine water) 0.79 mg/l

PNEC aqua (intermittent, freshwater) 2.75 mg/l

PNEC (Sediment)

PNEC sediment (freshwater) 3.6 mg/kg dwt

PNEC sediment (marine water) 2.9 mg/kg dwt

PNEC (Soil)

PNEC soil 0.63 mg/kg dwt

PNEC (Oral)

PNEC oral (secondary poisoning) 380 mg/kg food

PNEC (STP)

PNEC sewage treatment plant 580 mg/l

Ethanediol (107-21-1)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal 106 mg/kg bodyweight/day

Long-term - local effects, inhalation 35 mg/m³

DNEL/DMEL (General population)

Long-term - systemic effects, dermal 53 mg/kg bodyweight/day

Long-term - local effects, inhalation 7 mg/m³

PNEC (Water)

PNEC aqua (freshwater) 10 mg/l
PNEC aqua (marine water) 1 mg/l

PNEC aqua (intermittent, freshwater) 10 mg/l

PNEC (Sediment)

PNEC sediment (freshwater) 37 mg/kg dwt

PNEC sediment (marine water) 3.7 mg/kg dwt

PNEC (Soil)

PNEC soil 1.53 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 199.5 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. ISO 374-1. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	120 - 239 min	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	120 - 239 min	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other skin protection

Materials for protective clothing:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment 8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Filter type: A-P2

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Inform appropriate managerial or supervisory personnel of all environmental releases.

Consumer exposure controls:

Particle aspect ratio
Particle aggregation state

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue.

Odour Characteristic.
Odour threshold : Not available

Melting point : -20 °C (ASTM D 1177-07)

Freezing point : Not available
Boiling point : 80 °C
Flammability : Not applicable

Explosive properties : Not explosive. In use, may form flammable/explosive vapour-air mixture.

Explosive limits : Not available
Lower explosive limit (LEL) : 3.5 vol %
Upper explosive limit (UEL) : 15 vol %
Flash point : 25 °C
Auto-ignition temperature : Not applicable

Auto-ignition temperature : Not applicable Decomposition temperature : Not available рΗ : 8 @ 20°C Viscosity, kinematic : Not available Solubility : Miscible with water. Log Kow : Not available : 59 hPa @ 20°C Vapour pressure Vapour pressure at 50°C Not available Density : 0.96 g/cm3 @ 20°C : Not available Relative density : Not available Relative vapour density at 20°C Particle size Not applicable Particle size distribution Not applicable Particle shape : Not applicable

: Not applicable

: Not applicable

Particle agglomeration state : Not applicable
Particle specific surface area : Not applicable
Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 28.19 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met

Acute toxicity (dermal) : Based on available data, the classification criteria are not met

Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

Acute toxicity (initialation)	. Based on available data, the classification chieffa are not met		
Screen Wash - Ready Mix P20			
ATE CLP (oral)	> 5000 mg/kg		
Ethanediol (107-21-1)			
ATE CLP (oral)	500 mg/kg bodyweight		
Skin corrosion/irritation	: Based on available data, the classification criteria are not met pH: 8 @ 20°C		
Serious eye damage/irritation	: Based on available data, the classification criteria are not met pH: 8 @ 20°C		
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met		
Germ cell mutagenicity	: Based on available data, the classification criteria are not met		
Carcinogenicity	: Based on available data, the classification criteria are not met		
Reproductive toxicity	: Based on available data, the classification criteria are not met		
STOT-single exposure	: Based on available data, the classification criteria are not met		
STOT-repeated exposure	: Based on available data, the classification criteria are not met		
Ethanediol (107-21-1)			
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).		

Aspiration hazard : Based on available data, the classification criteria are not met

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Hazardous to the aquatic environment, short–term

(acute)

: Based on available data, the classification criteria are not met

Hazardous to the aquatic environment, long-term

(chronic)

: Based on available data, the classification criteria are not met

12.2. Persistence and degradability

Screen Wash - Ready Mix P20

Persistence and degradability	(OECD 301B method) Readily biodegradable, according to appropriate OECD test.
Biodegradation	> 70 % (OECD 301B method)
ethanol (64-17-5)	
Persistence and degradability	(OECD 301D method). 80 % - 85 % biodegradation.

12.3. Bioaccumulative potential

Screen Wash - Ready Mix P20

Orion Hadi Noday inix 120			
Bioaccumulative potential	No additional information available.		
ethanol (64-17-5)			
Log Kow	-0.35 at 20 °C		
Ethanediol (107-21-1)			
Log Pow	-1.36		

12.4. Mobility in soil

Screen Wash - Ready Mix P20

Ecology - soil No additional information available.

12.5. Results of PBT and vPvB assessment

Screen Wash - Ready Mix P20

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this product

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

European List of Waste (LoW) code : The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

20 01 29* - detergents containing dangerous substances

15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1170

 UN-No. (IMDG)
 : UN 1170

 UN-No. (IATA)
 : UN 1170

 UN-No. (ADN)
 : UN 1170

 UN-No. (RID)
 : UN 1170

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper Shipping Name (IATA) : Ethanol solution

Proper Shipping Name (ADN) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3

IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3

IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3

ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3

RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available.

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC03, LP01, R001

Hazard identification number (Kemler No.) : 30
Tunnel restriction code (ADR) : D/E
EAC code : •2YE

Transport by sea

Special provisions (IMDG) : 144, 223 Limited quantities (IMDG) : 5 L

 Packing instructions (IMDG)
 : P001, LP01

 EmS-No. (Fire)
 : F-E

 EmS-No. (Spillage)
 : S-D

 Stowage category (IMDG)
 : A

Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y344

PCA limited quantity max net quantity (IATA) : 10L

PCA packing instructions (IATA) : 355

PCA max net quantity (IATA) : 60L

CAO packing instructions (IATA) : 366

CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 5 L
Carriage permitted (ADN) : T

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 5L

Packing instructions (RID) : P001, IBC03, LP01, R001

Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code Applicable on

3(a) Screen Wash - Ready Mix P20; ethanol; butanone

3(b) ethanol; Ethanediol; butanone

40. Screen Wash - Ready Mix P20; ethanol; butanone

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

VOC content : 28.19 %

Other information, restriction and prohibition regulations : Directive 98/24/EC on the protection of the health and safety of workers from the risks related to

chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and

8.

Detergent Regulation (648/2004/EC): Labelling of contents

Component %
anionic surfactants <5%

2-BROMO-2-NITROPROPANE-1,3-DIOL

BENZISOTHIAZOLINONE

perfumes

Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable

Seveso III Part I (Categories of dangerous substances)

Qualifying quantity (tonnes)

	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS	5000	50000

Flammable liquids, Categories 2 or 3 not covered by P5a and P5b

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Composition/information on ingredients. Section 9.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate BCF Bioconcentration factor

CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL Derived Minimal Effect level
DNEL Derived-No Effect Level

DPD Dangerous Preparations Directive 1999/45/EC
DSD Dangerous Substances Directive 67/548/EEC

EC50 Median effective concentration

 IARC
 International Agency for Research on Cancer

 IATA
 International Air Transport Association

 IMDG
 International Maritime Dangerous Goods

LC50 Median lethal concentration LD50 Median lethal dose

 LOAEL
 Lowest Observed Adverse Effect Level

 NOAEC
 No-Observed Adverse Effect Concentration

 NOAEL
 No-Observed Adverse Effect Level

 NOEC
 No-Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent Bioaccumulative Toxic
PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS Safety Data Sheet
STP Sewage treatment plant
TLM Median Tolerance Limit

vPvB Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of

16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC)

No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements

Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4

Eye Irrit. 2 Serious eye damage/eye irritation, Category 2

Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3

 Product code: Ford Internal Ref.: 198426
 GB - en
 Revision date: 2/22/2023
 11/12

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

Harmful if swallowed. H302

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure. STOT RE 2 Specific target organ toxicity - Repeated exposure, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

H226 Flam. Liq. 3 On the basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Attachment to the Safety Data Sheet

Product Name: Screen Wash - Ready Mix P20

Ford Int. Ref. No.: 198426 Revision Date: 22.02.2023

Involved Products:

Finiscode Part number Container Size:

1 2 168 316 HAMJ M8B18 AA 5 I