## WAX POLISH - HIGH SHINE

## SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law



ISSUE DATE: 28.09.2023 REVISION DATE: 28.09.2023

VERSION: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form	: Mixture
Trade name	: Wax Polish - High Shine
Product code	: Ford Internal Ref.:511263
SDS Number	: 11498
Product use	: Public use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Function or use category

: Polishing agent

## 1.2.2. Uses advised against

Restrictions on use

: None known

### 1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

# Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

EUH-statements

EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical name	CAS- No	%	Classification according to	Notes
	EC- No		Regulation (EC) No.	
	Index No		1272/2008 [CLP]	
	RRN			
Hydrocarbons, C10-C13, n-alkanes, <2%	129813-66-7	2,5 - < 10	Asp. Tox. 1, H304	
aromatics	929-018-5			
	01-2119475608-26-XXXX			
propan-2-ol	67-63-0	2,5 - <10	Flam. Liq. 2, H225	
	200-661-7		Eye Irrit. 2, H319	
	603-117-00-0		STOT SE 3, H336	
	01-2119457558-25-XXXX			
Pyridine-2-thiol 1-oxide, sodium salt;	3811-73-2	0,01 - <	Acute Tox. 3 (Inhalation),	
pyrithione sodium; sodium pyrithione	223-296-5	0,02	H331 (ATE=0.5 mg/l)	
	613-344-00-7		Acute Tox. 3 (Dermal), H311	
			(ATE=790 mg/kg	
			bodyweight)	
			Acute Tox. 4 (Oral), H302	
			(ATE=500 mg/kg	
			bodyweight)	
			STOT RE 1, H372	
			Skin Irrit. 2, H315	
			Eye Irrit. 2, H319	
			Skin Sens. 1, H317	
			Aquatic Acute 1, H400	
			(M=100)	
			Aquatic Chronic 2, H411	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Wash immediately with plenty of water. Get medical advice/attention. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth thoroughly. Get immediate medical advice/attention. Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	:	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture . . .

Hazardous decomposition products in case of fire	: During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Firefighting instructions	: Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

...

. .

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel Protective equipment : Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the MSDS. : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin, eyes and Emergency procedures clothing. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For personal protection, see section 8 of the SDS. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Keep unnecessary personnel away. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 6.3. Methods and material for containment and cleaning up

For containment	: Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
Methods for cleaning up	: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Take up liquid spill into absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
Other information	: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13:" Disposal considerations". For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Hygiene measures	: Always observe good personal hygiene measures, such as washing after handling the material and before patient, drinking, and/or smeking. Poutingly wash work clothing and protective equipment to
	before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclu	uding any incompatibilities

Storage conditions

: Keep away from heat and direct sunlight. Store locked up. Store in a dry, cool and well-ventilated place. Store in a well-ventilated place. Keep cool. Protect against frost.

#### 7.3. Specific end use(s)

Polishing agent.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

\_

8.1.1. National occupational exposure and biological limit values

propan-2-ol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
8.1.2. Recommended monitoring procedures	
No additional information available	
8.1.3. Air contaminants formed	
No additional information available	
8.1.4. DNEL and PNEC	
propan-2-ol (67-63-0)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	1000 mg/m³
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	500 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	178 mg/m <sup>3</sup>
Acute - systemic effects, oral	51 mg/kg bodyweight
Long-term - systemic effects,oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	89 mg/m³
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140.9 mg/l
PNEC aqua (marine water)	140.9 mg/l
PNEC aqua (intermittent, freshwater)	140.9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	160 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	2251 mg/l
8.1.5. Control banding	
No additional information available	

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses with side shields. EN 166. Safety glasses

## 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing. EN 14605. EN ISO 13982

#### Hand protection:

Protective gloves. ISO 374-1. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

#### Other skin protection

#### Materials for protective clothing:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment **8.2.2.3. Respiratory protection** 

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

#### Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: White.
Appearance	: Liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.

Explosive properties	;	Not applicable.
Explosive limits		Not available
Lower explosive limit (LEL)	:	Not applicable
Upper explosive limit (UEL)	:	Not applicable
Flash point	:	Not available
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	Not available
Н	:	6 (DIN 19268)
, Viscosity, kinematic	:	Not available
Solubility	:	Soluble in water.
Log Kow	:	Not available
Vapour pressure	:	23 hPa (7732-18-5 water)
Vapour pressure at 50°C	:	Not available
Density	:	0.97 g/cm3 (DIN 51757)
Relative density	:	Not available
Relative vapour density at 20°C	:	Not available
Particle size	:	Not applicable
Particle size distribution	:	Not applicable
Particle shape	:	Not applicable
Particle aspect ratio	:	Not applicable
Particle aggregation state	:	Not applicable
Particle agglomeration state	:	Not applicable
Particle specific surface area	:	Not applicable
Particle dustiness	:	Not applicable

## 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content	: 12 %
-------------	--------

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Oxidising agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the classification criteria are not met
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met
Skin corrosion/irritation	: Based on available data, the classification criteria are not met
	pH: 6 (DIN 19268)

Serious eye damage/irritation	: Based on available data, the classification criteria are not met pH: 6 (DIN 19268)
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity STOT-single exposure	<ul> <li>Based on available data, the classification criteria are not met</li> <li>Based on available data, the classification criteria are not met</li> </ul>
propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodiu	
STOT-repeated exposure	Causes damage to organs (nervous system) through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
11.2.2. Other information	
Potential adverse human health effects and symptoms	: Exposure may produce an allergic reaction, Information on Effects: refer to section 4
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment
Hazardous to the aquatic environment, short-term (acute)	: Based on available data, the classification criteria are not met
Hazardous to the aquatic environment, long-term (chronic)	: Based on available data, the classification criteria are not met
Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodiu	um; sodium pyrithione (3811-73-2)
LC50 - Fish [1]	0.00767 mg/l (OECD 203 method)
EC50 - Crustacea [1]	0.022 ml/l (OECD 202 method)
EC50 72h - Algae [1]	0.46 mg/l (OECD 201 method)
12.2. Persistence and degradability	
Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodi	um; sodium pyrithione (3811-73-2)
Persistence and degradability	Readily biodegradable, according to appropriate OECD test. (OECD 301B method).
Biodegradation	> 70 %
propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable. Biochemical oxygen demand within 5 days (BOD5).
12.3. Bioaccumulative potential	
Pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodi	um; sodium pyrithione (3811-73-2)
Log Kow	< -1.09 (OECD 107 method)
propan-2-ol (67-63-0)	
Bioconcentration factor (BCF REACH)	0
Log Pow	0.05 at 25 °C
12.4. Mobility in soil	

#### 12.5. Results of PBT and vPvB assessment

#### Wax Polish - High Shine

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Other adverse effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
Waste treatment methods	: Collect and reclaim or dispose in closed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not allow to enter drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
European List of Waste (LoW) code	<ul> <li>The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.</li> <li>12 01 12* - spent waxes and fats</li> <li>15 01 10* - packaging containing residues of or contaminated by dangerous substances</li> </ul>

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID Not regulated for transport

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations	3			
EU restriction list (RE	ACH Annex XVII)			
Reference code	Applicable on			
3(a)	propan-2-ol			
3(b)	propan-2-ol			
40.	propan-2-ol			
Contains no substance(	s) listed on the REACH Candidate	List		
Contains no substance(	s) listed on REACH Annex XIV (Au	uthorisation List)		
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)				
Contains no substance(	s) listed on the POP list (Regulatio	n EU 2019/1021 on persistent organi	c pollutants)	
VOC content	:	12 %		
Other information, restri	ction and prohibition regulations :		on of young people at work, as amended. Directive fety of workers from the risks related to chemical ac	
		•	on the safety and health of pregnant workers and w	
			eastfeeding as amended. For details, refer to section	
Directive 2012/18/EU (	SEVESO III)			
Seveso Additional inform	nation :	Not applicable		
15.1.2. National regula	tions			
No additional informatio	n available			
Product code: Ford Internal Re	of :511263	CP on	Povinion data: 0/09/0022	9/10

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

## Indication of changes:

None.

Abbreviations and acrony	/ms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
STEL	Short-term Exposure Limit		
VOC	Volatile organic compounds		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
PBT	Persistent Bioaccumulative Toxic		
PNEC			
	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
vPvB	Very Persistent and Very Bioaccumulative		
OEL	Occupational Exposure Limit		
RRN	REACH Registration no.		
TWA	Time Weighted Average. The average concentration of a chemical in air over the total exposure time-usually an 8-hour		
DLV/	workday.		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
EC-No.	European Community number		
EN	European Standard		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
ThOD	Theoretical oxygen demand (ThOD)		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
ED	Endocrine disrupting properties		
Data sources	<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> </ul>		
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.		

#### Full text of H- and EUH-statements

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
( <i>)</i>	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

## Attachment to the Safety Data Sheet



Product Name: Wax Polish - High Shine

Ford Int. Ref. No.: 511263

**Revision Date:** 28.09.2023

#### Involved Products:

Fi	iniscode	Part number	Container Size:
. 12	2 753 116	PU7J 19534 AA	500 ml
Part of K	Kit:		
2	753 114	PU7J 19G469 BA	Cleaning Kit for Vehicle Exterior