GREASE O-LI

SAFETY DATA SHEET

according to Regulation (EU) 2015/830



ISSUE DATE: 23.07.2014 REVISION DATE: 23.01.2020 SUPERSEDES DATE: 26.01.2018

VERSION: 2.2

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Grease O-LI

Product code Ford Internal Ref.: 102086

SDS Number 7655

Product use Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Grease

Uses advised against No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier Distributor

Ford-Werke GmbH Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14 Parts Distribution Centre
50769 Cologne Royal Oak Way South

Germany NN11 8NT Daventry, Northants

+49 221 90-33333 United Kingdom sdseu@ford.com +44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

This mixture does not meet the criteria for labelling according to Regulation (EC) 1272/2008 as amended.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II.

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

Inhalation Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

Skin contact: Wash skin with plenty of water. Get medical attention if irritation develops and

Eyes contact Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

rinse with water for a prolonged period while holding the eyelids wide open. If

eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Carbon dioxide. Alcohol resistant foam. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard Pressurised container: May burst if heated.

Hazardous combustion products During fire, gases hazardous to health may be formed. Carbon oxides (CO,

CO2). Metal oxides. Sulphur oxides.

5.3. Advice for firefighters

> Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-

> > contained breathing apparatus. Complete protective clothing.

6. **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and

clothing during clean-up. Local authorities should be advised if significant

spillages cannot be contained.

For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. **Environmental precautions** Avoid release to the environment

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Mechanically recover the product.

Other information Dispose of materials or solid residues at an authorized site.

For disposal of residues refer to section 13:" Disposal considerations". For Reference to other sections 64 further information refer to section 8: "Exposure controls/personal protection".

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after

Ensure good ventilation of the work station. Wear personal protective equipment.

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a well-ventilated place. Keep cool. Keep only in original container.

Grease. 7.3. Specific end use(s)

8. **SECTION 8: Exposure controls/personal protection**

8.1. **Control parameters**

Contains no substances with occupational exposure limits.

Monitoring methods

Follow standard monitoring procedures

DNEL: Derived no effect level

No data available

PNEC: Predicted no effect concentration

No data available

8.2. **Exposure controls**

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level

Materials for protective clothing

Wear suitable protective clothing. Individual protection measures, such as personal protective equipment (PPE)

Eye protection

Safety glasses with side shields

Skin protection

рΗ

Hand protection The recommendation is only valid for the supplied product and the stated

application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the

recommended glove

Material	Permeation	Thickness (mm)	Comments	
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele- Cama GmbH, source of supply see www.kcl.de) or comparable product.	
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.	
Other protective measures		Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Respiratory protection		In case of insufficient ventilation, wear suitable respiratory equipment		
Skin and body protection		Wear suitable protective clothing		
Thermal hazard protection		Wear appropriate thermal protective clothing, when necessary.		
Environmental exposure controls		Inform appropriate m releases.	anagerial or supervisory personnel of all environmental	

9. **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Grease.
Colour	Black.
Odour	mild.
Odour threshold	No data available

Product code: Ford Internal Ref.: 102086 GB - en Revision date: 1/23/2020 3/8

No data available

Relative evaporation rate (butylacetate=1) No data available Melting point Not applicable Freezing point No data available **Boiling point** No data available 220 °C (Open cup) Flash point Auto-ignition temperature No data available **Decomposition temperature** No data available Flammability (solid, gas) Not applicable No data available Vapour pressure Relative vapour density at 20 °C No data available Relative density No data available Density < 1 g/cm3 @ 20°C Solubility insoluble in water. Log Pow No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive properties** No data available No data available **Oxidising properties** No data available **Explosive limits**

9.2. Other information

VOC (EU) 0 %

10. SECTION 10: Stability and reactivity

10.1. Reactivity The product is non-reactive under normal conditions of use, storage and

transport.

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials Oxidising agents.

10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Carcinogenicity Based on available data, the classification criteria are not met Reproductive toxicity STOT-single exposure Based on available data, the classification criteria are not met STOT-repeated exposure Based on available data, the classification criteria are not met **Aspiration hazard** Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms

Defatting, drying and cracking of skin. Direct contact with eyes may cause temporary irritation. Ingestion may cause nausea, vomiting and diarrhea.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-

term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Grease O-LI

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical

ozone creation potential, endocrine disruption, global warming potential) are

expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Empty containers or liners may retain some product residues. This material and

its container must be disposed of in a safe manner (see: Disposal instructions).

Dispose of in accordance with local regulations.

Waste treatment methods Collect and reclaim or dispose in sealed containers at licensed waste disposal

site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting

instructions.

Additional information

Dispose in accordance with all applicable regulations.

European List of Waste (LoW) code

12 01 12* spent waxes and fats

15 01 10* packaging containing residues of or contaminated by

dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU) 0 %

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

1.4. Emergency telephone number.

1.4. Emergency tele	phone number.		
Abbreviations and acronyms			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
AGW	Occupational exposure limit value		
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)		
BAM	Federal Institute for Materials Research and Testing, Germany		
BAT	Maximum permissible concentration of biological working substances.		
BCF	Bio-concentration factor.		
BLV	Biological limit values		
BLV	Biological limit values (BGW, Austria)		
BMGV	Biological Monitoring Guidance Value (EH40,UK).		
BOD5	Biochemical oxygen demand within 5 days		
BOD	Biochemical oxygen demand		
bw	Body weight.		
calcd.	Calculated		
CAS	Chemical Abstract Service.		
CEN	European Committee for Standardization		
CESIO	European Committee on Organic Surfactants and their Intermediates.		
COD	Chemical oxygen demand		
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.		
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances		
CSA	Chemical safety assessment		
CSR	Chemical Safety Report.		
DMEL	Derived Minimum Effect Level.		
DNEL	Derived no effect level		
EAC	European waste catalogue		
EC	European community		
EC50	Effective concentration		
EINECS	European Inventory of Existing Commercial Chemical Substances.		

ELINCS European List of Notified Chemical Substances.

EN European norm.

ERC (Environmental Release category)

EU European Union

GLP Good Laboratory Practice.

GHS Globally Harmonized System of Classification and Labeling of Chemicals.

GW/VI Occupational exposure limit value.

GW-kw/VL-cd Occupational exposure limit value - short term. GW-M/VI -M Occupational exposure limit value - "Ceiling".

IATA International Air Transport Association

IBC code International Bulk Chemical (Code) (International Code for the Construction and Equipment of

Ships carrying Dangerous Chemicals in Bulk).

International Civil Aviation Organization **ICAO**

IC50 Inhibition Concentration 50%.

IECSC Inventory of Existing Chemical Substances in China.

IMDG International Maritime Dangerous Goods ISO International Standards Organization.

IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal Concentration 50%.

LCLo Lowest published lethal concentration.

LD50 Lethal Dose 50%.

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest observable effect concentration.

LOEL Lowest observable effect level.

LQ Limited quantities

TRK-Kzw Threshold limit value - Short-term exposure limit / Technical reference concentration - short-

time value, Austria.

MAK-Mow Maximum allowable workplace concentration – instantaneous value, Austria.

MAK-Tmw, TRK-Tmw Maximum allowable workplace concentration – daily mean value / Technical standard

concentration - daily mean value, Austria.

Threshold limit values Germany. MAK

MARPOL International Convention for the Prevention of Pollution from Ships.

NOAEC No-Observed Adverse Effect Concentration

NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration

NOEL no-observed-effect level

OECD Organisation for Economic Co-operation and Development

OEL Occupational Exposure Limits PBT Persistent Bioaccumulative Toxic PC (Chemical product

category)

PC (Chemical product category)

PNEC Predicted No-Effect Concentration POCP Photochemical ozone creation potential.

POP Persistent Organic Pollutants PPE Personal protective equipment

Process category Process category

REACH Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006

concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL Specific concentration limit. STEL Short-term Exposure Limit STP Sewage treatment plant SU (Sector of use) SU (Sector of use)

SVHC Substance of Very High Concern.

TLV Threshold Limit Value

TRGS Technical Rules for Hazardous Substances (German Standard).

TWA Time Weighted Average

UVCB Substances of Unknown or Variable composition, Complex reaction products or Biological

materials

VbF Ordinance on Flammable Liquids, Austria

VOC Volatile organic compounds

vPvB Very Persistent and Very Bioaccumulative

WEL-TWA Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted

average)reference period).

WEL-STEL Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND

OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006...

Training advice Normal use of this product shall imply use in accordance with the instructions on

the packaging

Classification according to Regulation

(EC) No. 1272/2008

Not classified

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.





Product Name: Grease O-LI

Ford Int. Ref. No.: 102086 REVISION DATE: 23.01.2020

Involved Products:

Finiscode Part number Container Size:

. 1 6G9N 39209 AADBA 60 g

Part of Kit:

--22-- Different Boot Kits and CV-Joints (22)

. 2 6G9N 39209 AADEA 80 9

Part of Kit:

--22-- Different Boot Kits and CV-Joints (22)

. 3 1 019 761 95SX M1C230 CA 90 g

Part of Kit:

--22-- Different Boot Kits and CV-Joints (22)

. 4 95SX M1C230 DA 70 g

Part of Kit:

--22-- Different Boot Kits and CV-Joints (22)

. 5 95SX M1C230 EA 50 g

Part of Kit:

--22-- Different Boot Kits and CV-Joints (22)