

MULTIPURPOSE CAULKING COMPOUND

PRODUCT INFORMATION SHEET

ISSUE DATE: 22.10.2014 REVISION DATE: 31.10.2018 SUPERSEDES DATE: 22.10.2014 VERSION: 3.0

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier			
	Trade name	Multipurpose Caulking Compound		
	Product code	Ford Int. Ref. No.: 105602		
	SDS Number	8049		
	Product use	Professional use		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesives, sealants
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

In accordance with the REACH Regulation (EC) No. 1907/2006 the manufactured item should be considered as an article and therefore not be classified according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

In accordance with the REACH Regulation (EC) No. 1907/ 2006 the manufactured item should be considered as an article and therefore not be labelled according to Regulation (EC) No. 1272/2008 as amended.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II.

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

	Skin contact:	Wash skin with plenty of water and s protection : replenishing skin cream	soap. Take off contaminated clothing. Ha	nd
	Eyes contact		ith water for at least 15 minutes. Seek	
	Ingestion	Rinse mouth out with water. If you fe	el unwell, seek medical advice.	
4.2.	Most important symptoms and effects	, both acute and delayed		
	No additional information available.			
4.3.	Indication of any immediate medical a	ttention and special treatment no	eeded	
	Provide general supportive measures and treat	at symptomatically.		
5.	SECTION 5: Firefighting measures			
5.1.	Extinguishing media			
	Suitable extinguishing media	Water spray. All types of fire extingu	ishers are suitable.	
	Unsuitable extinguishing media	Do not use a water jet since it may o	ause the fire to spread.	
5.2.	Special hazards arising from the subs	tance or mixture		
	Hazardous combustion products	Toxic fumes may be released.		
5.3.	Advice for firefighters			
5.5.	Firefighting instructions	Prevent runoff from entering water of	ourses, sewers and basements	
	Protection during firefighting	Self-contained breathing apparatus	and full protective clothing must be worn	in
		case of fire.		
6.	SECTION 6: Accidental release measures			
6.1.	Personal precautions, protective equipment and emergency procedures			
	For non-emergency personnel			
	Protective equipment	Wear recommended personal protect section 8 of the SDS.	ctive equipment. For personal protection,	see
	For emergency responders			
	Protective equipment	Wear recommended personal protection 8 of the SDS.	ctive equipment. For personal protection,	see
6.2.	Environmental precautions	Avoid discharge into drains, water c	ourses or onto the ground.	
6.3.	Methods and material for containment	and cleaning up		
	Methods for cleaning up	Mechanically recover the product.		
6.4.	Reference to other sections	For further information refer to section protection". For disposal of residues		
-		considerations".		
7.	SECTION 7: Handling and storage			
7.1.	Precautions for safe handling			
	Precautions for safe handling		ene measures, such as washing after ing, drinking, and/or smoking. Routinely quipment to remove contaminants.	
7.2.	Conditions for safe storage, including	any incompatibilities		
	Technical measures	Ensure adequate ventilation, especi	ally in confined areas.	
	Storage conditions	Keep away from heat, hot surfaces, sources. No smoking.	sparks, open flames and other ignition	
	Storage temperature	5 - 35 °C		
Product	code: Ford Int. Ref. No.: 105602	GB - en	Revision date: 10/31/2018	2/6

7.3. Specific end use(s)

Adhesives, sealants.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits. **DNEL: Derived no effect level** No data available **PNEC: Predicted no effect concentration** No data available

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level
Materials for protective clothing	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

Individual protection measures, such as personal protective equipment (PPE)

Eye protection		Not normally needed	
Skin protection			
Hand protection		EN 374	
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	EN 374
			Glove recommendation: Camatril Velours® 730 (Kächele- Cama GmbH, source of supply see www.kcl.de) or comparable product.
Nitrile rubber (NBR),	Nitrile rubber (NBR), In 6 (> 480 minutes)		EN 374
case of splash contact:			Glove recommendation: Camatril Velours® 730 (Kächele- Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures		No additional information available.	
Respiratory protection		Not normally needed	
Thermal hazard protection		Wear appropriate thermal protective clothing, when necessary.	
Environmental exposure controls		Avoid discharge to the environment.	

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Black.
Odour	odourless.
Odour threshold	No data available
рН	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available

	Relative vapour density at 20 °C	No data available
	Relative density	No data available
	Density	1.65 g/cm³ @ 23°C
	Solubility	insoluble in water.
	Log Pow	No data available
	Viscosity, kinematic	No data available
	Viscosity, dynamic	No data available
	Explosive properties	Not explosive.
	Oxidising properties	Non oxidizing.
	Explosive limits	No data available
9.2.	Other information	
	VOC (EU)	0 %
10.	SECTION 10: Stability and reactivity	V
10.1.	Reactivity	No dangerous reactions known under normal conditions of use.
10.2.	Chemical stability	Stable under normal conditions of use.
10.3.	Possibility of hazardous reactions	None under normal use.
10.4.	Conditions to avoid	No additional information available.
10.5.	Incompatible materials	No additional information available.
10.6.	Hazardous decomposition products	Thermal decomposition generates toxic vapours.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Multipurpose Caulking Compound

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Additional information

Avoid release to the environment

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Waste treatment methods	Avoid discharge into drains, water courses or onto the ground. Do not remove as household garbage.
European List of Waste (LoW) code	
	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
15 01 10*	packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

0 %

EU-Regulations

Contains no substance on the REACH candidate list

VOC (EU) National regulations No additional information available.

15.2. Chemical safety assessment

No additional information available.

16. SECTION 16: Other information

Indication of changes

Product use. Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE	Acute Toxicity Estimate.
BCF	Bioconcentration factor.
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

DMEL	Derived Minimal Effect level.
DNEL	Derived-No Effect Level.
DPD	Dangerous Preparations Directive 1999/45/EC.
DSD	Dangerous Substances Directive 67/548/EEC.
EC50	Median effective concentration.
IARC	International Agency for Research on Cancer.
IATA	International Air Transport Association.
IMDG	International Maritime Dangerous Goods.
LC50	Median lethal concentration.
LD50	Median lethal dose.
LOAEL	Lowest Observed Adverse Effect Level.
NOAEC	No-Observed Adverse Effect Concentration.
NOAEL	No-Observed Adverse Effect Level.
NOEC	No-Observed Effect Concentration.
OECD	Organisation for Economic Co-operation and Development.
PBT	Persistent Bioaccumulative Toxic.
PNEC	Predicted No-Effect Concentration.
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail.
SDS	Safety Data Sheet.
STP	Sewage treatment plant.
TLM	Median Tolerance Limit.
vPvB	Very Persistent and Very Bioaccumulative.
SDS	Safety Data Sheet.
OEL	Occupational Exposure Limit.
RRN	REACH Registration no
CAO	Cargo Aircraft Only.
PCA	Passenger and Cargo Aircraft.
TWA	Time Weighted Average. The average concentration of a chemical in air over the total exposure time-usually an 8-hour workday
WES	Workplace Exposure Standard – The airborne concentration of a biological or chemical agent to which a worker may be exposed.
VOC	Volatile organic compounds.
STEL	Short-term Exposure Limit.
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this product information sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this product information sheet is not necessarily valid for the new made-up material

Attachment to the Safety Data Sheet

Product Name:Multipurpose Caulking CompoundFord Int. Ref. No.:105602



Page: 1/1
Print Date: 31.10.2018

Involved Products:

	Finiscode	Part number
1.	1 140 216	1S5J M4G329 AA

Container Size: 18 m (8 mm ø)