# **GREASE O-PS**

1.1.

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830



ISSUE DATE: 09.02.2015 REVISION DATE: 24.01.2020 SUPERSEDES DATE: 01.02.2018 VERSION: 3.1

# 1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifierTrade nameGrease O-PSProduct codeFord Internal Ref.: 115785SDS Number7933Product useProfessional use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use in lubricants, Grease
Uses advised against	No additional information available.

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

# 2. SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008.

#### 2.2. Label elements

This product does not meet the criteria for labeling according to Regulation(EC) No 1272/2008 as amended.

# 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

# 3. SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II.

### 4. SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing.
Skin contact:	Wash contaminated clothing before reuse. Wash skin with soap and water.

	Eyes contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	Ingestion	Do not induce vomiting. Get medical attention if symptoms occur.
4.2.	Most important symptoms and effect	s, both acute and delayed
	Symptoms/effects after inhalation	Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
	Symptoms/effects after skin contact	Repeated or prolonged skin contact may cause dermatitis and defatting.
	Symptoms/effects after eye contact	Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Exposure may cause temporary irritation, redness, or discomfort.
	Symptoms/effects after ingestion	On ingestion in large quantities: Diarrhea. Nausea.
4.3.	Indication of any immediate medical	attention and special treatment needed
	Treat symptomatically.	
5.	SECTION 5: Firefighting measures	5
5.1.	Extinguishing media	
	Suitable extinguishing media	carbon dioxide (CO2), powder, water spray. dry chemical powder, alcohol- resistant foam, carbon dioxide (CO2). Water spray.
	Unsuitable extinguishing media	Do not use a water jet since it may cause the fire to spread.
5.2.	Special hazards arising from the sub	stance or mixture
	Fire hazard	pressure rise and possible bursting of container.
	Explosion hazard	No direct explosion hazard.
	Reactivity in case of fire	Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.
	Hazardous combustion products	During fire, gases hazardous to health may be formed. Thermal decomposition generates : Carbon oxides (CO, CO2). Metal oxides. nitrogen oxides (NOx) and sulphur oxides. Sulphur oxides.
5.3.	Advice for firefighters	
	Precautionary measures fire	Evacuate area. Use standard firefighting procedures and consider the hazards of other involved materials.
	Firefighting instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
	Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self- contained breathing apparatus. Complete protective clothing.
	Other information	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6.	SECTION 6: Accidental release m	easures
6.1.	Personal precautions, protective equ	ipment and emergency procedures
	General measures	Do not handle until all safety precautions have been read and understood. If spilled, may cause the floor to be slippery. Keep people away from and upwind of spill/leak. Keep unnecessary personnel away.
	For non-emergency personnel	
	Protective equipment	Do not touch or walk on the spilled product.
	Emergency procedures	Evacuate unnecessary personnel. Provide adequate ventilation.

For emergency responders

Protective equipment

**Emergency procedures** 

6.2. Environmental precautions	Environmental processions	Avoid release to the environment. Prevent further leakage or spillage if safe to
	do so. Avoid discharge into drains, water courses or onto the ground.	

6.3. Methods and material for containment and cleaning up

For containment	Stop leak without risks if possible. Move container from fire area if it can be done without risk.
Methods for cleaning up	Stop the flow of material, if this is without risk. Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Contain and dispose of waste according to local regulations.
Other information	Dispose of materials or solid residues at an authorized site.
Reference to other sections	For further information refer to section 13.

# 7. SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

6.4.

Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Do not handle or store near an open flame, heat or other sources of ignition. Keep container tightly closed. Keep cool. Protect from sunlight. Store away from incompatible materials (see Section 10 of the SDS).
	incompatible materials (see dection to of the obd).

# 7.3. Specific end use(s) Lubricant. Grease.

# 8. SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Contains no substances with occupational exposure limits. **DNEL: Derived no effect level** No data available **PNEC: Predicted no effect concentration** No data available

#### 8.2. Exposure controls

Appropriate engineering controls Materials for protective clothing Individual protection measures, such as pe		Avoid contact with eyes, skin, and clothing. Good standard of general ventilation. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment Wear suitable protective clothing. ersonal protective equipment (PPE)	
Eye protection		Safety glasses	
Skin protection			
Hand protection		Chemical resistant g equivalent)	loves (according to European standard NF EN 374 or
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4 mm	Glove recommendation: Camatril Velours® 730 (Kächele- Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash	6 (> 480 minutes)	0,4 mm	Glove recommendation: Camatril Velours® 730 (Kächele- Cama GmbH, source of supply see www.kcl.de) or

Other protective measures	No additional information available.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. High efficiency particulate air filter (HEPA filter)
Skin and body protection	Wear suitable protective clothing
Thermal hazard protection	No additional information available.
Environmental exposure controls	Avoid release to the environment.

Solid

# 9. SECTION 9: Physical and chemical properties

Physical state

# 9.1. Information on basic physical and chemical properties

	Appearance	Grease.
	Colour	Black.
	Odour	mild.
	Odour threshold	No data available
	рН	No data available
	Relative evaporation rate (butylacetate=1)	No data available
	Melting point	No data available
	Freezing point	Not applicable
	Boiling point	No data available
	Flash point	> 212 °C
	Auto-ignition temperature	Not applicable
	Decomposition temperature	No data available
	Flammability (solid, gas)	Non flammable.
	Vapour pressure	No data available
	Relative vapour density at 20 °C	No data available
	Relative density	Not applicable
	Solubility	No data available
	Log Pow	No data available
	Viscosity, kinematic	Not applicable
	Viscosity, dynamic	No data available
	Explosive properties	No data available
	Oxidising properties	No data available
	Explosive limits	Not applicable
9.2.	Other information	
	VOC (EU)	0 %
40		
10.	SECTION 10: Stability and reactivity	У
10.1.	Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability	Stable under normal conditions.
10.3.	Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4.	Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials	No additional information available.

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
	All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

# 12. SECTION 12: Ecological information

### 12.1. Toxicity

**Ecology - general** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### 12.2. Persistence and degradability

No additional information available.

**12.3. Bioaccumulative potential** No additional information available.

# 12.4. Mobility in soil

No additional information available.

# 12.5. Results of PBT and vPvB assessment

#### Grease O-PS

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

#### 12.6. Other adverse effects

No additional information available.

#### 13. SECTION 13: Disposal considerations

13.1.	Waste treatment methods					
	Waste treatment methods	local/regional/national/ir retain some product res of in a safe manner (see	tainer in accordance with ternational regulations. Empty containers or liners ma idues. This material and its container must be dispose e: Disposal instructions). Dispose of contents/containe d collector's sorting instructions.	d		
	Product/Packaging disposal recommendations	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.				
	European List of Waste (LoW) code					
		The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.				
Product code: Ford Internal Ref.: 115785		GB - en	Revision date: 1/24/2020	5/8		

12 01 12*	spent waxes and fats
15 01 10*	packaging containing residues of or contaminated by dangerous substances

# 14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN Not regulated for transport

# 15. SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

 VOC (EU)
 0 %

 Seveso Information
 Not applicable

 National regulations
 Not applicable

No additional information available.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### 16. SECTION 16: Other information

#### Indication of changes

1.4. Emergency telep	phone number.	
Abbreviations and a	acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
AGW	Occupational exposure limit value	
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)	
BAM	Federal Institute for Materials Research and Testing, Germany	
BAT	Maximum permissible concentration of biological working substances.	
BCF	Bio-concentration factor.	
BLV	Biological limit values	
BLV	Biological limit values (BGW, Austria)	
BMGV	Biological Monitoring Guidance Value (EH40,UK).	
BOD5	Biochemical oxygen demand within 5 days	
BOD	Biochemical oxygen demand	
bw	Body weight.	
calcd.	Calculated	
CAS	Chemical Abstract Service.	
CEN	European Committee for Standardization	
CESIO	European Committee on Organic Surfactants and their Intermediates.	
COD	Chemical oxygen demand	
CLP Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classific labeling and packaging of substances and mixtures.		

CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short- time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
code: Ford Internal Ref : 115785	CR - en Revision date: 1/2//2020 7/

PBT	Persistent Bioaccumulative Toxic		
PC (Chemical product category)	PC (Chemical product category)		
PNEC	Predicted No-Effect Concentration		
POCP	Photochemical ozone creation potential.		
POP	Persistent Organic Pollutants		
PPE	Personal protective equipment		
Process category	Process category		
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SCL	Specific concentration limit.		
STEL	Short-term Exposure Limit		
STP	Sewage treatment plant		
SU (Sector of use)	SU (Sector of use)		
SVHC	Substance of Very High Concern.		
TLV	Threshold Limit Value		
TRGS	Technical Rules for Hazardous Substances (German Standard).		
TWA	Time Weighted Average		
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials		
VbF	Ordinance on Flammable Liquids, Austria		
VOC	Volatile organic compounds		
vPvB	Very Persistent and Very Bioaccumulative		
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).		
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).		
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Other information	The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this product information sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this product information sheet is not necessarily valid for the new made-up material.		
Classification according to (EC) No. 1272/2008	o Regulation		

Not classified

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Attachment to the Safety Data Sheet



Product Name:	Grease O-PS	
Ford Int. Ref. No.:	115785	REVISION DATE: 24.01.2020
Involved Products	:	
Finiscode	Part number	Container Size:
. 1 1 019 762	95SX M1C237 AA	80 g
Part of Kit:		
	22	Different Boot Kits and CV-Joints (22)