



## CLEANER T-P

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 14.07.2015  
REVISION DATE: 10.12.2019  
SUPERSEDES DATE: 01.07.2016  
VERSION: 7.0

## 1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name	Cleaner T-P
Product code	Ford Int. Ref. No.: 155483
SDS Number	8021
Product use	Professional use

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Cleaning product
Uses advised against	None known

### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	<b>Distributor</b>
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

## 2. SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

<b>Physical hazards</b>	Flammable liquids, Category 2	H225	Highly flammable liquid and vapour.
<b>Health hazards</b>	Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
	Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness.

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



<b>Signal word</b>	Danger
<b>Contains</b>	propan-2-ol
<b>Hazard statements</b>	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

H336	May cause drowsiness or dizziness.
<b>Precautionary statements</b>	
<b>Prevention</b>	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fume, gas, mist, vapours.
P280	Wear eye protection, protective gloves.
<b>Response</b>	
P337+P313	If eye irritation persists: Get medical advice/attention
<b>Supplemental hazard information</b>	
EUH066	Repeated exposure may cause skin dryness or cracking

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

## 3. SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	80 - 100	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Full text of H-statements: see section 16

## 4. SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General information</b>	Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.
<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
<b>Skin contact:</b>	Wash skin with soap and water. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
<b>Eyes contact</b>	Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists.
<b>Ingestion</b>	Rinse mouth out with water. Drink 1 or 2 glasses of water. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms/effects:</b>	May cause drowsiness or dizziness.
<b>Symptoms/effects after eye contact</b>	Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use a water jet since it may cause the fire to spread.

### 5.2. Special hazards arising from the substance or mixture

**Fire hazard** Highly flammable liquid and vapour.

**Hazardous combustion products** During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO<sub>2</sub>).

### 5.3. Advice for firefighters

**Protection during firefighting** Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## 6. SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

**Protective equipment** Use personal protective equipment as required. For personal protection, see section 8 of the SDS.

**Emergency procedures** Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.

**For emergency responders**

**Protective equipment** Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Clean surface thoroughly to remove residual contamination. Wipe up with absorbent material (for example cloth). Spill area may be slippery. Never return spills in original containers for re-use.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

## 7. SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Additional hazards when processed** Wear appropriate personal protective equipment.

**Precautions for safe handling** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Avoid breathing fume, gas, mist, vapours.

**Hygiene measures** Do not eat, drink or smoke when using this product. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures** Ground/bond container and receiving equipment.

<b>Storage conditions</b>	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
<b>Incompatible products</b>	Oxidising agents.
<b>Incompatible materials</b>	Direct sunlight. Heat sources.

7.3. **Specific end use(s)** Cleaning product.

## 8. SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### United Kingdom

Regulation	Substance	Type	Value
EH40/2005 (Third edition, 2018). HSE	<b>propan-2-ol (67-63-0)</b> Propan-2-ol	WEL TWA	999 mg/m <sup>3</sup>
		WEL TWA	400 ppm
		WEL STEL	1250 mg/m <sup>3</sup>
		WEL STEL	500 ppm

#### **DNEL: Derived no effect level**

No data available

Components	Type	Route	Value	Form
propan-2-ol (67-63-0)	Worker	Dermal	888 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	500 mg/m <sup>3</sup>	Long-term - systemic effects
	Consumer	Oral	26 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	89 mg/m <sup>3</sup>	Long-term - systemic effects
		Dermal	319 mg/kg bodyweight/day	Long-term - systemic effects

#### **PNEC: Predicted no effect concentration**

No data available

Components	Type	Route	Value	Form
propan-2-ol (67-63-0)	Not applicable	Freshwater	140.9 mg/l	
		Seawater	140.9 mg/l	
		Freshwater	140.9 mg/l	Intermittent release
		sediment	552 mg/kg dwt	Freshwater
		sediment	552 mg/kg dwt	Seawater
		Soil	28 mg/kg dwt	
		Oral	160 mg/kg food	Secondary Poisoning
		STP	2251 mg/l	

### 8.2. Exposure controls

#### **Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

#### **Materials for protective clothing**

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

#### **Individual protection measures, such as personal protective equipment (PPE)**

##### **Eye protection**

Safety glasses. EN 166. Wear security glasses which protect from splashes

##### **Skin protection**

##### **Hand protection**

Protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove. EN 374

Material	Permeation	Thickness (mm)	Comments
----------	------------	----------------	----------

Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
<b>Other protective measures</b>			No additional information available.
<b>Respiratory protection</b>			If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust
<b>Skin and body protection</b>			Wear suitable protective clothing, Long sleeved protective clothing
<b>Thermal hazard protection</b>			Wear appropriate thermal protective clothing, when necessary.
<b>Environmental exposure controls</b>			Avoid release to the environment.

## 9. SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Colour</b>	Colourless. Clear.
<b>Odour</b>	Characteristics.
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Relative evaporation rate (butylacetate=1)</b>	No data available
<b>Melting point</b>	Not applicable
<b>Freezing point</b>	No data available
<b>Boiling point</b>	82 @ 1.013 hPa
<b>Flash point</b>	15 °C DIN 51755
<b>Auto-ignition temperature</b>	425 °C
<b>Decomposition temperature</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Vapour pressure</b>	42 mbar @ 20°C 310 mbar @ 55°C
<b>Relative vapour density at 20 °C</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	0.79 g/cm³ @ 20°C
<b>Solubility</b>	Soluble in water.
<b>Log Pow</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Viscosity, dynamic</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Lower explosive limit (LEL)</b>	2 vol %
<b>Upper explosive limit (UEL)</b>	12 vol %

### 9.2. Other information

VOC (EU)	100 %
----------	-------

## 10. SECTION 10: Stability and reactivity

10.1. **Reactivity** Highly flammable liquid and vapour.

10.2. **Chemical stability** Stable under normal conditions.

<b>10.3. Possibility of hazardous reactions</b>	No dangerous reactions known under normal conditions of use.
<b>10.4. Conditions to avoid</b>	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
<b>10.5. Incompatible materials</b>	Oxidising agents.
<b>10.6. Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced. During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO <sub>2</sub> ).

## 11. SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	Based on available data, the classification criteria are not met.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met
<b>STOT-single exposure</b>	May cause drowsiness or dizziness.
<b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met

## 12. SECTION 12: Ecological information

### 12.1. Toxicity

<b>Ecology - general</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
--------------------------	--

### 12.2. Persistence and degradability

#### propan-2-ol (67-63-0)

<b>Persistence and degradability</b>	Readily biodegradable. Biochemical oxygen demand within 5 days (BOD <sub>5</sub> ).
--------------------------------------	---

### 12.3. Bioaccumulative potential

#### propan-2-ol (67-63-0)

<b>Log Pow</b>	0.05 at 25 °C
----------------	---------------

### 12.4. Mobility in soil

No additional information available.

### 12.5. Results of PBT and vPvB assessment

#### Cleaner T-P

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

### 12.6. Other adverse effects

<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.
------------------------------	---

## 13. SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Regional legislation (waste)</b>	Disposal must be done according to official regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Waste treatment methods</b>	Dispose of contents/container in accordance with licensed collector's sorting instructions.
<b>Sewage disposal recommendations</b>	Do not contaminate ponds, waterways or ditches with chemical or used container.
<b>Additional information</b>	Flammable vapours may accumulate in the container.
<b>European List of Waste (LoW) code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
14 06 03*	other solvents and solvent mixtures
15 01 10*	packaging containing residues of or contaminated by dangerous substances

## 14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

<b>UN-No. (ADR)</b>	1219
<b>UN-No. (IMDG)</b>	1219
<b>UN-No. (IATA)</b>	1219
<b>UN-No. (ADN)</b>	1219
<b>UN-No. (RID)</b>	1219

### 14.2. UN proper shipping name

<b>Proper Shipping Name (ADR)</b>	ISOPROPANOL (ISOPROPYL ALCOHOL)
<b>Proper Shipping Name (IMDG)</b>	ISOPROPANOL (ISOPROPYL ALCOHOL)
<b>Proper Shipping Name (IATA)</b>	Isopropanol
<b>Proper Shipping Name (ADN)</b>	ISOPROPANOL (ISOPROPYL ALCOHOL)
<b>Proper Shipping Name (RID)</b>	ISOPROPANOL (ISOPROPYL ALCOHOL)

### 14.3. Transport hazard class(es)

<b>ADR</b>	
<b>Transport hazard class(es) (ADR)</b>	3
<b>Danger labels (ADR)</b>	3
<b>IMDG</b>	
<b>Transport hazard class(es) (IMDG)</b>	3
<b>Danger labels (IMDG)</b>	3
<b>IATA</b>	
<b>Transport hazard class(es) (IATA)</b>	3
<b>Hazard labels (IATA)</b>	3
<b>ADN</b>	
<b>Transport hazard class(es) (ADN)</b>	3
<b>Danger labels (ADN)</b>	3
<b>RID</b>	
<b>Transport hazard class(es) (RID)</b>	3

Danger labels (RID)	3
<b>14.4. Packing group</b>	
Packing group (ADR)	II
Packing group (IMDG)	II
Packing group (IATA)	II
Packing group (ADN)	II
Packing group (RID)	II
<b>14.5. Environmental hazards</b>	
Dangerous for the environment	No
Marine pollutant	No
Other information	No supplementary information available.
<b>14.6. Special precautions for user</b>	
<b>Overland transport</b>	
Classification code (ADR)	F1
Special provisions (ADR)	601
Limited quantities (ADR)	1I
Packing instructions (ADR)	P001, IBC02, R001
Hazard identification number (Kemler No.)	33
Tunnel restriction code (ADR)	D/E
EAC code	*2YE
<b>Transport by sea</b>	
Limited quantities (IMDG)	1 L
Packing instructions (IMDG)	P001
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	S-D
Stowage category (IMDG)	B
<b>Air transport</b>	
PCA Excepted quantities (IATA)	E2
PCA Limited quantities (IATA)	Y341
PCA limited quantity max net quantity (IATA)	1L
PCA packing instructions (IATA)	353
PCA max net quantity (IATA)	5L
CAO packing instructions (IATA)	364
CAO max net quantity (IATA)	60L
Special provisions (IATA)	A180
ERG code (IATA)	3L
<b>Inland waterway transport</b>	
Classification code (ADN)	F1
Special provisions (ADN)	601
Limited quantities (ADN)	1 L
Carriage permitted (ADN)	T
<b>Rail transport</b>	
Classification code (RID)	F1
Special provisions (RID)	601
Limited quantities (RID)	1L
Packing instructions (RID)	P001, IBC02, R001



Hazard identification number (RID) 33

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### 15. SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

propan-2-ol	3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
Cleaner T-P - propan-2-ol	3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
Cleaner T-P - propan-2-ol	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
propan-2-ol	40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

**VOC (EU)** 100 %

##### Other information, restriction and prohibition regulations

Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

##### Seveso Information

P5c FLAMMABLE LIQUIDS  
Flammable liquids, Categories 2 or 3 not covered by P5a and P5b

##### National regulations

No additional information available.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### 16. SECTION 16: Other information

##### Indication of changes

Section 1 - Section 16.

##### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.

BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.

LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
<b>Data sources</b>	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..
<b>Training advice</b>	Normal use of this product shall imply use in accordance with the instructions on the packaging
<b>Full text of H- and EUH-statements</b>	

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Flam. Liq. 2	Flammable liquids, Category 2.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis.
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]**

---

Flam. Liq. 2	H225	
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

*The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.*

Attachment to the Safety Data Sheet



**Product Name:** Cleaner T-P

**Ford Int. Ref. No.:** 155483

REVISION DATE: 10.12.2019

**Involved Products:**

<b>Finiscode</b>	<b>Part number</b>	<b>Container Size:</b>
1	99SX M2G342 CA	10 ml
<b>Part of Kit:</b>		
1 947 915	FU7J M11P47 AA	Metal Adhesive Kit H – 2 Components
2 053 958	FU7J T03863 AB	Windscreen Adhesive Kit - 1 Component H1-310
2 053 960	FU7J T03863 CB	Windscreen Adhesive Kit - 1 Component H1-400
2 053 962	FU7J T03863 EB	Windscreen Adhesive Kit - 2 Component H2