



DIESEL ADDITIVE

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 29.09.2014

REVISION DATE: 18.06.2020

SUPERSEDES DATE: 03.03.2020

VERSION: 2.4

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Diesel Additive
Product code	Ford Internal Ref.: 166781
SDS Number	7625
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture	Fuel additives
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Aspiration hazard, Category 1	H304	May be fatal if swallowed and enters airways.
----------------	-------------------------------	------	---

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	Danger
Contains	Hydrocarbons, C11-C13, Isoalkanes, <2% aromatics
Hazard statements	
H304	May be fatal if swallowed and enters airways.
Precautionary statements	
Response	
P301+P310	IF SWALLOWED: Immediately call a doctor, a POISON CENTER.
P331	Do NOT induce vomiting.

Supplemental hazard information

EUH066

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Hydrocarbons, C11-C13, Isoalkanes, <2% aromatics	246538-78-3 920-901-0 01-2119456810-40- XXXX	50 - 75	Asp. Tox. 1, H304	

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Call a physician immediately.

Inhalation

Remove person to fresh air and keep comfortable for breathing.

Skin contact:

Wash contaminated clothing before reuse. Wash skin with soap and water.
Wash skin with plenty of water.

Eyes contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse eyes with water as a precaution.

Ingestion

Do not induce vomiting. Get medical attention if symptoms occur. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact

Repeated or prolonged skin contact may cause dermatitis and defatting.

Symptoms/effects after eye contact

Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Exposure may cause temporary irritation, redness, or discomfort.

Symptoms/effects after ingestion

On ingestion in large quantities: Diarrhea. Nausea. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

carbon dioxide (CO₂), powder, water spray. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water spray.

Unsuitable extinguishing media

Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard

pressure rise and possible bursting of container.

Explosion hazard

No direct explosion hazard.

Reactivity in case of fire

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

Hazardous combustion products	During fire, gases hazardous to health may be formed. Thermal decomposition generates : Carbon oxides (CO, CO ₂). Metal oxides. nitrogen oxides (NO _x) and sulphur oxides. Sulphur oxides.
5.3. Advice for firefighters	
Precautionary measures fire	Evacuate area. Use standard firefighting procedures and consider the hazards of other involved materials.
Firefighting instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6. SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipment and emergency procedures	
General measures	Do not handle until all safety precautions have been read and understood. If spilled, may cause the floor to be slippery. Keep people away from and upwind of spill/leak. Keep unnecessary personnel away.
For non-emergency personnel	
Protective equipment	Do not touch or walk on the spilled product.
Emergency procedures	Evacuate unnecessary personnel. Provide adequate ventilation.
For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Stop leak if safe to do so. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	
For containment	Stop leak without risks if possible. Move container from fire area if it can be done without risk.
Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
Other information	Dispose in accordance with all applicable regulations.
6.4. Reference to other sections	For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : " Disposal considerations".
7. SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	Do not handle or store near an open flame, heat or other sources of ignition. Keep container tightly closed. Keep cool. Protect from sunlight. Store away from incompatible materials (see Section 10 of the SDS).

7.3. **Specific end use(s)** Fuel additives.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits.

DNEL: Derived no effect level

No data available

PNEC: Predicted no effect concentration

No data available

8.2. Exposure controls

Appropriate engineering controls Good standard of general ventilation. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. Ensure good ventilation of the work station

Materials for protective clothing Wear suitable protective clothing.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection Safety glasses

Skin protection

Hand protection

The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4 mm	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4 mm	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures			No additional information available.
Respiratory protection			If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. High efficiency particulate air filter (HEPA filter)
Skin and body protection			Wear suitable protective clothing
Thermal hazard protection			Wear appropriate thermal protective clothing, when necessary.
Environmental exposure controls			Avoid release to the environment. Environmental manager must be informed of all major releases.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid.
Colour	brown.
Odour	Hydrocarbon-like.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	185 – 213 °C
Flash point	> 62 °C

Auto-ignition temperature	> 200 °C Solvent
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	2 hPa (30 °C)
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.847 g/cm ³ (20 °C)
Solubility	Water: < 1 mg/l Solvent Organic solvent:Soluble
Log Pow	> 6 Solvent
Viscosity, kinematic	< 20.5 mm ² /s (40 °C)
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

VOC (EU)	92 %
-----------------	------

10. SECTION 10: Stability and reactivity

10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials	Strong acids. Strong alkalis. Strong oxidizing agent.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

Diesel Additive

Log Pow	> 6 Solvent
---------	-------------

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Diesel Additive

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

European List of Waste (LoW) code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

13 07 01*

fuel oil and diesel

15 01 06

mixed packaging

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Diesel Additive ; Hydrocarbons, C11-C13, Isoalkanes, <2% aromatics

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU) 92 %
Other information, restriction and prohibition regulations Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

Seveso Information Not applicable.

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

1.4. Emergency telephone number.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.

EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Classification according to Regulation (EC) No. 1272/2008

Asp. Tox. 1	H304
-------------	------

Full text of H- and EUH-statements

Asp. Tox. 1	Aspiration hazard, Category 1.
H304	May be fatal if swallowed and enters airways..
EUH066	Repeated exposure may cause skin dryness or cracking..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Asp. Tox. 1	H304	Calculation method
-------------	------	--------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Diesel Additive

Ford Int. Ref. No.: 166781

REVISION DATE: 18.06.2020

Involved Products:

Finiscode	Part number	Container Size:
1	3M5J 19G543 AA	5 l
Part of Kit: 1 337 646	3M5J 9C196 AA	Diesel additive Refill set