



GREASE CB-HT

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 13.08.2014
REVISION DATE: 17.08.2020
SUPERSEDES DATE: 14.07.2020
VERSION: 5.0

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Grease CB-HT
Product code	Ford Internal Ref.: 170075
SDS Number	7944
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Grease
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
----------------	---	------	--------------------------------

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

Prevention

P280 Wear protective gloves, eye protection.

Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

P337+P313 lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Supplemental hazard information

EUH208 Contains sulfonic acid, petroleum, calcium salts. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4 273-527-9 01-2119964477-23-XXXX	1 - < 2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	
sulfonic acid, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18-XXXX	0,1 - < 1	Skin Sens. 1B, H317	(10 ≤ C ≤ 100) Skin Sens. 1B, H317

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.

Skin contact: Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eyes contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Do NOT induce vomiting. Rinse mouth thoroughly. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: IF IN EYES: Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	
Hazardous combustion products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO ₂).
5.3. Advice for firefighters	
Precautionary measures fire	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Firefighting instructions	Move containers from fire area if it can be done without personal risk.
Protection during firefighting	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6. SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	
Protective equipment	Wear appropriate protective equipment and clothing during clean-up. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Keep unnecessary personnel away.
6.2. Environmental precautions	Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.
6.3. Methods and material for containment and cleaning up	
For containment	Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
Methods for cleaning up	Mechanically recover the product. Never return spills in original containers for re-use.
Other information	Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".
7. SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Protect material from direct sunlight. Observe good industrial hygiene practices.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	Store away from incompatible materials (see Section 10 of the SDS). Store in original tightly closed container.
Incompatible materials	oxidizing materials.
Storage temperature	Store at room temperature

7.3. **Specific end use(s)** Grease.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits.

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts (68988-45-4)	Worker	Dermal	9.6 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	6.8 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.19 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	1.67 mg/m ³	Long-term - systemic effects
		Dermal	4.8 mg/kg bodyweight/day	Long-term - systemic effects
sulfonic acid, petroleum, calcium salts (61789-86-4)	Worker	Dermal	3.33 mg/kg bodyweight/day	Long-term - systemic effects
		Dermal	1.03 mg/cm ²	Long-term - local effects
		Inhalation	11.75 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.833 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.9 mg/m ³	Long-term - systemic effects
		Dermal	1.667 mg/m ³	Long-term - systemic effects
		Dermal	0.513 mg/cm ²	Long-term - local effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts (68988-45-4)	Not applicable	Freshwater	0.002 mg/l	
		Seawater	0 mg/l	
		Freshwater	0.02 mg/l	Intermittent release
		sediment	405.22 mg/kg dwt	Freshwater
		sediment	40.52 mg/kg dwt	Seawater
		Soil	486.29 mg/kg dwt	
		STP	100 mg/l	
sulfonic acid, petroleum, calcium salts (61789-86-4)	Not applicable	Freshwater	1 mg/l	
		Seawater	1 mg/l	
		Freshwater	10 mg/l	Intermittent release
		sediment	226000000 mg/kg dwt	Freshwater
		sediment	226000000 mg/kg dwt	Seawater
		Soil	271000000 mg/kg dwt	
		Oral	16667 mg/kg food	Secondary Poisoning
		STP	1000 mg/l	

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

Materials for protective clothing

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

Individual protection measures, such as personal protective equipment (PPE)

Eye protection	Safety glasses with side shields. EN 166.		
Skin protection			
Hand protection	The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove		
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment		
Skin and body protection	Wear suitable protective clothing, Long sleeved protective clothing		
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.		
Environmental exposure controls	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.		

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste.
Colour	dark green.
Odour	mineral oil.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Dropping point	> 240 °C
Freezing point	Not applicable
Boiling point	No data available
Flash point	250 °C
Auto-ignition temperature	Not applicable
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.91 g/cm ³ @ 20°C
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	Not applicable
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	Not applicable

9.2. Other information

VOC (EU)	Not applicable
-----------------	----------------

10. SECTION 10: Stability and reactivity

- | | |
|--|--|
| 10.1. Reactivity | The product is non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reactions known under normal conditions of use. |
| 10.4. Conditions to avoid | Contact with incompatible materials. |
| 10.5. Incompatible materials | Strong oxidizing agents. Strong acids. Strong bases. |
| 10.6. Hazardous decomposition products | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	Information on Effects: refer to section 4.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
-------------------	--

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Grease CB-HT

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
Waste treatment methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Additional information	Dispose in accordance with all applicable regulations.
European List of Waste (LoW) code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN
Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts ; sulfonic acid, petroleum, calcium salts	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
--	--

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
--	--

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU)

Not applicable

Other information, restriction and prohibition regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. For details, refer to section 3 and 8.

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association

IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average

UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Classification according to Regulation (EC) No. 1272/2008

Eye Irrit. 2	H319
--------------	------

Full text of H- and EUH-statements

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Skin Irrit. 2	Skin corrosion/irritation, Category 2.
Skin Sens. 1B	Skin sensitisation, category 1B.
H315	Causes skin irritation..
H317	May cause an allergic skin reaction..
H318	Causes serious eye damage..
H319	Causes serious eye irritation..
H411	Toxic to aquatic life with long lasting effects..
EUH208	Contains sulfonic acid, petroleum, calcium salts. May produce an allergic reaction..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Eye Irrit. 2	H319	Calculation method
--------------	------	--------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Grease CB-HT

Ford Int. Ref. No.: 170075

REVISION DATE: 17.08.2020

Involved Products:

	Finiscode	Part number	Container Size:
.	1 1 776 432	CU7J M1C228 AA	400 g