



GREASE G-LF

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 23.03.2015
REVISION DATE: 20.01.2020
SUPERSEDES DATE: 03.12.2015
VERSION: 3.1

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Grease G-LF
Product code	Ford Internal Ref.: 175352
SDS Number	8116
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Lubricant
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Respiratory sensitisation, Category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
----------------	---------------------------------------	------	--

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	Danger
Contains	N, N''-(methylenedi-4,1-phenylene)bis[N'-octyl]urea

Hazard statements	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
-------------------	--

Precautionary statements

Prevention	Avoid breathing mist, dust.
------------	-----------------------------

Response

P304+P340
P342+P311

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a doctor, a POISON CENTER

Supplemental hazard information

EUH208

Contains Benzenesulfonic Acid, Mono-C16-24-alkyl Derivs, Calcium Salts. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
N, N''-(methylenedi-4,1-phenylene)bis[N'-octyl]urea	- 445-760-8 006-103-00-7 01-0000018823-66-XXXX	5 - < 10	Eye Dam. 1, H318 Resp. Sens. 1, H334 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	
Benzenesulfonic Acid, Mono-C16-24-alkyl Derivs., Calcium Salts	70024-69-0 274-263-7 01-2119492616-28-XXXX	0.1 - < 1	Skin Sens. 1B, H317	(10 <C ≤ 100) Skin Sens. 1B, H317
Zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32-XXXX	0,1 - < 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.

Skin contact:

Wash off with plenty of water. Take off contaminated clothing and wash it before reuse.

Eyes contact

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.

Ingestion

Rinse mouth thoroughly. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, gases hazardous to health may be formed.
-------------------------------	---

5.3. Advice for firefighters

Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.
Emergency procedures	Spill area may be slippery. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Protective equipment	For personal protection, see section 8 of the SDS.
Emergency procedures	Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

For containment	Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
Methods for cleaning up	Leave the product to solidify. Mechanically recover the product. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Store in original container.
Information on mixed storage	Refer to Section 10 on Incompatible Materials.

7.3. Specific end use(s) Lubricant.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

United Kingdom

Regulation	Substance	Type	Value
	Molybdenum compounds (insoluble compounds)	WEL TWA	10 mg/m ³ Inhalable aerosol
		WEL STEL	20 mg/m ³ Inhalable aerosol

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
N, N''-(methylenedi-4,1-phenylene)bis[N'-octyl]urea (-)	Worker	Dermal	6.25 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	44 mg/m ³	Long-term - systemic effects
	Consumer	Oral	3.75 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	13 mg/m ³	Long-term - systemic effects
Benzenesulfonic Acid, Mono-C16-24-alkyl Derivs., Calcium Salts (70024-69-0)	Worker	Dermal	3.33 mg/kg bodyweight/day	Long-term - systemic effects
		Dermal	1.03 mg/cm ²	Long-term - local effects
		Inhalation	11.75 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.833 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.9 mg/m ³	Long-term - systemic effects
		Dermal	1.667 mg/kg bodyweight/day	Long-term - systemic effects
Zinc oxide (1314-13-2)	Worker	Dermal	83 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	5 mg/m ³	Long-term - systemic effects
		Inhalation	0.5 mg/m ³	Long-term - local effects
	Consumer	Oral	0.83 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.5 mg/m ³	Long-term - systemic effects
		Dermal	83 mg/kg bodyweight/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
Benzenesulfonic Acid, Mono-C16-24-alkyl Derivs., Calcium Salts (70024-69-0)	Not applicable	Freshwater	1 mg/l	
		Seawater	1 mg/l	
		Freshwater sediment	10 mg/l	Intermittent release
		sediment	226000000 mg/kg dwt	Freshwater
		sediment	226000000 mg/kg dwt	Seawater
		Soil	271000000 mg/kg dwt	
		Oral	16.667 mg/kg food	Secondary Poisoning
Zinc oxide (1314-13-2)	Not applicable	Freshwater	20.6 µg/L	
		Seawater	6.1 µg/L	
		sediment	117.8 mg/kg dwt	Freshwater
		sediment	56.5 mg/kg dwt	Seawater
		Soil	35.6 mg/kg dwt	

STP 100 µg/L

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level		
Materials for protective clothing	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment		
Individual protection measures, such as personal protective equipment (PPE)			
Eye protection	EN 166. Safety glasses with side shields		
Skin protection			
Hand protection	Protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove		
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Filter type: A-P2		
Skin and body protection	No additional information available.		
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.		
Environmental exposure controls	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.		
Consumer exposure controls	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste.
Colour	dark grey.
Odour	perceptible.
Odour threshold	No data available
pH	Not applicable
Relative evaporation rate (butylacetate=1)	Not applicable
Melting point	240 °C
Freezing point	No data available
Boiling point	No data available
Flash point	215 °C
Auto-ignition temperature	Not self-igniting
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	Not applicable
Relative vapour density at 20 °C	Not applicable
Relative density	No data available
Density	0.9 g/cm ³ @ 25°C
Solubility	Water: Insoluble

Log Pow	No data available
Viscosity, kinematic	Not applicable
Viscosity, dynamic	Not applicable
Explosive properties	Not explosive.
Oxidising properties	No data available
Explosive limits	No data available
9.2. Other information	
VOC (EU)	0 %
10. SECTION 10: Stability and reactivity	
10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizers.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: carbon oxides (CO and CO ₂).
11. SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met. (On basis of test data. (OECD 405 method))
Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	Information on Effects: refer to section 4.
12. SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	On basis of test data. (OECD 201 method). (OECD 202 method). (OECD 203 method). The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Hazardous to the aquatic environment, short-term (acute)	

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Grease G-LF		Pseudokirchnerella subcapitata	ErC50	> 100 mg/l	72 h	(OECD 201 method)
	crustacea	Daphnia magna	EC50	> 100 mg/l	48 h	(OECD 202 method)
	Fish	Oryzias latipes (Ricefish)	LC50	> 100 mg/l	96 h	(OECD 203 method)
Zinc oxide (1314-13-2)	algae	Pseudokirchnerella subcapitata	IC50	0.136 mg/L	72 h	
	crustacea	Daphnia magna	LC50	0.28 mg/L	48 h	
	Fish	Oncorhynchus mykiss (Rainbow trout)	LC50	0.169 mg/L	96 h	

Hazardous to the aquatic environment, long-term (chronic)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Grease G-LF		Pseudokirchnerella subcapitata	NOEC	> = 100 mg/l	72 h	(OECD 201 method)
Zinc oxide (1314-13-2)	algae	Pseudokirchnerella subcapitata	NOEC	0.019 mg/L	72 h	

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Grease G-LF

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.

Waste treatment methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Additional information	Dispose in accordance with all applicable regulations.
European List of Waste (LoW) code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
13 02 08*	other engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

N, N"-(methylenedi-4,1-phenylene)bis[N'-octyl]urea	3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
N, N"-(methylenedi-4,1-phenylene)bis[N'-octyl]urea	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
N, N"-(methylenedi-4,1-phenylene)bis[N'-octyl]urea	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU)

0 %

Other information, restriction and prohibition regulations

Directive 94/33/EC on the protection of young people at work, as amended.
Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
-----	---

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry

LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Classification according to Regulation (EC) No. 1272/2008

Resp. Sens. 1	H334
---------------	------

Full text of H- and EUH-statements

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Resp. Sens. 1	Respiratory sensitisation, Category 1.
Skin Sens. 1B	Skin sensitisation, category 1B.
H317	May cause an allergic skin reaction..
H318	Causes serious eye damage..
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled..
H400	Very toxic to aquatic life..
H410	Very toxic to aquatic life with long lasting effects..
EUH208	Contains Benzenesulfonic Acid, Mono-C16-24-alkyl Derivs, Calcium Salts. May produce an allergic reaction..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Resp. Sens. 1	H334	Calculation method
---------------	------	--------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Grease G-LF

Ford Int. Ref. No.: 175352

REVISION DATE: 20.01.2020

Involved Products:

	Finiscode	Part number	Container Size:
	1	6G9N 39209 JAAJA	120 g
Part of Kit:		--22--	Different Boot Kits and CV-Joints (22)
	2 1 720 194	6G9N 39209 JAAKA	90 g