



# HYDRAULIC FLUID DP-PS

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 09.07.2014  
REVISION DATE: 10.09.2020  
SUPERSEDES DATE: 03.07.2020  
VERSION: 6.0

### 1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name	Hydraulic Fluid DP-PS
Product code	Ford Internal Ref: 175741
SDS Number	7991
Product use	Professional use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Hydraulic Fluids
Uses advised against	None known

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

### 2. SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Aspiration hazard, Category 1	H304	May be fatal if swallowed and enters airways.
----------------	-------------------------------	------	---

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	Danger
Contains	Dec-1-ene, dimers, hydrogenated ; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
Hazard statements	
H304	May be fatal if swallowed and enters airways.
Precautionary statements	
Response	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER, a doctor.
P331	Do NOT induce vomiting.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

## 3. SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0 276-737-9 649-482-00-X 01-2119474878-16-XXXX	20 -< 50	Asp. Tox. 1, H304	(Note L)
Dec-1-ene, dimers, hydrogenated	68649-11-6 500-228-5 01-2119493069-28-XXXX	10 - < 20	Acute Tox. 4 (Inhalation), H332 Asp. Tox. 1, H304	
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	1218787-32-6 620-540-6 01-2119510877-33-XXXX	0,1 -< 0,25	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410	

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

## 4. SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Never give anything by mouth to an unconscious person.

#### Inhalation

Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest. If experiencing respiratory symptoms: Call a poison center or a doctor.

#### Skin contact:

Wash skin with plenty of water and soap.

#### Eyes contact

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an ophthalmologist if irritation persists.

#### Ingestion

Rinse mouth out with water. Call a physician immediately. Do not induce vomiting/risk of damage to lungs exceeds poisoning risk. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Symptoms/effects after ingestion

Risk of lung oedema. May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use a water jet since it may cause the fire to spread.

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO <sub>2</sub> ). Nitrogen oxides.
-------------------------------	--

### 5.3. Advice for firefighters

Precautionary measures fire	Keep container tightly closed and away from heat, sparks and flame.
Firefighting instructions	Use water spray or fog for cooling exposed containers. Prevent runoff from entering water courses, sewers and basements. Move containers from fire area if it can be done without personal risk. Keep unnecessary personnel away.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	Collect the propellant mechanically and put it into a barrel with water.

## 6. SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	If spilled, may cause the floor to be slippery.
For non-emergency personnel	
Protective equipment	Wear appropriate protective equipment and clothing during clean-up. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Ventilate spillage area. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protective equipment. Local authorities should be advised if significant spillages cannot be contained.
For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Keep unnecessary personnel away.

### 6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 6.3. Methods and material for containment and cleaning up

For containment	Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
Methods for cleaning up	Large Spills: Stop leak if safe to do so. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Dike the spilled material, where this is possible. Stop the flow of material, if this is without risk. Flush residue with large amounts of water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination.
Other information	Dispose of materials or solid residues at an authorized site. Prevent entry into waterways, sewer, basements or confined areas.

**6.4. Reference to other sections** For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

**7. SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Precautions for safe handling** Prevent aerosol formation or splashes. Avoid contact with skin, eyes and clothing. Do not pierce or burn, even after use. Do not breathe vapour/aerosol. Do not spray on an open flame or other ignition source. Ensure adequate ventilation, especially in confined areas.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Always wash hands after handling the product.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions** Store locked up. Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

**7.3. Specific end use(s)** Hydraulic Fluids.

**8. SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

Contains no substances with occupational exposure limits.

**DNEL: Derived no effect level**

No data available

Components	Type	Route	Value	Form
Dec-1-ene, dimers, hydrogenated (68649-11-6)	Worker	Inhalation	60 mg/m <sup>3</sup>	Acute - systemic effects
	Consumer	Inhalation	50 mg/m <sup>3</sup>	Acute - systemic effects
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. (1218787-32-6)	Worker	Dermal	0.3 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.112 µg/m <sup>3</sup>	Long-term - systemic effects
	Consumer	Oral	0.214 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	0.745 mg/m <sup>3</sup>	Long-term - systemic effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	Worker	Dermal	0.97 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.73 mg/m <sup>3</sup>	Long-term - systemic effects
		Inhalation	5.58 mg/m <sup>3</sup>	Long-term - local effects
	Consumer	Oral	0.74 mg/kg bodyweight/day	Long-term - systemic effects

**PNEC: Predicted no effect concentration**

No data available

Components	Type	Route	Value	Form
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. (1218787-32-6)	Not applicable	Freshwater	0.214 µg/L	
		Seawater	0.021 µg/L	
		Freshwater sediment	0.87 µg/L	Intermittent release
		Freshwater sediment	1.692 mg/kg dwt	Freshwater
		Soil	0.169 mg/kg dwt	Seawater
		Soil	5 mg/kg dwt	
		Oral	2 mg/kg food	Secondary Poisoning

		STP	1500 µg/L	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	Not applicable	Oral	9.33 mg/kg food	Secondary Poisoning

## 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level			
<b>Materials for protective clothing</b>	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment			
<b>Individual protection measures, such as personal protective equipment (PPE)</b>				
<b>Eye protection</b>	EN 166. Wear security glasses which protect from splashes. Chemical goggles or face shield with safety glasses			
<b>Skin protection</b>				
<b>Hand protection</b>	EN 374. Protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove			
<b>Material</b>	<b>Permeation</b>	<b>Thickness (mm)</b>	<b>Comments</b>	
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.	
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.	
<b>Other protective measures</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment. Type AX - Low-boiling (<65 °C) organic compounds. A-P2			
<b>Skin and body protection</b>	Wear suitable protective clothing, Long sleeved protective clothing			
<b>Thermal hazard protection</b>	Wear appropriate thermal protective clothing, when necessary.			
<b>Environmental exposure controls</b>	Avoid release to the environment.			

## 9. SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Colour</b>	dark green.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Relative evaporation rate (butylacetate=1)</b>	No data available
<b>Melting point</b>	Not applicable
<b>Freezing point</b>	No data available
<b>Boiling point</b>	No data available
<b>Flash point</b>	> 150 °C
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Vapour pressure</b>	No data available
<b>Relative vapour density at 20 °C</b>	No data available
<b>Relative density</b>	No data available

Density	0.83 g/cm <sup>3</sup> @ 20°C
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	19 mm <sup>2</sup> /s @ 40°C
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

## 9.2. Other information

VOC (EU)	< 0.4 %
----------	---------

## 10. SECTION 10: Stability and reactivity

10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials	Strong bases. Strong oxidizing agents. Strong acids.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO <sub>2</sub> ). Nitrogen oxides.

## 11. SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

#### Mixture

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Hydraulic Fluid DP-PS		ATE	Inhalation	6.76	mg/l/4h		

#### Substance

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Dec-1-ene, dimers, hydrogenated (68649-11-6)	(OECD 403 method)	LC50	Inhalation	1.17	mg/l/4h	rat	
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. (1218787-32-6)	(OECD 401 method)	LD50	oral	1350	mg/kg bw	rat	

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met

**Carcinogenicity** Based on available data, the classification criteria are not met

All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen

**Reproductive toxicity** Based on available data, the classification criteria are not met

**STOT-single exposure** Based on available data, the classification criteria are not met

**STOT-repeated exposure** Based on available data, the classification criteria are not met

Aspiration hazard

May be fatal if swallowed and enters airways.

## 12. SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecology - general

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Hazardous to the aquatic environment, short-term (acute)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. (1218787-32-6)	Fish		LC50	0,1 mg/l	96 h	(OECD 203 method)
	crustacea		EC50	0,043 mg/l	48 h	(OECD 202 method)

#### Hazardous to the aquatic environment, long-term (chronic)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. (1218787-32-6)	crustacea		EC50	0,0107 mg/l	21 d	(OECD 211 method)
	algae		EC50	0,0538 mg/l	72 h	(OECD 201 method)
	algae		NOEC	0,0156 mg/l		

### 12.2. Persistence and degradability

#### Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. (1218787-32-6)

**Persistence and degradability** Readily biodegradable. (OECD 301D method).

**Biodegradation** 63 % (28 d, OECD 301D)

### 12.3. Bioaccumulative potential

No additional information available.

### 12.4. Mobility in soil

No additional information available.

### 12.5. Results of PBT and vPvB assessment

#### Hydraulic Fluid DP-PS

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

### 12.6. Other adverse effects

#### Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

## 13. SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

#### Product/Packaging disposal recommendations

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### Additional information

Dispose in accordance with all applicable regulations.

#### Ecology - waste materials

Avoid discharge into drains, water courses or onto the ground.

#### European List of Waste (LoW) code

13 01 10\*

15 01 10\*

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

mineral based non-chlorinated hydraulic oils

packaging containing residues of or contaminated by dangerous substances

## 14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Not regulated for transport

## 15. SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Hydraulic Fluid DP-PS ; Dec-1-ene, dimers, hydrogenated ; Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. ; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
--	--

Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
---	--

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### VOC (EU)

< 0.4 %

#### Other information, restriction and prohibition regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. For details, refer to section 3 and 8.

#### Seveso Information

Not applicable

#### National regulations

No additional information available.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## 16. SECTION 16: Other information

#### Indication of changes

Section 1 - Section 16.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)



BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.

MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

**Data sources** REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

**Training advice** Normal use of this product shall imply use in accordance with the instructions on the packaging

**Classification according to Regulation (EC) No. 1272/2008**

---

Asp. Tox. 1	H304
-------------	------

**Full text of H- and EUH-statements**

---

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4.
---------------------------	--------------------------------------

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4.
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1.
Asp. Tox. 1	Aspiration hazard, Category 1.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C.
H302	Harmful if swallowed..
H304	May be fatal if swallowed and enters airways..
H314	Causes severe skin burns and eye damage..
H318	Causes serious eye damage..
H332	Harmful if inhaled..
H400	Very toxic to aquatic life..
H410	Very toxic to aquatic life with long lasting effects..

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]**

---

Asp. Tox. 1	H304	Calculation method
-------------	------	--------------------

*The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.*

Attachment to the Safety Data Sheet



**Product Name:** Hydraulic Fluid DP-PS

**Ford Int. Ref. No.:** 175741

REVISION DATE: 10.09.2020

**Involved Products:**

Finiscode	Part number	Container Size:
1 1 781 003	5U7J M2C204 AB	1 l