



TRANSMISSION FLUID SE

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 29.08.2014

REVISION DATE: 15.01.2020

SUPERSEDES DATE: 23.08.2019

VERSION: 5.0

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Transmission Fluid SE
Product code	Ford Internal Ref.: 180421
SDS Number	7993
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Transmission Oil
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Supplemental hazard information

EUH208	Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) . May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Highly refined mineral oil, < 3% (w/w) DMSO-extract, IP346	*	6,25 - < 10	Asp. Tox. 1, H304	(Note L)
Polysulfides, di-tert-Bu	68937-96-2 273-103-3 01-2119540515-43-XXXX	2.5 – 3	Skin Sens. 1B, H317 Aquatic Chronic 3, H412	(46 ≤ C ≤ 100) Skin Sens. 1B, H317
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	N/A 931-384-6 01-2119493620-38-XXXX	1 – 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411	(9.39 ≤ C < 100) Skin Sens. 1, H317 (50 < C ≤ 100) Eye Dam. 1, H318

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

* contains one or more of the following CAS-numbers: 64742-65-0; 64742-54-7; 64742-55-8; 101316-72-7; 72623-87-1; 64741-89-5

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin contact:

Take off contaminated clothing. Wash skin with plenty of water.

Eyes contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth with water. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

May cause irritation to the respiratory system.

Symptoms/effects after skin contact

Repeated or prolonged skin contact may cause irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact

Eye irritation.

Symptoms/effects after ingestion

On ingestion in large quantities: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray. Dry powder. Foam. Carbon dioxide.

- Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.
- 5.2. Special hazards arising from the substance or mixture**
- Hazardous combustion products** During fire, gases hazardous to health may be formed.
- 5.3. Advice for firefighters**
- Firefighting instructions** Cool containers / tanks with spray water if possible. Move containers from fire area if it can be done without personal risk. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Protection during firefighting** Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- 6. SECTION 6: Accidental release measures**
- 6.1. Personal precautions, protective equipment and emergency procedures**
- For non-emergency personnel**
- Protective equipment** For personal protection, see section 8 of the SDS.
- Emergency procedures** Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist or vapor. Spill area may be slippery.
- For emergency responders**
- Protective equipment** Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures** Keep unnecessary personnel away.
- 6.2. Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.
- 6.3. Methods and material for containment and cleaning up**
- Methods for cleaning up** Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Take up liquid spill into absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
- Other information** Dispose of materials or solid residues at an authorized site.
- 6.4. Reference to other sections** For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.
- 7. SECTION 7: Handling and storage**
- 7.1. Precautions for safe handling**
- Precautions for safe handling** Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures** Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- 7.2. Conditions for safe storage, including any incompatibilities**
- Storage conditions** Store in original tightly closed container. Store in a dry, cool and well-ventilated place. Do not handle, store or open near an open flame, sources of heat or sources of ignition.
- 7.3. Specific end use(s)** Transmission Oil.
- 8. SECTION 8: Exposure controls/personal protection**
- 8.1. Control parameters**

Contains no substances with occupational exposure limits.

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
Polysulfides, di-tert-Bu (68937-96-2)	Worker	Dermal	3.33 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	14.5 mg/m ³	Long-term - systemic effects
	Consumer	Inhalation	2.6 mg/m ³	Long-term - systemic effects
		Dermal	1.66 mg/kg bodyweight/day	Long-term - systemic effects
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)	Worker	Dermal	12.5 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	8.56 mg/m ³	Long-term - systemic effects
	Consumer	Dermal	0.024 mg/cm ²	Acute - local effects
		Oral	0.25 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.2 mg/m ³	Long-term - systemic effects
		Dermal	6.25 mg/kg bodyweight/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
Polysulfides, di-tert-Bu (68937-96-2)	Not applicable	Freshwater	0.24 µg/L	
		Seawater	0.024 µg/L	
		Freshwater sediment	0.002 mg/l	Intermittent release
		Freshwater sediment	0.94 mg/kg dwt	Freshwater
		Seawater sediment	0.094 mg/kg dwt	Seawater
		Soil	1513 mg/kg dwt	
		Oral	6.66 mg/kg food	Secondary Poisoning
		STP	4.51 mg/l	
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)	Not applicable	Freshwater	0.001 mg/l	
		Seawater	0.12 µg/L	
		Freshwater sediment	0.085 mg/l	Intermittent release
		Freshwater sediment	14.4 mg/kg dwt	Freshwater
		Seawater sediment	1.44 mg/kg dwt	Seawater
		Soil	2.94 mg/kg dwt	
		Oral	10 mg/kg food	Secondary Poisoning
		STP	24.33 mg/l	

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

Materials for protective clothing

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

Individual protection measures, such as personal protective equipment (PPE)

Eye protection

Safety glasses

Skin protection

Hand protection

The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
----------	------------	----------------	----------

Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures			No additional information available.
Respiratory protection			In case of insufficient ventilation, wear suitable respiratory equipment. Filter type: A-P2
Skin and body protection			Wear suitable protective clothing
Thermal hazard protection			Wear appropriate thermal protective clothing, when necessary.
Environmental exposure controls			Inform appropriate managerial or supervisory personnel of all environmental releases.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Viscous.
Colour	No data available
Odour	No data available
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	> 250 °C (ASTM D1120)
Flash point	180 °C (ASTM D92)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.865 g/cm ³ (ASTM D4052)
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	20.5 cSt @ 40 °C
Viscosity, dynamic	No data available
Explosive properties	Not applicable.
Oxidising properties	Non oxidizing.
Explosive limits	No data available

9.2. Other information

VOC (EU)	0 %
----------	-----

10. SECTION 10: Stability and reactivity

10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.

- 10.3. Possibility of hazardous reactions** No dangerous reactions known under normal conditions of use.
- 10.4. Conditions to avoid** Excessive heat. Contact with incompatible materials.
- 10.5. Incompatible materials** Strong oxidizing agents. Strong acids. Strong bases.
- 10.6. Hazardous decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may produce : Carbon oxides (CO, CO₂). Sulphur oxides. Nitrogenous substances. Hydrogen sulfide.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Mixture

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Transmission Fluid SE		ATE	oral	> 2000	mg/kg		(calculated value)

Substance

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)	(acc. CLP 3.1.2)	ATE	oral	> 300 - 2000	mg/kg		

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met. (The eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008)

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met

Carcinogenicity Based on available data, the classification criteria are not met

All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen

Reproductive toxicity Based on available data, the classification criteria are not met

STOT-single exposure Based on available data, the classification criteria are not met

STOT-repeated exposure Based on available data, the classification criteria are not met

Aspiration hazard Based on available data, the classification criteria are not met

Other information Likely routes of exposure: inhalation, skin and eye. Information on Effects: refer to section 4.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Hazardous to the aquatic environment, long-term (chronic)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide,	Fish	Oncorhynchus mykiss (Rainbow trout)	NOEC	3,2 mg/l	96 h	

propylene oxide and amines, C12-14-alkyl (branched) (N/A)	crustacea	Daphnia magna	NOEC	0,12 mg/l	21 d
	algae	algae	NOEC	1,7 mg/l	96 h

12.2. Persistence and degradability

Transmission Fluid SE

Persistence and degradability No additional information available.

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (N/A)

Biodegradation 7.4 % (28 d, OECD TG 301 B)

12.3. Bioaccumulative potential

Transmission Fluid SE

Bioaccumulative potential No additional information available.

12.4. Mobility in soil

Transmission Fluid SE

Ecology - soil Spillages may penetrate the soil causing ground water contamination.

12.5. Results of PBT and vPvB assessment

Transmission Fluid SE

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	Dispose of in accordance with local regulations.
Waste treatment methods	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Collect and reclaim or dispose in closed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.
Product/Packaging disposal recommendations	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
European List of Waste (LoW) code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
13 01 11*	synthetic hydraulic oils
15 01 10*	packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Polysulfides, di-tert-Bu ; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) ; Highly refined mineral oil, < 3% (w/w) DMSO-extract, IP346

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Polysulfides, di-tert-Bu ; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU)

0 %

Other information, restriction and prohibition regulations

Directive 94/33/EC on the protection of young people at work, as amended.
Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand

CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level

OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging

Classification according to Regulation (EC) No. 1272/2008

Not classified

Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4.
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3.
Asp. Tox. 1	Aspiration hazard, Category 1.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Skin Sens. 1	Skin sensitisation, Category 1.
Skin Sens. 1B	Skin sensitisation, category 1B.
H302	Harmful if swallowed..
H304	May be fatal if swallowed and enters airways..
H317	May cause an allergic skin reaction..

H318	Causes serious eye damage..
H411	Toxic to aquatic life with long lasting effects..
H412	Harmful to aquatic life with long lasting effects..
EUH208	Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) . May produce an allergic reaction..
EUH210	Safety data sheet available on request..

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Transmission Fluid SE

Ford Int. Ref. No.: 180421

REVISION DATE: 15.01.2020

Involved Products:

Finiscode	Part number	Container Size:
1 1 565 898	8U7J 7J106 AA	1 l