



TRANSMISSION OIL 75W FE

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 20.11.2014

REVISION DATE: 08.10.2020

SUPERSEDES DATE: 13.06.2017

VERSION: 4.1

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Transmission Oil 75W FE
Product code	Ford Internal Ref.: 181193
SDS Number	7046
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture	Hydraulic fluids and additives
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

This mixture does not meet the criteria for labelling according to Regulation (EC) 1272/2008 as amended.

Supplemental hazard information

EUH210	Safety data sheet available on request.
--------	---

2.3. Other hazards

Other hazards not contributing to the classification	Defatting of the skin.
---	------------------------

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- XXXX	50 - < 75	Asp. Tox. 1, H304	(Note L)
Dec-1-ene, trimers, hydrogenated	157707-86-3 500-393-3 01-2119493949-12- XXXX	10 - < 25	Asp. Tox. 1, H304	
Dec-1-ene, homopolymer, hydrogenated	68037-01-4 500-183-1 01-2119486452-34- XXXX	10 - < 25	Asp. Tox. 1, H304	
Zinc isodecyl phosphorodithioate	25103-54-2 246-618-6 - 01-2120767616-43- xxxx	0,1 - <0,25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing.
Skin contact:	Wash skin with plenty of water and soap. Remove contaminated clothing and shoes. Wash clothing before re-using. Get medical advice/attention if you feel unwell.
Eyes contact	Immediately flush eyes thoroughly with water for at least 15 minutes. Contact lenses should be removed. Obtain medical attention.
Ingestion	Do not induce vomiting without medical advice. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

Precautionary measures fire In case of fire: evacuate area.
Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. EN 469.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Evacuate area. Keep unnecessary personnel away. Do not touch or walk on the spilled product.

For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Large Spills: Stop leak if safe to do so. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Flush residue with large amounts of water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections For further information refer to section 13.

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep container closed when not in use. Keep away from heat and direct sunlight. Store in a dry, cool and well-ventilated place.

7.3. Specific end use(s) Hydraulic fluids and additives.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits.

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
------------	------	-------	-------	------

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	Worker	Dermal	1 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.7 mg/m ³	Long-term - systemic effects
	Consumer	Inhalation	5.6 mg/m ³	Long-term - local effects
		Oral	0.74 mg/kg bodyweight/day	Long-term - systemic effects
Zinc isodecyl phosphorodithioate (25103-54-2)	Worker	Dermal	9.29 mg/kg bw/day	Long-term - systemic effects
		Inhalation	6.55 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.19 mg/kg bw/day	Long-term - systemic effects
		Inhalation	1.61 mg/m ³	Long-term - systemic effects
		Dermal	4.65 mg/kg bw/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	Not applicable	Oral	9.33 mg/kg food	Secondary Poisoning
Zinc isodecyl phosphorodithioate (25103-54-2)	Not applicable	Freshwater	0.2 µg/L	Intermittent release
		Freshwater	2 µg/L	

8.2. Exposure controls

Appropriate engineering controls Ensure good ventilation of the work station. Good standard of general ventilation

Materials for protective clothing Wear suitable protective clothing.

Individual protection measures, such as personal protective equipment (PPE)

Eye protection Safety glasses with side shields. Use eye protection to EN 166, designed to protect against liquid splashes.

Skin protection

Hand protection

The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other protective measures

No additional information available.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment

Skin and body protection

Wear suitable protective clothing

Thermal hazard protection

No additional information available.

Environmental exposure controls

Avoid release to the environment.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	brown.
Odour	No data available
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available

Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	> 220 °C (Open cup)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	< 1000 kg/m ³ @ 15°C
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	32.2 mm ² /s @ 40°C 6.3 mm ² /s @ 100°C
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

VOC (EU)	0 %
-----------------	-----

10. SECTION 10: Stability and reactivity

10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials	Oxidizing agent.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

Transmission Oil 75W FE

Persistence and degradability Partially biodegradable.

12.3. Bioaccumulative potential

Transmission Oil 75W FE

Bioaccumulative potential There is no bioaccumulation.

Dec-1-ene, homopolymer, hydrogenated (68037-01-4)

Log Pow > 3

Log Kow > 6.5

12.4. Mobility in soil

Transmission Oil 75W FE

Ecology - soil Spillages may penetrate the soil causing ground water contamination.

12.5. Results of PBT and vPvB assessment

Transmission Oil 75W FE

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Collect and reclaim or dispose in closed containers at licensed waste disposal site. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Sewage disposal recommendations

Do not pierce or burn, even after use.

Product/Packaging disposal recommendations

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Additional information

Dispose in accordance with all applicable regulations.

Ecology - waste materials

Avoid discharge into drains, water courses or onto the ground.

European List of Waste (LoW) code

13 02 08*

other engine, gear and lubricating oils

15 01 10*

packaging containing residues of or contaminated by dangerous substances

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based ; Dec-1-ene, trimers, hydrogenated ; Dec-1-ene, homopolymer, hydrogenated ; BENZENESULFONIC ACID, C14-24-BRANCHED AND LINEAR ALKYL DERIVS, CALCIUM SALTS ; reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives ; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
---	--

reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives ; Zinc isodecyl phosphorodithioate ; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts

3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU)

0 %

Other information, restriction and prohibition regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. For details, refer to section 3 and 8.

Seveso Information

Not applicable.

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand

bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.

MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Classification according to Regulation (EC) No. 1272/2008

Not classified

Full text of H- and EUH-statements

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1.
Asp. Tox. 1	Aspiration hazard, Category 1.
H304	May be fatal if swallowed and enters airways..
H400	Very toxic to aquatic life..
H410	Very toxic to aquatic life with long lasting effects..
EUH210	Safety data sheet available on request..

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Transmission Oil 75W FE

Ford Int. Ref. No.: 181193

REVISION DATE: 08.10.2020

Involved Products:

	Finiscode	Part number	Container Size:
.	1 1 547 953	7U7J M2C200 BA	1 l
.	2 1 552 014	7U7J M2C200 CA	60 l
.	3 2 146 331	7U7J M2C200 DA	5 l