BRAKE FLUID DOT 4 LV HIGH PERFORMANCE

SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Brake Fluid Dot 4 LV High Performance
Product code	: Ford Internal Ref.: 189224
SDS Number	: 4393
UFI	: QR1W-9HWM-A00M-99Q5
Product use	: Public use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Function or use category

: Brake fluids

1.2.2. Uses advised against

Restrictions on use

: None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit)
Regulations

Health hazards	Reproductive toxicity, Category 2	H361d	Suspected of damaging the unborn child.
----------------	-----------------------------------	-------	---

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Hazard pictograms

Signal word Contains



Warning Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate





ISSUE DATE: 11.11.2013 REVISION DATE: 15.12.2022 SUPERSEDES: 19.02.2021 VERSION: 4.2

1/10

Hazard statements

H361d

Suspected of damaging the unborn child.

Precautionary statements	
General	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Prevention	
P201	Obtain special instructions before use.
P280	Wear protective gloves, eye protection, protective clothing.
Response	
P308+P313	IF exposed or concerned: Get medical advice/attention.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents and container to an approved waste disposal plant.
2.3. Other hazards	

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	30989-05-0 250-418-4 01-2119462824-33-XXXX	30 -< 50	Repr. 2, H361d	
1,1'-iminodipropan-2-ol	110-97-4 203-820-9 603-083-00-7 01-2119475444-34-XXXX	1 - < 3	Eye Irrit. 2, H319	
Reaction mass of 2-(2-(2- butoxyethoxy)ethoxy)ethanol and 3,6,9,12- tetraoxahexadecan-1-ol	- 907-996-4 01-2119531322-53-XXXX, 01-2119475115-41-XXXX	3 -< 10	Eye Dam. 1, H318	(20 ≤C < 30) Eye Irrit. 2, H319 (30 ≤C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Take off immediately all contaminated c advice/attention.	lothing. IF exposed or concerned: Get medical
First-aid measures after inhalation	: Remove person to fresh air and keep co you feel unwell.	omfortable for breathing. Call a poison center or a doctor if
First-aid measures after skin contact	: Gently wash with plenty of soap and wa medical advice.	ter. When in doubt or if symptoms are observed, get
First-aid measures after eye contact	• • • • •	ng the eyelids well away from the eye (15 minutes irritation persists. Remove contact lenses, if present and
First-aid measures after ingestion	: Never give anything by mouth to an unc center or a doctor if you feel unwell.	onscious person. Rinse mouth out with water. Call a poison
Product code: Ford Internal Ref.: 189224	GB - en	Revision date: 12/15/2022 2/10

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	Alcohol resistant foam. carbon dioxide (CO2). dry chemical powder. Water spray.Do not use a water jet since it may cause the fire to spread.
5.2. Special hazards arising from the substa	nce or mixture
Hazardous decomposition products in case of fire	: Nitrous oxide. Carbon oxides (CO, CO2).
5.3. Advice for firefighters	
Precautionary measures fire	: In case of fire and/or explosion do not breathe fumes.
Firefighting instructions	: Firefighters must use standard protective equipment including flame retardant coat, helmet with
	face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Fight fire from safe distance and protected location.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ventilate spillage area. Keep unnecessary personnel away.
6.1.1. For non-emergency personnel	
Protective equipment	: May be dangerously slippery if spilled. Wear appropriate protective equipment and clothing during clean-up.
Emergency procedures	: Ventilate spillage area. Do not touch or walk on the spilled product. Keep people away from and upwind of spill/leak.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

For containment Methods for cleaning up	 Dispose of in accordance with local regulations. Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13:" Disposal considerations". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Do not handle, store or open near an open flame, sources of heat or sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Containers which are opened should be properly resealed and kept upright to prevent leakage.
Storage conditions	: Do not handle, store or open near an open flame, sources of heat or sources of ignition. Store
	locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

brake fluids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

1,1'-iminodipropan-2-ol (110-97-4)

DNEL/DMEL (Workers)

DIVEL/DIVIEL (WOIKEIS)		
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	6.4 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	1.3 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	3.9 mg/m ³	
Long-term - systemic effects, dermal	6.3 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.278 mg/l	
PNEC aqua (marine water)	0.028 mg/l	
PNEC aqua (intermittent, freshwater)	2.777 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	2.33 mg/kg dwt	
PNEC sediment (marine water)	0.233 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.303 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	15000 mg/l	
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	8.3 mg/kg bw/day	
Long-term - systemic effects, inhalation	29.1 mg/m ³	

DNEL/DMEL (General population)	
Long-term - systemic effects,oral	4.1 mg/kg bw/day
Long-term - systemic effects, inhalation	7.2 mg/m³
Long-term - systemic effects, dermal	4.1 mg/kg bw/day
PNEC (Water)	
PNEC aqua (freshwater)	0.211 mg/l
PNEC aqua (marine water)	0.021 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.76 mg/kg dwt
PNEC sediment (marine water)	0.076 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.028 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol	and 3,6,9,12-tetraoxahexadecan-1-ol (-)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	208 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	195 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	12.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	117 mg/m³
Long-term - systemic effects, dermal	125 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l
PNEC aqua (marine water)	0.2 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	6.6 mg/kg dwt
PNEC sediment (marine water)	0.66 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.46 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	111 kg/kg food
PNEC (STP)	
PNEC sewage treatment plant	500 mg/l
8.1.5. Control banding	
No additional information available	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Use eye protection to EN 166, designed to protect against liquid splashes. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Protective clothing. Long sleeved protective clothing

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent). The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other skin protection

Materials for protective clothing:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment **8.2.2.3. Respiratory protection**

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Type A - High-boiling (>65 °C) organic compounds

8.2.2.4. Thermal hazards

Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Product code: Ford Internal Ref : 189224	GB - en	Revision date: 12/1
Log Kow	: Not available	
Solubility	: Miscible with water.	
Viscosity, dynamic	: ≈ 13 mPa.s (calculated value)	
Viscosity, kinematic	: ≈ 12.3 mm²/s @20°C; DIN 51562	
рН	: ≈ 8 ASTM D 1287 @20°C, Concentratio	n 50%
Decomposition temperature	: ≈ 360 °C DSC	
Auto-ignition temperature	: > 300 °C DIN 51794	
Flash point	: ≈ 136 °C @ 1006,0 hPa; DIN EN 22719	/ ISO 2719 (closed cup)
Upper explosive limit (UEL)	: Not available	
Lower explosive limit (LEL)	: 1.5 vol %	
Explosive limits	: Not available	
Flammability	: Not applicable	
Boiling point	: > 265 °C 1,013 hPa, ASTM D 1120	
Freezing point	: <-70 °C DIN 51583	
Melting point	: Not applicable	
Odour threshold	: Not available	
Odour	: Characteristic.	
Colour	: Yellow.	
Physical state	: Liquid	

Vapour pressure Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state	 : < 0.27 Pa @ 20°C; Calculated by Syracuse : Not available : 1.06 g/cm³ @ 20°C DIN 51757 : Not available : Not available : Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area Particle dustiness	: Not applicable : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use. Hydroscopic.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Water, humidity.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the classification criteria are not met
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met
Skin corrosion/irritation	 Based on available data, the classification criteria are not met pH: ≈ 8 ASTM D 1287 @20°C, Concentration 50%
Serious eye damage/irritation	 Based on available data, the classification criteria are not met pH: ≈ 8 ASTM D 1287 @20°C, Concentration 50%
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Suspected of damaging the unborn child.
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met
Brake Fluid Dot 4 LV High Performance	

Viscosity, kinematic ≈ 12.3 mm²/s @20°C; DIN 51562

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Hazardous to the aquatic environment, short-term (acute)	: Based on available data, the classification criteria are not met
Hazardous to the aquatic environment, long–term (chronic)	: Based on available data, the classification criteria are not met

12.2. Persistence and degradability

Brake Fluid Dot 4 LV High Performance

Persistence and degradability	Readily biodegradable.
Biodegradation	90 % 15d
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
Brake Fluid Dot 4 LV High Performance	
This substance/mixture does not meet the PBT criteria	a of REACH regulation, annex XIII.
This substance/mixture does not meet the vPvB criter	ia of REACH regulation, annex XIII.
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Other adverse effects	: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste)	: Dispose of in accordance with local regulations.
Waste treatment methods	: Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Sewage disposal recommendations	 Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Product/Packaging disposal recommendations	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
European List of Waste (LoW) code	 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. 15 01 10* - packaging containing residues of or contaminated by dangerous substances 16 01 13* - brake fluids
SECTION 14: Transport information	16 01 13* - brake fluids

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID Not regulated for transport

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code	Applicable on			
3(b)	Brake Fluid Dot 4 LV High Pe	erformance ; Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate ; Reaction mass of 2-(2-(2-		
	butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol			
Contains no substance(s) list	Contains no substance(s) listed on the REACH Candidate List			
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)				
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)				
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)				
VOC content	:	0 %		
Other information, restriction	and prohibition regulations :	Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.		
Directive 2012/18/EU (SEVE	ESO III)			
Seveso Additional information	n :	Not applicable		
15.1.2. National regulations	;			
No additional information available				
15.2. Chemical safety assessment				

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

SECTION 2 : Regulatory information. SECTION 3 : Composition/information on ingredients.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

SDS	Safety Data Sheet
OEL	Occupational Exposure Limit
RRN	REACH Registration no.
CAO	Cargo Aircraft Only
PCA	Passenger and Cargo Aircraft
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures,
	amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Full text of H- and EU	H-statements
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eve Irrit 2	Serious eve damage/eve irritation. Category 2

Eye Irrit. 2 Serious eye damage/eye irritation, Category 2

H318Causes serious eye damage.H319Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

Repr. 2 Reproductive toxicity, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Repr. 2 H361d Calculation method

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Attachment to the Safety Data Sheet

Product Name: Brake Fluid Dot 4 LV High Performance

Ford Int. Ref. No.: 189224

Revision Date: 15.12.2022

Involved Products:

Finiscode	Part number	Container Size:
1 1847945	BU7J M6C65 A1B	250 ml
2 1847946	BU7J M6C65 B1B	500 ml
3 1847947	BU7J M6C65 C1B	11
4 1847948	BU7J M6C65 D1B	5
5 2 342 085	JAMJ J1704 BA2A	250 ml
6 2 342 087	JAMJ J1704 BC2A	11