# **TRANSMISSION OIL 75W ISC**



# SAFETY DATA SHEET

1.1.

according to Regulation (EU) 2015/830

ISSUE DATE: 26.11.2014 REVISION DATE: 09.10.2020 SUPERSEDES DATE: 23.11.2017 VERSION: 2.1

# 1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifierTrade nameTransmission Oil 75W ISCProduct codeFord Internal Ref.: 189486SDS Number5299Product useProfessional use

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Transmission Oil
Uses advised against	No additional information available.

### 1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

# 2. SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

This mixture does not meet the criteria for labelling according to Regulation (EC) 1272/2008 as amended. **Supplemental hazard information** 

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

classification

Other hazards not contributing to the Defatting of the skin.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

# 3. SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- XXXX	50 - < 75	Asp. Tox. 1, H304	(Note L)
Dec-1-ene, homopolymer, hydrogenated	68037-01-4 500-183-1 01-2119486452-34- XXXX	10 - < 25	Asp. Tox. 1, H304	
Dec-1-ene, trimers, hydrogenated	157707-86-3 500-393-3 01-2119493949-12- XXXX	10 - < 25	Asp. Tox. 1, H304	

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

# 4. SECTION 4: First aid measures

### 4.1. Description of first aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
Skin contact:	Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
Eyes contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Get medical attention if symptoms occur. Rinse mouth thoroughly.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# 5. SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	During fire, gases hazardous to health may be formed.
Hazardous combustion products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2).

### 5.3. Advice for firefighters

Precautionary measures fire	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Firefighting instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self- contained breathing apparatus. Complete protective clothing.

# 6. SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	For non-emergency personnel	
	Emergency procedures	Ventilate spillage area. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained.
	For emergency responders	
	Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

	Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Take up liquid spill into absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
	Other information	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	For further information refer to section 13.

# 7. SECTION 7: Handling and storage

7.1.	Precautions for safe handling	
	Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment.
	Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	any incompatibilities
	Storage conditions	Store in original tightly closed container. Store in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Transmission Oil.

# 7.3. Specific end use(s)

# 8. SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Contains no substances with	occupational	exposure limits.			
DNEL: Derived no effect le	vel				
No data available					
Components	Туре	Route	Value	Form	
Lubricating oils (petroleum),	Worker	Dermal	1 mg/kg bodyweight/day	Long-term - system	ic effects
Product code: Ford Internal Ref.: 189486		GB - en	Revision	date: 10/9/2020	3/9

C20-50, hydrotreated neut oil-based (72623-87-1)		Inhalation Inhalation	2.7 mg/m <sup>3</sup> 5.6 mg/m <sup>3</sup>	Long-term - systemic effects Long-term - local effects	
	Consumer	Oral	0.74 mg/kg bodyweight/c	lay Long-term - systemic effects	
PNEC: Predicted no effe	ct concentration				
No data available					
Components	Туре	Route	Value	Form	
Lubricating oils (petroleum C20-50, hydrotreated neut oil-based (72623-87-1)		Oral	9.33 mg/kg food	Secondary Poisoning	
Exposure controls					
Appropriate engineering Materials for protective o		Ventilation rat enclosures, lo airborne level been establis Personal prot	es should be matched to c cal exhaust ventilation, or s below recommended exp ned, maintain airborne leve ection equipment should be	changes per hour) should be used. onditions. If applicable, use process other engineering controls to maintain osure limits. If exposure limits have not ls to an acceptable level e chosen according to the CEN plier of the personal protective	
ndividual protection me	asures, such as pe	rsonal protec	tive equipment (PPE)		
Eye protection		Safety glasse	S		
Skin protection					
Hand protection		The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove			
Material Pe	ermeation	Thickness (n	nm) Comments		
Nitrile rubber (NBR) 6	(> 480 minutes)	0.4		ndation: Camatril Velours® 730 (Kächele- ource of supply see www.kcl.de) or duct.	
In case of splash 6 contact: Nitrile rubber (NBR)	(> 480 minutes)	0.4		ndation: Camatril Velours® 730 (Kächele- ource of supply see www.kcl.de) or duct.	
Other protective measures		Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			
Respiratory protection			÷ · · · ·	uitable respiratory equipment	
Device	Filter ty		Condition	Comments	
		High-boiling (>			
Skin and body protection	, 0	•	protective clothing		
Thermal hazard protection		Wear appropriate thermal protective clothing, when necessary.			
Environmental exposure				isory personnel of all environmental	

# 9. SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	brown.
Odour	No data available
Odour threshold	No data available
рН	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
luct code: Ford Internal Ref · 189486	CP on

8.2.

Flash point	240 °C (Open cup)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.852 g/cm³ @ 15°C
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	31 mm²/s @ 40°C 6.3 mm²/s @ 100°C
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available
Other information	
VOC (EU)	0 %

# 10. SECTION 10: Stability and reactivity

9.2.

10.1.	Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability	Stable under normal conditions.
10.3.	Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4.	Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.
10.5.	Incompatible materials	Strong oxidizing agent.
10.6.	Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11. SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
	(All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen)
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

# 12. SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general

The product is not considered harmful to aquatic organisms nor to cause longterm adverse effects in the environment.

### 12.2. Persistence and degradability

No additional information available.

### 12.3. Bioaccumulative potential

Dec-1-ene, homopolymer, hydrogenated (68037-01-4)		
Log Pow	> 3	
Log Kow	> 6.5	
Mahility in cail		

# 12.4. Mobility in soil

**Transmission Oil 75W ISC** 

Ecology - soil

Spillages may penetrate the soil causing ground water contamination.

### 12.5. Results of PBT and vPvB assessment

#### Transmission Oil 75W ISC

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

### 12.6. Other adverse effects

### Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

### 13. SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
Waste treatment methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Additional information	Dispose in accordance with all applicable regulations.
European List of Waste (LoW) code	
	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
13 02 08*	other engine, gear and lubricating oils
15 01 10*	packaging containing residues of or contaminated by dangerous substances

# 14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN Not regulated for transport

#### 15. **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU-Regulations**

# The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

•	• • • • •
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based ; Dec-1-ene, homopolymer, hydrogenated ; Dec-1-ene, trimers, hydrogenated	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
Contains no substance on the REACH candid	Jate list
Contains no REACH Annex XIV substances	
VOC (EU)	0 %
Other information, restriction and prohibition regulations	Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.
Seveso Information	Not applicable
National regulations	

No additional information available.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### 16.

Section 1 - Section 16.			
Abbreviations and acr	onyms		
ADN	European Agreement concerning the Inte Waterways	ernational Carriage of Dangerous Goods by Inla	nd
ADR	European Agreement concerning the Inte	ernational Carriage of Dangerous Goods by Roa	d
AGW	Occupational exposure limit value		
ATE	Acute Toxicity Estimate according to Reg	ulation (EC) 1272/2008 (CLP)	
BAM	Federal Institute for Materials Research	and Testing, Germany	
BAT	Maximum permissible concentration of b	Maximum permissible concentration of biological working substances.	
BCF	Bio-concentration factor.		
BLV	Biological limit values	Biological limit values	
BLV	Biological limit values (BGW, Austria)	Biological limit values (BGW, Austria)	
BMGV	Biological Monitoring Guidance Value (E	H40,UK).	
BOD5	Biochemical oxygen demand within 5 da	ys	
BOD	Biochemical oxygen demand		
bw	Body weight.		
calcd.	Calculated		
CAS	Chemical Abstract Service.		
CEN	European Committee for Standardization		
CESIO	European Committee on Organic Surfact	ants and their Intermediates.	
COD	Chemical oxygen demand		
CLP	Classification, Labeling and Packaging F labeling and packaging of substances ar	EGULATION (EC) No 1272/2008 on classificati d mixtures.	on,
de: Ford Internal Ref.: 189486	GB - en	Revision date: 10/9/2020	7/9

CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short- time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
code: Ford Internal Ref : 189486	CP on Povision data: 10/0/2020 9/

PBT	Persistent Bioaccumulative Toxic		
PC (Chemical product category)	PC (Chemical product category)		
PNEC	Predicted No-Effect Concentration		
POCP	Photochemical ozone creation potential.		
POP	Persistent Organic Pollutants		
PPE	Personal protective equipment		
Process category	Process category		
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SCL	Specific concentration limit.		
STEL	Short-term Exposure Limit		
STP	Sewage treatment plant		
SU (Sector of use)	SU (Sector of use)		
SVHC	Substance of Very High Concern.		
TLV	Threshold Limit Value		
TRGS	Technical Rules for Hazardous Substances (German Standard).		
TWA	Time Weighted Average		
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials		
VbF	Ordinance on Flammable Liquids, Austria		
VOC	Volatile organic compounds		
vPvB	Very Persistent and Very Bioaccumulative		
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).		
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).		
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging		
Classification according to Regulation (EC) No. 1272/2008			
Not classified			
Full text of H- and EUH-statements			
Asp. Tox. 1	Aspiration hazard, Category 1.		
H304	May be fatal if swallowed and enters airways		

EUH210 Safety data sheet available on request..

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Attachment to the Safety Data Sheet



Product Name: Transmission Oil 75W ISC 189486

Ford Int. Ref. No.:

REVISION DATE: 09.10.2020

#### **Involved Products:**

Finiscode		Ρ
1	1 896 955	F

Part number FU7J M2C200 AA Container Size: 11