



TRANSMISSION FLUID AWD-2

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 27.04.2015
REVISION DATE: 05.11.2020
SUPERSEDES DATE: 12.07.2017
VERSION: 3.0

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Transmission Fluid AWD-2
Product code	Ford Internal Ref.: 195029
SDS Number	5851
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Lubricant
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Environmental hazards	Hazardous to the aquatic environment — H412 Chronic Hazard, Category 3	Harmful to aquatic life with long lasting effects.
-----------------------	---	--

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Signal word	-
Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	P273 Avoid release to the environment.
Supplemental hazard information	
EUH208	Contains C14-18 alpha-olefin epoxide, reaction products with boric acid, triphenyl phosphite. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-XXXX	70 - < 90	Asp. Tox. 1, H304	(Note L)
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27-XXXX	1 - < 2,50	Eye Dam. 1, H318 Aquatic Chronic 2, H411	(5 ≤ C < 100) Eye Dam. 1, H318
C14-18 alpha-olefin epoxide, reaction products with boric acid	N/A 939-580-3 01-2119976364-28-XXXX	0,1 - < 1	Skin Sens. 1B, H317	
triphenyl phosphite	101-02-0 202-908-4 015-105-00-7 01-2119511213-58-XXXX	0,1 - < 0,25	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	(5 ≤ C < 100) Skin Irrit. 2, H315 (5 ≤ C < 100) Eye Irrit. 2, H319

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact:

Wash skin with soap and water. Take off contaminated clothing and wash it before reuse. Get medical attention if irritation develops and persists.

Eyes contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth thoroughly. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact

May cause an allergic skin reaction. May cause skin irritation.

Symptoms/effects after eye contact

May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media carbon dioxide (CO₂), powder, water spray. For large fire: Alcohol resistant foam.

Unsuitable extinguishing media Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

Precautionary measures fire Move containers from fire area if it can be done without personal risk. Do not dispose of fire-fighting water in the environment.

Firefighting instructions Cool containers / tanks with spray water if possible.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Clean up any spills as soon as possible, using an absorbent material to collect it. If spilled, may cause the floor to be slippery.

For non-emergency personnel

Protective equipment Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

Emergency procedures Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist or vapor. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not attempt to take action without suitable protective equipment. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

For containment Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.

Methods for cleaning up Large Spills: Stop leak without risks if possible. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Clean surface thoroughly to remove residual contamination. Wipe up with absorbent material (e.g. cloth, fleece). Never return spills in original containers for re-use.

Other information Prevent entry into waterways, sewer, basements or confined areas. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For disposal of residues refer to section 13 : " Disposal considerations" . For further information refer to section 8: "Exposure controls/personal protection".

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Prevent aerosol formation or splashes. Do not empty into drains. Do not get in eyes, on skin, or on clothing. Do not breathe vapour/aerosol.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in original tightly closed container. Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

Heat sources.

7.3. Specific end use(s)

Lubricant.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits.

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Worker	Dermal	0.97 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2.73 mg/m ³	Long-term - systemic effects
		Inhalation	5.58 mg/m ³	Long-term - local effects
	Consumer	Oral	0.74 mg/kg bodyweight/day	Long-term - systemic effects
triphenyl phosphite (101-02-0)	Worker	Dermal	11.7 µg/cm ²	Acute - local effects
		Dermal	0.15 mg/kg bodyweight/day	Long-term - systemic effects
		Dermal	11.7 µg/cm ²	Long-term - local effects
		Inhalation	0.53 mg/m ³	Long-term - systemic effects
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	Worker	Dermal	9.6 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	6.6 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.19 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	1.67 mg/m ³	Long-term - systemic effects
		Dermal	4.8 mg/kg bodyweight/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Not applicable	Oral	9.33 kg/kg food	Secondary Poisoning
C14-18 alpha-olefin epoxide, reaction products with boric acid (N/A)	Not applicable	Freshwater	1 mg/l	
		Seawater	0.1	
		Freshwater	1 mg/l	Intermittent release

		Seawater	0.1	Intermittent release
		sediment	42700 mg/kg dwt	Freshwater
		sediment	4270 mg/kg dwt	Seawater
		Soil	8540 mg/kg dwt	
		STP	100 mg/l	
Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate) (4259-15-8)	Not applicable	Freshwater	4 µg/L	
		Seawater	4.6 µg/L	
		Freshwater	44 µg/L	Intermittent release
		sediment	0.322 mg/kg dwt	Freshwater
		sediment	0.032 mg/kg dwt	Seawater
		Soil	0.062 mg/kg dwt	
		Oral	8.33 mg/kg food	Secondary Poisoning
		STP	3.8 mg/l	

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

Materials for protective clothing

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment

Individual protection measures, such as personal protective equipment (PPE)

Eye protection

Safety glasses with side shields. EN 166.

Skin protection

Hand protection

protective gloves. EN 374. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4 mm	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4 mm	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures			Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Respiratory protection			In case of insufficient ventilation, wear suitable respiratory equipment
Skin and body protection			Wear suitable protective clothing
Thermal hazard protection			Wear appropriate thermal protective clothing, when necessary.
Environmental exposure controls			Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid.
Colour	brown.
Odour	Characteristic.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable

Freezing point	No data available
Boiling point	No data available
Flash point	> 190 °C
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.86 g/cm ³ (15°C) (DIN EN ISO 12185)
Solubility	insoluble in water.
Log Pow	No data available
Viscosity, kinematic	28.5 mm ² /s (40°C, DIN EN ISO 3104)
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available
9.2. Other information	
VOC (EU)	< 1 %
10. SECTION 10: Stability and reactivity	
10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials	Strong oxidizers. Strong acids. Strong bases.
10.6. Hazardous decomposition products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO ₂).
11. SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, long-term (chronic)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
Zinc bis[O,O-bis(2-ethylhexyl)]	Fish		LC50	4,4 mg/l	96h	
bis(dithiophosphate) (4259-15-8)	crustacea	daphnia	NOEC	0,4 mg/l	21d	

12.2. Persistence and degradability

triphenyl phosphite (101-02-0)

Biodegradation 84 % 28 days (OECD 301D method)

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

Biodegradation 5 % 28 days (OECD 301B methode)

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Transmission Fluid AWD-2

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations

Do not allow this material to drain into sewers/water supplies.

Product/Packaging disposal recommendations

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Additional information

Dispose in accordance with all applicable regulations.

Ecology - waste materials

Avoid discharge into drains, water courses or onto the ground.

European List of Waste (LoW) code

13 02 05*

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
mineral-based non-chlorinated engine, gear and lubricating oils

15 01 10*

packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN
Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Distillates (petroleum), hydrotreated heavy paraffinic ; Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
Transmission Fluid AWD-2 ; Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
Contains no substance on the REACH candidate list	
Contains no REACH Annex XIV substances	

VOC (EU)

< 1 %

Other information, restriction and prohibition regulations

Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. For details, refer to section 3 and 8.

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.

CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration

NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Classification according to Regulation (EC) No. 1272/2008

Aquatic Chronic 3	H412
-------------------	------

Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4.
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3.
Asp. Tox. 1	Aspiration hazard, Category 1.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Skin Irrit. 2	Skin corrosion/irritation, Category 2.
Skin Sens. 1	Skin sensitisation, Category 1.
Skin Sens. 1B	Skin sensitisation, category 1B.
H302	Harmful if swallowed..
H304	May be fatal if swallowed and enters airways..
H315	Causes skin irritation..
H317	May cause an allergic skin reaction..
H318	Causes serious eye damage..
H319	Causes serious eye irritation..
H400	Very toxic to aquatic life..
H410	Very toxic to aquatic life with long lasting effects..
H411	Toxic to aquatic life with long lasting effects..
H412	Harmful to aquatic life with long lasting effects..
EUH208	Contains C14-18 alpha-olefin epoxide, reaction products with boric acid, triphenyl phosphite. May produce an allergic reaction..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Aquatic Chronic 3	H412	Calculation method
-------------------	------	--------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Transmission Fluid AWD-2

Ford Int. Ref. No.: 195029

REVISION DATE: 05.11.2020

Involved Products:

	Finiscode	Part number	Container Size:
.	1 1 931 273	FU7J 8708687 AA	300 ml