

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name or designation of the mixture	Additive Rear Axle RS		
Registration number	-		
Synonyms	None.		
SDS number	6319		
Product code	Ford Internal Ref.: 196456		
Issue date	16-December-2015		
Version number	1.0		
Revision date	16-December-2015		
Product use	Professional use		
1.2. Relevant identified uses of	the substance or mixture and uses advised against		
Identified uses	Transmission, Axle and Power Steering Fluids		
Uses advised against	None known.		
1.3. Details of the supplier of the	e safety data sheet		
Company name	Ford Motor Company Ltd.		
Address	Parts Distribution Centre		
	Royal Oak Way South		
	NN11 8NT Daventry, Northants		
	United Kingdom		
Telephone number	+44 1327 305 198		
Address	Ford-Werke GmbH		
	Edsel-Ford-Str. 2-14		
	50769 Köln		
	Germany		
Telephone number	+49 221 90-33333		
E-mail	HSE@rle.de		
1.4 Emergency telephone number	+49 (0) 6132-84463 (GBK GmbH – 24/7)		

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards Skin sensitisation		Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards			
Hazardous to the aquatic haz		Category 2	H411 - Toxic to aquatic life with long lasting effects.
2.2. Label elements			
Label according to Regulation	on (EC) No. 1272/200	08 as amended	
Contains:	Isooctadecanoi	ic acid, reaction products with	n tetraethylenepentamine
Hazard pictograms	(!)	¥2	

Signal word Hazard statements H317 Warning

May cause an allergic skin reaction.

Material name: Additive Rear Axle RS

H411	Toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P280	Wear protective gloves.
Response	
P362 + P364 P391	Take off contaminated clothing and wash it before reuse. Collect spillage.
Storage	None.
Disposal	None.
Supplemental label information	None.
2.3. Other hazards	The mixture contains no substance that fulfils the criteria of a PBT- or vPvB substance.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Amines, C12-14-tert-alkyl, phosphates	, C8-20-alkyl 25 - < 50	92623-72-8 296-404-1	-	-	
Classification:	Aquatic Chronic 2;H411				
Mineral oil	20 - < 50	Mixture	-	-	*, Note L
Classification:	Asp. Tox. 1;H304, Carc.	1B;H350			
Isooctadecanoic acid, rea products with tetraethylen		68784-17-8 272-225-4	01-2119960832-33-XXXX	-	
Classification:	Skin Irrit. 2;H315, Skin S	Sens. 1;H317, Eye	Irrit. 2;H319		

\* Contains one or more of the following CAS-numbers (REACH registration numbers): 64742-54-7, 64742-65-0, 64742-55-8, 64742-56-9

Note: Regulation No. 1272/2008 - Annex VI

#### **SECTION 4: First aid measures**

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

#### **SECTION 5: Firefighting measures**

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Material name: Additive Rear Axle RS

Special fire fighting procedures	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for	Prevent product from entering drains.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep at temperature not exceeding 45 °C.
7.3. Specific end use(s)	Not available.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Occupational exposure limits**

United Kingdom Components	Туре	Value	Form	
Mineral oil	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
<b>blogical limit values</b> No biological exposure limits noted for the ingredient(s).				

Biological limit values Recommended monitoring

**Derived no-effect level (DNEL)** 

Follow standard monitoring procedures.

#### procedures

Components	Туре	Route	Value	Form
	d, reaction products with Consumer ine (CAS 68784-17-8)	Dermal	1.67 mg/kg/BW/day	
Comments:	Long term exposure systemic effects			
		Inhalation	2.9 mg/m3	
Comments:	Long term exposure systemic effects			
		Oral	1.67 mg/kg/BW/day	
Comments:	Long term exposure systemic effects			
	Professional	Dermal	3.33 mg/kg/BW/day	
Comments:	Long term exposure systemic effects			
		Inhalation	11.75 mg/m3	
Comments:	Long term exposure systemic effects			

Components		Туре	Route	Value	Form
Isooctadecanoic acid, i tetraethylenepentamine		Not applicable	Freshwater	0.46 mg/l	
			Oral	33.3 mg/kg	
Comments:	food, predators				
			Seawater	0.046 mg/l	
			Sediment	38100 mg/kg	
Comments:	Freshwater				
			Sediment	3810 mg/kg	
Comments:	Seawater				
			Soil	10 mg/kg	
			STP	1000 mg/l	
			Water	0.94 mg/l	
Comments:	Intermittent release	9			
2. Exposure controls					
propriate engineering	Good genera	al ventilation (typical	ly 10 air changes	per hour) should b	be used. Ventilation rates
ntrols	should be ma or other engi	atched to conditions neering controls to r	. If applicable, us maintain airborne	e process enclosu levels below recor	res, local exhaust ventilation mmended exposure limits. It to an acceptable level.
lividual protection mea	sures, such as perse	onal protective equ	uipment		
General information	Personal pro discussion w	tection equipment s ith the supplier of th	hould be chosen e personal protec	according to the C tive equipment.	EN standards and in
Eye/face protection	If contact is I	ikely, safety glasses	with side shields	are recommende	d.
Skin protection					
- Hand protection	Wear appror	oriate chemical resis	tant aloves		
- nanu protection	Nitrile.		tan gioves.		
	Glove thickne Glove thickne	ess 0.4 mm. ess > = 480 min.			
		mendation: Camatri or comparable prod		(ächele-Cama Gm	bH, source of supply see
	Hand protect Nitrile.	ion in case of splas	h contact		
	Glove thickne Break throug	ess 0.4 mm. h time > = 480 min			
		mendation: Camatri or comparable prod		(ächele-Cama Gm	bH, source of supply see
	the resultant EN374. The Special work	standard EN374. Th recommendation is	ne above given in only valid for the neat or mechanic	formation is based supplied product a al strain, which dev	of EU directive 89/686/EC a d on laboratory test in line wind the stated application. viate from the test conditions e.
- Other	Wear approp	oriate chemical resis	tant clothing.		
Respiratory protectio		sufficient ventilation,	•	spiratory equipmer	nt.
Thermal hazards		priate thermal protect			
giene measures	Always obse and before e	rve good personal h ating, drinking, and/	ygiene measures or smoking. Rou	, such as washing tinely wash work c	after handling the material lothing and protective ould not be allowed out of th
vironmental exposure	Inform appro	priate managerial o	r supervisory pers	sonnel of all enviro	nmental releases.

#### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance		
Liquid.		
Liquid.		
Amber.		

Material name: Additive Rear Axle RS

Odour	Mild.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	124.0 °C (255.2 °F) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	0.91 - 0.94 (15.6°C)
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	29 mm²/s (100°C) 300 mm²/s (40°C)
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	
VOC (EU)	0 %
VOC (CH)	< 3 %

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Material is stable under normal conditions.	
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
10.4. Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.	
10.5. Incompatible materials	Strong oxidising agents.	
10.6. Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapours. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Phosphorus compounds. Oxides of phosphorus	

# **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects.

## Information on likely routes of exposure

**General information** 

Inhalation Prolonged inhalation may be harmful.		
Skin contact	May cause an allergic skin reaction.	
Eye contact	Based on available data, the classification criteria are not met.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	May cause an allergic skin reaction. Dermatitis. Rash.	
11.1. Information on toxicologi	cal effects	
Acute toxicity	ity Based on available data, the classification criteria are not met.	
Skin corrosion/irritation Based on available data, the classification criteria are not met.		
Serious eye damage/eye	Based on available data, the classification criteria are not met.	

Material name: Additive Rear Axle RS

irritation

Respiratory sensitisation	Based on available data, the classification criteria are not met.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	All hydrocarbons in this mixture: Note L is applicable (DMSO <3%), therefore no classification as carcinogen.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.
Other information	Not available.

## **SECTION 12: Ecological information**

12.1. Toxicity	Toxic to aquatic life with long lasting effects.	
12.2. Persistence and degradability		
12.3. Bioaccumulative potential	No data available.	
Partition coefficient n-octanol /water (log Kow)	Not available.	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	The mixture contains no substance that fulfils the criteria of a PBT- or $vPvB$ substance.	
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods		
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. 13 02 08 15 01 10	
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Special precautions	Dispose in accordance with all applicable regulations.	

## **SECTION 14: Transport information**

ADR

JR	
14.1. UN number	UN3082
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14-tert-alkyl,
name	C8-20-alkyl phosphates)
14.3. Transport hazard class	(es)
Class	9
Subsidiary risk	-
Label(s)	9
Hazard No. (ADR)	90
Tunnel restriction code	E
14.4. Packing group	
14.5. Environmental hazards	Yes

	14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
	Classification code	ode M6		
	Special provisions 274,335,375,601			
ΙΑΤ	A			
	14.1. UN number	UN3082		
	14.2. UN proper shipping	Environmentally hazardous substance, liquid, n.o.s. (Amines, C12-14-tert-alkyl, C8-20-alkyl		
	name phosphates)			
	14.3. Transport hazard class(es)			
	Class	9		
	Subsidiary risk	-		
	14.4. Packing group			
	Packaging instructions	964		
	Packaging instructions	964		
	cargo only	<del>304</del>		
	14.5. Environmental hazards	Yes		
	ERG Code	9L		
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.		
	for user	nead salety instructions, 505 and emergency procedures before nandning.		
	Other information			
		Allowed with restrictions.		
	Passenger and cargo aircraft	Allowed with restrictions.		
	Cargo aircraft only	Allowed with restrictions.		
	Maximum net quantity	450 L		
	packaging - Passenger	450 L		
	and cargo aircraft			
	Maximum net quantity	450 L		
	packaging cargo only			
	Maximum net quantity	30.00 kg		
packaging - Limited				
	quantity			
	Special provisions	A97,A158,A197		
IME				
	14.1. UN number	UN3082		
		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amines, C12-14-tert-alkyl,		
		C8-20-alkyl phosphates)		
	14.3. Transport hazard class			
	Class	9		
	Subsidiary risk	-		
	14.4. Packing group			
	14.5. Environmental hazards			
	Marine pollutant	Yes.		
EmS F-A, S-F				
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.		
	for user Special provisions 274,335,969			
14		Not available.		
14.7. Transport in bulk     Not available.       according to Annex II of     Image: Contract of the second secon		Not available.		
	RPOL 73/78 and the IBC			
Co				
<u>S</u> E	CTION 15: Regulatory in	Iformation		
15.	1. Safety, health and environm	nental regulations/legislation specific for the substance or mixture		
	regulations			
	-			
	applicable.			
<b>D</b>	strictions on use			

Not applicable.	
Restrictions on use	
Not applicable.	
Other regulations	This Safety Data Sheet complies with the requirements of Regulation (EC) No 2015/830.
VOC (EU):	0 %
Directive 2012/18/EU	on major accident hazards involving dangerous substances

Category: E2

National regulations	Follow national regulation for work with chemical agents. Young people under 18 years old are no allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
SECTION 16: Other inf	ormation	
List of abbreviations		
	AC: Article category.	
	acc., acc.to: according, according to.	
	ACGIH: American Conference of Governmental Industrial Hygienists. AFNOR: French Institute for Standards (Association Française de Normalisation). ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).	
	ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des merchandises dangereuses par route). AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). AICS: Australian Inventory of Chemical Substances.	
	ANSI: American National Standards Institute.	
	AOEL: Acceptable Operator Exposure Level.	
	AOX: adsorbable organic halogen compounds.	
	approx.: approximately. ASTM: ASTM International.	
	ACTM: ACTM International. ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP). BAM: Federal Institute for Materials Research and Testing, Germany (Bundesanstalt für Materialforschung und -prüfung).	
	Maximum permissible concentration of biological working substances (BAT: Biologische Arbeitsstofftoleranzwerte).	
	BAuA: Federal Institute for Occupational Health and Safety, Germany (Bundesanstalt für Arbeitsschutz und Arbeitsmedizin). BCF: Bio-concentration factor.	
	BET: Brunauer-Emmett-Teller.	
	BLV: Biological Limit Value.	
	BLV: Biological Limit Value (BGW: Biologischer Grenzwert, Austria). BMGV: Biological Monitoring Guidance Value (EH40,UK).	
	BSI: British Standards Institution.	
	BS: British Standard. BOD5: Biochemical oxygen demand within 5 days.	
	BOD: Biochemical oxygen demand. bw: Body weight.	
	calcd.: calculated.	
	CAS: Chemical Abstract Service.	
	CEN: European Committee for Standardization (Comité Européen de Normalisation). CESIO: European Committee on Organic Surfactants and their Intermediates (Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques).	
	ChemRRV: Ordinance on the risk reduction related to chemical products (ChemRRV: Chemikalien-Risikoreduktions-verordnung, Switzerland).	
	CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.	
	CMR: Substances classified as Carcinogenic, Mutagenic or toxic for Reproduction. CNS: Central Nervous System.	
	CNS. Central Nervous System. CNT: Carbon nanotubes.	
	COD: Chemical Oxygen Demand.	
	CSA: Chemical Safety Assessment.	
	CSR: Chemical Safety Report. DETEC: Swiss Federal Department of the Environment, Transport, Energy and Communications.	
	DIN: German Standards Institute / German industrial norm (Deutsches Institut für Normung /	
	Deutsche Industrienorm).	
	DMEL: Derived Minimum Effect Level. DNEL: Derived No Effect Level.	
	DOC: Dissolved organic carbon.	
	DPD: Directive 1999-45-EC / Dangerous Preparations Directive.	
	DSD: Directive 67/548-EC / Dangerous Substances Directive.	
	DSL: Canada, Domestic Substances List.	
	DU: Downstream User. dw: dry weight.	
	e.g.: For example, for instance.	
	EBW: Exposure Based Waiving.	

EC: European Community. EC50: Effective Concentration 50%. ECHA: European Chemical Agency. EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. EN: European norm. ENCS: Japan, Inventory of Existing and New Chemical Substances. EPA: United States Environmental Protection Agency. ERC: Environmental release category. ES: Exposure scenario. EU: European Union EUSES: European Union System for the Evaluation of Substances. EWC/EWL: European Waste Catalogue. GCL: General concentration limit. gen.: general. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. GLP: Good Laboratory Practice. GW/VL: Occupational exposure limit value. GW-kw: Occupational exposure limit value - short term. GW-M/VL-M: Occupational exposure limit value - "Ceiling". GWP: Global Warming Potential. HPV: High Production Volume Chemicals. HEPA: High Efficiency Particulate Air. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. IBC: Intermediate Bulk Container. IBC Code: International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk). ICAO: International Civil Aviation Organization. IC50: Inhibition Concentration 50%. IECSC: Inventory of Existing Chemical Substances in China. IMDG Code: International Maritime Dangerous Goods Code. IMO: International Maritime Organization. incl.: including, inclusive. ISO: International Standards Organization. IUCLID: International Uniform Chemical Information Database. IUPAC: International Union for Pure Applied Chemistry. KECI: Korea Existing Chemicals Inventory. LCA: Life Cycle Assessment. LC: Lethal Concentration. LC50: Lethal Concentration 50%. LCLo: Lowest published lethal concentration. LD50: Lethal Dose 50%. LEV: Local exhaust ventilation. LOAEL: Lowest observed adverse effect level. LOEC: Lowest observable effect concentration. LOEL: Lowest observable effect level. LPV: Low Production Volume Chemicals. LQ: Limited Quantities. Air Quality Control Regulation (LRV: Luftreinhalteverordnung, Switzerland). TLV-STEL: Threshold limit value - Short-term exposure limit / Technical reference concentration short-time value (TRK-Kzw = Technische Richtkonzentration - Kurzzeitwert). Maximum allowable workplace concentration - instantaneous value (MAK-Mow: Maximale Arbeitsplatzkonzentration - Momentanwert, Austria) Maximum allowable workplace concentration - daily mean value / Technical standard concentration - daily mean value (MAK-Tmw, TRK-Tmw : Maximale Arbeitsplatzkonzentration -Tagesmittelwert / TRK-Tmw = Technische Richtkonzentration – Tagesmittelwert, Austria). MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution From Ships. MTD: Maximum tolerated dose. MWCNT: Multi-walled carbon nanotubes. n.a.: not applicable. N/A: Not available. n.d.: not determined. NLP: No Longer Polymers. NDSL: Canada, Non-Domestic Substances List. NF: French Norm (See AFNOR). NFPA: National Fire Protection Association.

NIOSH: National Institute for Occupational Safety & Health. NOAEC: No Observed Adverse Effect Concentration. NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. NTP: National Toxicology Program. NZIoC: New Zealand Inventory of Chemicals. ODP: Ozone Depletion Potential. OECD: Organization for Economic Cooperation and Development. OEL: Occupational Exposure Limit. org.: organic. OSHA: Occupational Safety & Health Administration. PAH: Polycyclic Aromatic Hydrocarbons. PBT: Persistent, bioaccumulative, toxic. PC: Product category. PE: Polyethylene. PEC: Predicted Environmental Concentration. PEL: Permissible Exposure Limit. PIC: Prior Informed Consent. PICCS: Philippines Inventory of Commercial Chemical Substances. PNEC: Predicted No Effect Concentration. POCP: Photochemical ozone creation potential (Photochemisches Ozonbildungspotenzial). POP: Persistent Organic Pollutant. PPORD: Product and Process Oriented Research and Development. PPE: Personal Protective Equipment. PROC: Process category. RA: Risk Assessment. RAR: Risk Assessment Report. RCRA: Resource Conservation Recovery Act. REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RMM: Risk Management Measure. RTECS: Registry of Toxic Effects of Chemical Substances. QSAR: Quantitative Structure Activity Relation. SARA: Superfund Amendments and Reauthorization Act. SADT: Self-Accelerating Decomposition Temperature. SCL: Specific concentration limit. SEA: socio economic analysis. STEL: Short-term Exposure Limit. STP: Sewage treatment plant. SU: Sector of use. SVHC: Substance of Very High Concern. SWCNT: single-walled carbon nanotubes. ThOD: Theoretical oxygen demand. TOC: Total Organic Carbon. TLV: Threshold Limit Value. TRA: Targeted Risk Assessment. TRGS: Technical Rules for Hazardous Substances (German Standard) TSCA: Toxic Substance Control Act. TWA: Time Weighted Average. UC: Use category. UDS: Use descriptor system. UEC: Use and exposure categories. UN: United Nations. UN RTDG: United Nations Recommendations on the Transport of Dangerous Goods. UVCB: Unknown or Variable Composition, Complex Reaction Products, and Biological Materials. Regulation on combustible liquids (VbF: Verordnung über brennbare Flüssigkeiten, Austria). Regulation of the Austria Minister for Labor and Social Affairs regarding health surveillance at the workplace (VGÜ = Verordnung des Bundesministers für Arbeit und Soziales über die Gesundheitsüberwachung am Arbeitsplatz). VOC: Volatile organic compounds. vPvB: very Persistent, very Bioaccumulative. WEL-TWA: Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period). WEL-STEL: Workplace Exposure Limit-Short term exposure limit (15-minute reference period). WoE: Weight of evidence.

#### References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 Not available. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Sections 2 to 15H304 May be fatal if swallowed and enters airways.<br/>H315 Causes skin irritation.<br/>H317 May cause an allergic skin reaction.<br/>H319 Causes serious eye irritation.<br/>H319 Causes serious eye irritation.<br/>H350 May cause cancer.<br/>H411 Toxic to aquatic life with long lasting effects.Revision informationNone.Training informationFollow training instructions when handling this material.DisclaimerThe above information describes exclusively the safety requirements of the product and is based<br/>on our present-day knowledge. The information is intended to give you advice about the safe<br/>handling of the product named in this safety data sheet, for storage, processing, transport and

WHMIS: Workplace Hazardous Materials Information System.

WHO: World Health Organization.

wwt: wet weight.

on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Attachment to the Safety Data Sheet

Product Name:Additive Rear Axle RSFord Int. Ref. No.:196456



Page: 1/1
Print Date: 16.12.2015

#### Involved Products:

	Finiscode	Part number
1.	2 028 444	GU7J 19B546 AA

**Container Size:** 60 ml