## **TYRE SEALANT AT2**



#### **SAFETY DATA SHEET**

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ISSUE DATE: 04.10.2016 REVISION DATE: 14.06.2022 SUPERSEDES: 22.11.2019

VERSION: 2.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Tyre Sealant AT2
Product code : Ford Internal Ref.: 196915

SDS Number : 6723
Product use : Public use

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Function or use category : Tyre Sealant

1.2.2. Uses advised against

Restrictions on use : None known

## 1.3. Details of the supplier of the safety data sheet

#### Supplier Distributor

Ford-Werke GmbH Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14 Parts Distribution Centre
50769 Cologne Royal Oak Way South
Germany NN11 8NT Daventry, Northants
+49 221 90-33333 United Kingdom

+49 221 90-33333 United Kingdom sdseu@ford.com +44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

## 2.2. Label elements

This mixture does not meet the criteria for labelling according to Regulation (EC) 1272/2008 as amended.

#### 2.3. Other hazards

Other hazards which do not result in classification : Contains natural rubber. People who are sensitive to natural rubber can have an allergic reaction to

the product.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Move containers from fire area if it can be done without personal

risk. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent

safe disposal.

Methods for cleaning up : Mechanically recover the product. Clean up any spills as soon as possible, using an absorbent

material to collect it.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## 7.3. Specific end use(s)

Tyre Sealant.

 Product code: Ford Internal Ref.: 196915
 GB - en
 Revision date: 6/14/2022
 2/7

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values

<b></b>
Propane-1,2-diol (57-55-6)

## **United Kingdom - Occupational Exposure Limits**

Local name Propane-1,2-diol WEL TWA (OEL TWA) [1] 10 mg/m³

474 mg/m<sup>3</sup>

WEL TWA (OEL TWA) [2] 150 ppm total vapour and particulates

Regulatory reference EH40/2005 (Fourth edition, 2020). HSE

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### 8.2.2. Personal protection equipment

## 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves.

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

## Other skin protection

## Materials for protective clothing:

Wear suitable protective clothing.

## 8.2.2.3. Respiratory protection

# Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White. Slightly yellowish. : Slight. Ammoniacal. Odour Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : 103.9 °C : Not applicable Flammability : Not applicable **Explosive limits** Lower explosive limit (LEL) : Not applicable Upper explosive limit (UEL) Not applicable : 97 °C Flash point Auto-ignition temperature : Not applicable : Not available

Decomposition temperature : 7 – 11 pH solution : Not available Viscosity, kinematic : Not applicable Viscosity, dynamic : 5 - 25 mPa.s @ 20°C Solubility : Soluble in water. : Not available Log Kow : Not available Vapour pressure : Not available Vapour pressure at 50 °C

Density : 1.02 – 1.06 g/cm³ @ 20°C

: Not available Relative density Relative vapour density at 20 °C Not applicable Particle size : Not available : Not available Particle size distribution Particle shape : Not available : Not available Particle aspect ratio : Not available Particle aggregation state Particle agglomeration state : Not available Particle specific surface area : Not available Particle dustiness : Not available

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

VOC content : 45 – 60 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2).

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

: Based on available data, the classification criteria are not met
Acute toxicity (dermal)

: Based on available data, the classification criteria are not met
Acute toxicity (inhalation)

: Based on available data, the classification criteria are not met
Skin corrosion/irritation

: Based on available data, the classification criteria are not met

pH: 7 - 11

Serious eve damage/irritation : Based on available data, the classification criteria are not met

pH: 7 – 11

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met (No classification due to test data)

Germ cell mutagenicity : Based on available data, the classification criteria are not met Carcinogenicity : Based on available data, the classification criteria are not met Reproductive toxicity : Based on available data, the classification criteria are not met STOT-single exposure : Based on available data, the classification criteria are not met STOT-repeated exposure : Based on available data, the classification criteria are not met Aspiration hazard : Based on available data, the classification criteria are not met

#### 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects

in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Based on available data, the classification criteria are not met

Hazardous to the aquatic environment, long-term

(chronic)

: Based on available data, the classification criteria are not met

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

## Tyre Sealant AT2

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local

regulations.

Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations. Dispose of contents/container in accordance with

licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal

Additional information : Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID Not regulated for transport

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic

pollutants

VOC content : 45 – 60 %

Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable.

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

#### Indication of changes:

Section 1 - Section 16.

# Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

STEL Short-term Exposure Limit
VOC Volatile organic compounds
ATE Acute Toxicity Estimate
BCF Bioconcentration factor

CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL Derived Minimal Effect level
DNEL Derived-No Effect Level

EC50 Median effective concentration

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LC50 Median lethal concentration

LD50 Median lethal dose

LOAEL Lowest Observed Adverse Effect Level NOAEC No-Observed Adverse Effect Concentration

NOAEL No-Observed Adverse Effect Level
NOEC No-Observed Effect Concentration
PBT Persistent Bioaccumulative Toxic
PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

SDS Safety Data Sheet
STP Sewage treatment plant
TLM Median Tolerance Limit

vPvB Very Persistent and Very Bioaccumulative

OEL Occupational Exposure Limit RRN REACH Registration no.

TWA Time Weighted Average. The average concentration of a chemical in air over the total exposure time-usually an 8-hour

workday.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of

16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC)

No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



# **Attachment to the Safety Data Sheet**

**Product Name:** Tyre Sealant AT2

Ford Int. Ref. No.: 196915 Revision Date: 14.06.2022

## **Involved Products:**

Finiscode	Part number	Container Size:
1 2 104 873	GU7J 1568 AA	300 ml
2 2 104 876	GU7J 1568 BA	450 ml
3 2 641 745	GU7.I 1568 CA	200 ml