

SCREEN WASH - READY MIX P20



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment
Regulation (EU) 2020/878

ISSUE DATE: 28.03.2017
REVISION DATE: 19.02.2021
SUPERSEDES DATE: 11.12.2019
VERSION: 1.2

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Screen Wash - Ready Mix P20
Product code	Ford Internal Ref.: 198426
SDS Number	6019
Type of product	Detergent
Product use	Public use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Windscreen cleaner with frost protection
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Physical hazards	Flammable liquids, Category 3	H226	Flammable liquid and vapour.
------------------	-------------------------------	------	------------------------------

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

General

P102 Keep out of reach of children.

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

P280	sources. No smoking. Wear protective gloves, eye protection
Response P370+P378	In case of fire: Use water spray, powder and CO2 to extinguish.
Disposal P501	Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	20 - < 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319	(50 ≤C < 100) Eye Irrit. 2, H319
Ethanediol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28-XXXX	1 - < 5	Acute Tox. 4 (Oral), H302 STOT RE 2, H373	substance with a Community workplace exposure limit

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin contact:	Rinse skin with water/shower. Take off immediately all contaminated clothing.
Eyes contact	Rinse cautiously with water for several minutes.
Ingestion	Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard	Flammable liquid and vapour.
--------------------	------------------------------

Hazardous combustion products During fire, gases hazardous to health may be formed. Carbon monoxide. Nitrogen oxides.

5.3. Advice for firefighters

Firefighting instructions

Cool containers / tanks with spray water if possible.

Protection during firefighting

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

For personal protection, see section 8 of the SDS.

Emergency procedures

Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing mist or vapor. If spilled, may cause the floor to be slippery.

For emergency responders

Protective equipment

Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures

Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid release to the environment. Dilute with plenty of water. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Large Spills: Stop leak if safe to do so. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Flush residue with large amounts of water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination.

Other information

Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Prevent the build-up of electrostatic charge. Keep away from sources of ignition - No smoking. Use explosion-proof equipment.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Ground/bond container and receiving equipment.

Storage conditions

Store in a dry, cool and well-ventilated place. Protect against frost. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Windscreen cleaner.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EU

Regulation	Substance	Type	Value
COMMISSION	Ethenediol (107-21-1)	IOEL TWA	52 mg/m ³

EU

DIRECTIVE 2000/39/EC	Ethylene glycol	IOEL TWA [ppm]	20 ppm
		IOEL STEL	104 mg/m ³
		IOEL STEL [ppm]	40 ppm
		Notes	Skin

United Kingdom

Regulation	Substance	Type	Value
EH40/2005 (Fourth edition, 2020). HSE	ethanol (64-17-5) Ethanol	WEL TWA (OEL TWA) [1]	1920 mg/m ³
		WEL TWA (OEL TWA) [2]	1000 ppm
EH40/2005 (Third edition, 2018). HSE	Ethenediol (107-21-1) Ethane-1,2-diol	WEL TWA (OEL TWA) [1]	10 mg/m ³ particulate 52 mg/m ³ vapour
		WEL TWA (OEL TWA) [2]	20 ppm vapour
		WEL STEL (OEL STEL)	104 mg/m ³ vapour
		WEL STEL	40 ppm vapour
		Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)

Monitoring methods

Follow standard monitoring procedures

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
ethanol (64-17-5)	Worker	Dermal	343 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	950 mg/m ³	Long-term - systemic effects
		Inhalation	1900 mg/m ³	Long-term - local effects
	Consumer	Oral	87 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	114 mg/m ³	Long-term - systemic effects
		Dermal	206 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	950 mg/m ³	Long-term - local effects
Ethenediol (107-21-1)	Worker	Dermal	106 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	35 mg/m ³	Long-term - local effects
	Consumer	Dermal	53 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	7 mg/m ³	Long-term - local effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
ethanol (64-17-5)	Not applicable	Freshwater	0.96 mg/l	
		Seawater	0.79 mg/l	
		Freshwater	2.75 mg/l	Intermittent release
		sediment	3.6 mg/kg dwt	Freshwater
		sediment	2.9 mg/kg dwt	Seawater
		Soil	0.63 mg/kg dwt	
		Oral	380 mg/kg food	Secondary Poisoning
		STP	580 mg/l	
Ethenediol (107-21-1)	Not applicable	Freshwater	10 mg/l	

Seawater	1 mg/l	
sediment	37 mg/kg dwt	Freshwater
sediment	3.7 mg/kg dwt	Seawater
Soil	1.53 mg/kg dwt	
STP	199.5 mg/l	

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level		
Materials for protective clothing	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment		
Individual protection measures, such as personal protective equipment (PPE)			
Eye protection	Safety glasses with side shields		
Skin protection			
Hand protection	The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove		
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	120 - 239 min	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	120 - 239 min	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	No additional information available.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Filter type: A-P2		
Skin and body protection	Wear suitable protective clothing		
Thermal hazard protection	No additional information available.		
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases.		
Consumer exposure controls	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Blue.
Odour	Characteristic.
Odour threshold	No data available
pH	8 @ 20°C
Relative evaporation rate (butylacetate=1)	No data available
Melting point	-20 °C (ASTM D 1177-07)
Freezing point	No data available
Boiling point	80 °C
Flash point	25 °C
Auto-ignition temperature	No data available
Ignition temperature	425 °C
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable

Vapour pressure	59 hPa @ 20°C
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.96 g/cm ³ @ 20°C
Solubility	Miscible with water.
Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	Not explosive. In use, may form flammable/explosive vapour-air mixture.
Oxidising properties	No data available
Lower explosive limit (LEL)	3.5 vol %
Upper explosive limit (UEL)	15 vol %

9.2. Other information

VOC (EU)	28.51 %
----------	---------

10. SECTION 10: Stability and reactivity

10.1. Reactivity	Flammable liquid and vapour.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	Oxidising agents.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Mixture

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Screen Wash - Ready Mix P20		ATE	oral	> 5000	mg/kg		(calculated value)

Substance

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Ethanediol (107-21-1)	(acc. CLP 3.1.2)	ATE	oral	500	mg/kg		

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

Screen Wash - Ready Mix P20

Persistence and degradability	(OECD 301B method) Readily biodegradable, according to appropriate OECD test.
-------------------------------	---

Biodegradation	> 70 % (OECD 301B method)
----------------	---------------------------

ethanol (64-17-5)

Persistence and degradability	(OECD 301D method). 80 % - 85 % biodegradation.
-------------------------------	---

12.3. Bioaccumulative potential

Screen Wash - Ready Mix P20

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

ethanol (64-17-5)

Log Kow	-0.35 at 20 °C
---------	----------------

Ethanediol (107-21-1)

Log Pow	-1.36
---------	-------

12.4. Mobility in soil

Screen Wash - Ready Mix P20

Ecology - soil	No additional information available.
----------------	--------------------------------------

12.5. Results of PBT and vPvB assessment

Screen Wash - Ready Mix P20

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information

Flammable vapours may accumulate in the container.

European List of Waste (LoW) code

20 01 29*

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

15 01 10*

detergents containing dangerous substances
packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number		
UN-No. (ADR)		1170
UN-No. (IMDG)		1170
UN-No. (IATA)		1170
UN-No. (ADN)		1170
UN-No. (RID)		1170
14.2. UN proper shipping name		
Proper Shipping Name (ADR)		ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG)		ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IATA)		Ethanol solution
Proper Shipping Name (ADN)		ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID)		ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es)		
ADR		
Transport hazard class(es) (ADR)	3	
Danger labels (ADR)	3	
IMDG		
Transport hazard class(es) (IMDG)	3	
Danger labels (IMDG)	3	
IATA		
Transport hazard class(es) (IATA)	3	
Hazard labels (IATA)	3	
ADN		
Transport hazard class(es) (ADN)	3	
Danger labels (ADN)	3	
RID		
Transport hazard class(es) (RID)	3	
Danger labels (RID)	3	
14.4. Packing group		
Packing group (ADR)		III
Packing group (IMDG)		III
Packing group (IATA)		III
Packing group (ADN)		III
Packing group (RID)		III
14.5. Environmental hazards		
Dangerous for the environment		No
Marine pollutant		No
Other information		No supplementary information available.
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)		F1
Special provisions (ADR)		144, 601
Limited quantities (ADR)		5I
Packing instructions (ADR)		P001, IBC03, LP01, R001

Hazard identification number (Kemler No.)	30
Tunnel restriction code (ADR)	D/E
EAC code	•2YE
Transport by sea	
Special provisions (IMDG)	144, 223
Limited quantities (IMDG)	5 L
Packing instructions (IMDG)	P001, LP01
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	S-D
Stowage category (IMDG)	A
Air transport	
PCA Excepted quantities (IATA)	E1
PCA Limited quantities (IATA)	Y344
PCA limited quantity max net quantity (IATA)	10L
PCA packing instructions (IATA)	355
PCA max net quantity (IATA)	60L
CAO packing instructions (IATA)	366
CAO max net quantity (IATA)	220L
Special provisions (IATA)	A3, A58, A180
ERG code (IATA)	3L
Inland waterway transport	
Classification code (ADN)	F1
Special provisions (ADN)	144, 601
Limited quantities (ADN)	5 L
Carriage permitted (ADN)	T
Rail transport	
Classification code (RID)	F1
Special provisions (RID)	144, 601
Packing instructions (RID)	P001, IBC03, LP01, R001
Hazard identification number (RID)	30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

ethanol ; Ethanediol	3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
Screen Wash - Ready Mix P20 ; ethanol	3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
ethanol ; Ethanediol	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

ethanol 40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU) 28.51 %

Other information, restriction and prohibition regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

REGULATION (EC) No. 648/2004 on detergents

Component	%
anionic surfactants	<5%

2-BROMO-2-NITROPROPANE-1,3-DIOL

perfumes

Seveso Information

P5c FLAMMABLE LIQUIDS
Flammable liquids, Categories 2 or 3 not covered by P5a and P5b

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand

CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level

OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Flam. Liq. 2	Flammable liquids, Category 2.
Flam. Liq. 3	Flammable liquids, Category 3.
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2.
H225	Highly flammable liquid and vapour..
H226	Flammable liquid and vapour..
H302	Harmful if swallowed..
H319	Causes serious eye irritation..
H373	May cause damage to organs through prolonged or repeated exposure..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Flam. Liq. 3	H226	On basis of test data
--------------	------	-----------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Screen Wash - Ready Mix P20

Ford Int. Ref. No.: 198426

REVISION DATE: 19.02.2021

Involved Products:

Finiscode	Part number	Container Size:
1 2 168 316	HAMJ M8B18 AA	5 l