



PRIMER L-SF

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 16.07.2018

REVISION DATE: 14.11.2019

SUPERSEDES DATE: 16.07.2018

VERSION: 1.1

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Primer L-SF
Product code	Ford Internal Ref.: 199794
SDS Number	4122
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture	Solvent-based primers
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH Edsel-Ford-Str. 2-14 50769 Cologne Germany +49 221 90-33333 sdseu@ford.com	Ford Motor Company Ltd. Parts Distribution Centre Royal Oak Way South NN11 8NT Daventry, Northants United Kingdom +44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Physical hazards	Flammable liquids, Category 2	H225	Highly flammable liquid and vapour.
Health hazards	Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
	Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness.
	Aspiration hazard, Category 1	H304	May be fatal if swallowed and enters airways.
Environmental hazards	Hazardous to the aquatic environment — Acute Hazard, Category 1	H400	Very toxic to aquatic life.
	Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410	Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Danger

Contains	heptane
Hazard statements	
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
Response	
P301+P310	IF SWALLOWED: Immediately call a doctor, a POISON CENTER
P302+P352	IF ON SKIN: Wash with plenty of water
P331	Do NOT induce vomiting
Storage	
P403+P235	Store in a well-ventilated place. Keep cool

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
heptane	142-82-5 205-563-8 601-008-00-2 01-2119457603-38-XXXX	75 - < 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	(Note C)

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
Skin contact:	Wash off with soap and water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
Eyes contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Ensure that the respiratory tract is clear. In the unlikely event of swallowing contact a physician or poison control center. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	May cause drowsiness or dizziness. Aspiration may cause pulmonary oedema and pneumonitis.
Symptoms/effects after skin contact	Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Foam. Carbon dioxide. Dry powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Carbon oxides (CO, CO ₂). Nitrous oxide.
-------------------------------	--

5.3. Advice for firefighters

Firefighting instructions	On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray. Move containers from fire area if it can be done without personal risk. In case of fire and/or explosion do not breathe fumes.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Keep unnecessary personnel away.
For non-emergency personnel	
Emergency procedures	Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
Other information	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations". For further information refer to section 13.

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught.

Precautions for safe handling Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Storage area Keep cool. Protect from sunlight. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Special rules on packaging Keep only in original container.

7.3. Specific end use(s) adhesives.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EU

Regulation	Substance	Type	Value
COMMISSION DIRECTIVE 2000/39/EC	heptane (142-82-5) n-Heptane	IOELV TWA IOELV TWA	2085 mg/m ³ 500 ppm

United Kingdom

Regulation	Substance	Type	Value
EH40. HSE	heptane (142-82-5) n-Heptane	WEL TWA WEL TWA	2085 mg/m ³ 500 ppm

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
heptane (142-82-5)	Worker	Dermal	300 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	2085 mg/m ³	Long-term - systemic effects
	Consumer	Oral	149 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	447 mg/m ³	Long-term - systemic effects
		Dermal	149 mg/kg bodyweight/day	Long-term - systemic effects
			149 mg/kg bodyweight/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

8.2. Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

Materials for protective clothing	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment		
Individual protection measures, such as personal protective equipment (PPE)			
Eye protection	Safety glasses with side shields. EN 166.		
Skin protection			
Hand protection	The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove		
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	No additional information available.		
Respiratory protection	Type A - High-boiling (>65 °C) organic compounds		
Skin and body protection	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment, EN 14605, EN ISO 13982		
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.		
Environmental exposure controls	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.		
Consumer exposure controls	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Transparent. Clear.
Colour	Colourless.
Odour	Aliphatic.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	96 - 98 °C
Flash point	-4 °C
Auto-ignition temperature	No data available
Ignition temperature	215 °C
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	35 mm Hg (20 °C)
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.715 g/cm ³ (20 °C)
Solubility	No data available
Log Pow	No data available
Viscosity, kinematic	< 20 mm ² /s (40 °C)
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available

	Lower explosive limit (LEL)	1.1 vol %
	Upper explosive limit (UEL)	6.7 vol %
9.2.	Other information	
	VOC (EU)	100 %
10.	SECTION 10: Stability and reactivity	
10.1.	Reactivity	Can react with. Strong acids, strong oxidants.
10.2.	Chemical stability	Stable under normal conditions.
10.3.	Possibility of hazardous reactions	Refer to section 10.1 on Reactivity.
10.4.	Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials	Refer to section 10.1 on Reactivity.
10.6.	Hazardous decomposition products	Carbon oxides (CO, CO ₂).
11.	SECTION 11: Toxicological information	
11.1.	Information on toxicological effects	
	Acute toxicity	Based on available data, the classification criteria are not met.
	Skin corrosion/irritation	Causes skin irritation.
	Serious eye damage/irritation	Based on available data, the classification criteria are not met.
	Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity	Based on available data, the classification criteria are not met
	Carcinogenicity	Based on available data, the classification criteria are not met
	Reproductive toxicity	Based on available data, the classification criteria are not met
	STOT-single exposure	May cause drowsiness or dizziness.
	STOT-repeated exposure	Based on available data, the classification criteria are not met
	Aspiration hazard	May be fatal if swallowed and enters airways.
	Potential adverse human health effects and symptoms	Prolonged inhalation may be harmful. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
12.	SECTION 12: Ecological information	
12.1.	Toxicity	
	Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
12.2.	Persistence and degradability	
		No additional information available.
12.3.	Bioaccumulative potential	
		No additional information available.
12.4.	Mobility in soil	
		No additional information available.
12.5.	Results of PBT and vPvB assessment	
	Primer L-SF	
	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.	

Primer L-SF

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.

Waste treatment methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

European List of Waste (LoW) code

08 01 11* The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
waste paint and varnish containing organic solvents or other dangerous substances

15 01 10* packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	1206
UN-No. (IMDG)	1206
UN-No. (IATA)	1206
UN-No. (ADN)	1206
UN-No. (RID)	1206

14.2. UN proper shipping name

Proper Shipping Name (ADR)	HEPTANES
Proper Shipping Name (IMDG)	HEPTANES
Proper Shipping Name (IATA)	Heptanes
Proper Shipping Name (ADN)	HEPTANES
Proper Shipping Name (RID)	HEPTANES

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	3
Danger labels (ADR)	3

IMDG

Transport hazard class(es) (IMDG)	3
Danger labels (IMDG)	3

IATA	
Transport hazard class(es) (IATA)	3
Hazard labels (IATA)	3
ADN	
Transport hazard class(es) (ADN)	3
Danger labels (ADN)	3
RID	
Transport hazard class(es) (RID)	3
Danger labels (RID)	3
14.4. Packing group	
Packing group (ADR)	II
Packing group (IMDG)	II
Packing group (IATA)	II
Packing group (ADN)	II
Packing group (RID)	II
14.5. Environmental hazards	
Dangerous for the environment	Yes
Marine pollutant	Yes
Other information	No supplementary information available.
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	F1
Limited quantities (ADR)	1I
Packing instructions (ADR)	P001, IBC02, R001
Hazard identification number (Kemler No.)	33
Tunnel restriction code (ADR)	D/E
EAC code	3YE
Transport by sea	
Limited quantities (IMDG)	1 L
Packing instructions (IMDG)	P001
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	S-D
Stowage category (IMDG)	B
Air transport	
PCA Excepted quantities (IATA)	E2
PCA Limited quantities (IATA)	Y341
PCA limited quantity max net quantity (IATA)	1L
PCA packing instructions (IATA)	353
PCA max net quantity (IATA)	5L
CAO packing instructions (IATA)	364
CAO max net quantity (IATA)	60L
ERG code (IATA)	3H
Inland waterway transport	
Classification code (ADN)	F1

Limited quantities (ADN)	1 L
Carriage permitted (ADN)	T
Rail transport	
Classification code (RID)	F1
Limited quantities (RID)	1L
Packing instructions (RID)	P001, IBC02, R001
Hazard identification number (RID)	33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Primer L-SF - heptane	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
heptane	40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
Primer L-SF - heptane	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
heptane	3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
Primer L-SF - heptane	3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
Contains no substance on the REACH candidate list	
Contains no REACH Annex XIV substances	

VOC (EU) 100 %

Other information, restriction and prohibition regulations

Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

Seveso Information

P5c FLAMMABLE LIQUIDS
Flammable liquids, Categories 2 or 3 not covered by P5a and P5b
E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

1.4. Emergency telephone number. Portuguese.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.

IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative

WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging

Full text of H- and EUH-statements

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1.
Asp. Tox. 1	Aspiration hazard, Category 1.
Flam. Liq. 2	Flammable liquids, Category 2.
Skin Irrit. 2	Skin corrosion/irritation, Category 2.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Expert judgment
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Primer L-SF

Ford Int. Ref. No.: 199794

REVISION DATE: 14.11.2019

Involved Products:

	Finiscode	Part number	Container Size:
.	1 2 331 205	JU7J 99J9596 AA	10 g