A/C COMPRESSOR OIL DE-BEV

SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form | : | Mixture |
|--------------|---|----------------------------|
| Trade name | : | A/C Compressor Oil DE-BEV |
| Product code | : | Ford Internal Ref.: 201946 |
| SDS Number | : | 7063 |
| UFI | : | GY81-CKXX-W00H-RA4X |
| Product use | : | Professional use |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category

: Compressor oil for air conditioning systems

1.2.2. Uses advised against

Restrictions on use

: None known

1.3. Details of the supplier of the safety data sheet

| Supplier | Distributor |
|----------------------|------------------------------|
| Ford-Werke GmbH | Ford Motor Company Ltd. |
| Edsel-Ford-Str. 2-14 | Parts Distribution Centre |
| 50769 Cologne | Royal Oak Way South |
| Germany | NN11 8NT Daventry, Northants |
| +49 221 90-33333 | United Kingdom |
| sdseu@ford.com | +44 1327 305 198 |

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

| Health hazards | Skin sensitisation, Category 1 | H317 | May cause an allergic skin reaction. |
|-----------------------|--|------|--|
| | Germ cell mutagenicity, Category 2 | H341 | Suspected of causing genetic defects. |
| Environmental hazards | Hazardous to the aquatic environment – | H412 | Harmful to aquatic life with long lasting effects. |
| | Chronic Hazard, Category 3 | | |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Hazard pictograms







ISSUE DATE: 10.02.2020 REVISION DATE: 20.08.2024 SUPERSEDES: 16.03.2021 VERSION: 2.1

| Signal word | Warning |
|--------------------------|--|
| Contains | 2,3-epoxypropyl neodecanoate |
| Hazard statements | |
| H317 | May cause an allergic skin reaction. |
| H341 | Suspected of causing genetic defects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Precautionary statements | |
| Prevention | |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves. |
| Response | |
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| | |

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Chemical name | CAS- No EC- No Index No RRN | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Notes |
|------------------------------|--------------------------------------|------------|---|-------|
| Tris(methylphenyl) phosphate | 1330-78-5 215-548-8 | 1 - <2,5 | Repr. 2, H361 Aquatic Acute 1, H400 (M=1.0) Aquatic Chronic 1, H410 (M=1.0) | |
| 2,3-epoxypropyl neodecanoate | 26761-45-5 247-979-2 - | 1 - < 2,5 | Skin Sens. 1, H317 Muta. 2, H341 Aquatic Chronic 2, H411 | |
| 2,6-di-tert-butyl-p-cresol | 128-37-0 204-881-4 - | 0,25 - < 1 | Aquatic Acute 1, H400 (M=1.0) Aquatic Chronic 1, H410 (M=1.0) | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| First-aid measures general | : Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
|---------------------------------------|---|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth thoroughly. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use water jet as an extinguisher, as this will spread the fire. |
|--|--|
| 5.2. Special hazards arising from the substance | ce or mixture |
| Hazardous decomposition products in case of fire | : During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2). |
| 5.3. Advice for firefighters | |

| Precautionary measures fire | : Cool containers exposed to heat with water spray and remove container, if no risk is involved. |
|--------------------------------|--|
| Firefighting instructions | : Use standard firefighting procedures and consider the hazards of other involved materials. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing |
| | apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| Protective equipment | : Wear appropriate protective equipment and clothing during clean-up. For further information refer to section 8: "Exposure controls/personal protection". |
|---------------------------------|---|
| Emergency procedures | : Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Keep unnecessary personnel away. |

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

| For containment | : Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk. |
|-------------------------|--|
| Methods for cleaning up | : Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Take up liquid spill into absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13:" Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| Precautions for safe handling | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing mist, |
|-------------------------------|--|
| | vapours. Wear personal protective equipment. Protect material from direct sunlight. Observe good |
| | industrial hygiene practices. |

: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

| Storage conditions | : Store in original tightly closed container. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store away from incompatible materials (see |
|------------------------|---|
| | Section 10 of the SDS). |
| Incompatible materials | : Strong oxidizing agents. |

7.3. Specific end use(s)

Compressor oil for air conditioning systems.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

| 2,6-di-tert-butyl-p-cresol (128-37-0) | | |
|---|----------------------------|--|
| United Kingdom - Occupational Exposure Limits | | |
| Local name | 2,6-Di-tert-butyl-p-cresol | |
| WEL TWA (OEL TWA) | 10 mg/m³ | |
| Regulatory reference | EH40. HSE | |
| 8.1.2. Recommended monitoring proce | dures | |
| No additional information available | | |
| 8.1.3. Air contaminants formed | | |
| No additional information available | | |
| 8.1.4. DNEL and PNEC | | |
| No additional information available | | |
| 8.1.5. Control banding | | |

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields. EN 166. 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing

Hand protection:

Protective gloves.

| Material | Permeation | Thickness (mm) | Comments |
|----------------------|-------------------|----------------|---|
| Nitrile rubber (NBR) | 6 (> 480 minutes) | 0.4 | Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, |

Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other skin protection

Materials for protective clothing:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment **8.2.2.3. Respiratory protection**

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 141

8.2.2.4. Thermal hazards

Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Inform appropriate managerial or supervisory personnel of all environmental releases.

Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : | Liquid |
|---------------------------------|---|-------------------------|
| Colour | : | light yellow. |
| Odour | : | Characteristic. slight. |
| Odour threshold | : | Not available |
| Melting point | : | Not applicable |
| Freezing point | : | Not available |
| Boiling point | : | Not available |
| Flammability | : | Not applicable |
| Explosive limits | : | Not available |
| Lower explosive limit (LEL) | : | Not available |
| Upper explosive limit (UEL) | : | Not available |
| Flash point | : | 200 °C |
| Auto-ignition temperature | : | Not available |
| Decomposition temperature | : | Not available |
| Dropping point | : | -35 °C |
| рН | : | Not available |
| Viscosity, kinematic | : | Not available |
| Solubility | : | insoluble in water. |
| Log Kow | : | Not available |
| Vapour pressure | : | Not available |
| Vapour pressure at 50°C | : | Not available |
| Density | : | 0.98 g/cm³ @ 15°C |
| Relative density | : | Not available |
| Relative vapour density at 20°C | : | Not available |
| Particle size | : | Not applicable |
| Particle size distribution | : | Not applicable |
| Particle shape | : | Not applicable |
| Particle aspect ratio | : | Not applicable |
| Particle aggregation state | : | Not applicable |
| Particle agglomeration state | : | Not applicable |
| Particle specific surface area | : | Not applicable |
| Particle dustiness | : | Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Contact with incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agent.

10.6. Hazardous decomposition products

Irritating and/or toxic fumes and gases may be emitted upon the products decomposition. Phosphorus oxides. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | | o |
|---|---|--|
| Acute toxicity (oral) | : | Based on available data, the classification criteria are not met |
| Acute toxicity (dermal) | : | Based on available data, the classification criteria are not met |
| Acute toxicity (inhalation) | : | Based on available data, the classification criteria are not met |
| Skin corrosion/irritation | : | Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : | Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation | : | May cause an allergic skin reaction. |
| Germ cell mutagenicity | : | Based on available data, the classification criteria are not met |
| Carcinogenicity | : | Based on available data, the classification criteria are not met |
| Reproductive toxicity | : | Suspected of causing genetic defects |
| STOT-single exposure | : | Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : | Based on available data, the classification criteria are not met |
| Aspiration hazard | : | Based on available data, the classification criteria are not met |
| 11.2. Information on other hazards | | |
| 11.2.1. Endocrine disrupting properties | | |
| 11.2.2. Other information | | |
| Potential adverse human health effects and symptoms | : | Information on Effects: refer to section 4 |
| SECTION 12: Ecological information | | |
| 12.1. Toxicity | | |
| Ecology - general | : | Harmful to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : | Based on available data, the classification criteria are not met |
| Hazardous to the aquatic environment, long-term (chronic) | : | Harmful to aquatic life with long lasting effects. |

Tris(methylphenyl) phosphate (1330-78-5)

| LC50 - Fish [1] | 0.21 – 0.32 Oncorhynchus mykiss | | |
|--|---------------------------------|--------------------------|---|
| Product code: Ford Internal Ref.: 201946 | GB - en | Revision date: 8/20/2024 | 6 |

| 2,6-di-tert-butyl-p-cresol (128-37-0) | |
|---|---|
| EC50 - Crustacea [1] | 1.44 ml/l Not rapidly degradable |
| LC0, Fish, acute, algae | 0.31 g/l |
| 12.2. Persistence and degradability | |
| No additional information available | |
| 12.3. Bioaccumulative potential | |
| Tris(methylphenyl) phosphate (1330-78-5) | |
| Log Kow | 5.11 |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Results of PBT and vPvB assessment | |
| A/C Compressor Oil DE-BEV | |
| This substance/mixture does not meet the PBT criteria c | f REACH regulation, annex XIII. |
| This substance/mixture does not meet the vPvB criteria | of REACH regulation, annex XIII. |
| 12.6. Endocrine disrupting properties | |
| No additional information available | |
| 12.7. Other adverse effects | |
| Other adverse effects | : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product |
| SECTION 13: Disposal considerations | |
| 13.1. Waste treatment methods | |
| Regional waste regulation | : Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations. |
| Waste treatment methods | : Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. |
| Additional information European List of Waste (LoW, EC 2000/532) | Dispose in accordance with all applicable regulations. The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. 13 02 08* - other engine, gear and lubricating oils 15 01 10* - packaging containing residues of or contaminated by dangerous substances |
| SECTION 14: Transport information | |
| In accordance with ADR / IMDG / IATA / ADN / RID Not regulated for transport | |
| SECTION 15: Regulatory information | |
| 15.1. Safety, health and environmental regulation | ons/legislation specific for the substance or mixture |
| 15.1.1. EU-Regulations | |
| EU restriction list (REACH Annex XVII) | |

Reference code Applicable on

A/C Compressor Oil DE-BEV ; Tris(methylphenyl) phosphate ; 2,3-epoxypropyl neodecanoate

3(b)

3(c)

| A/C Compressor Oil DE-BEV ; Tris(methylphenyl) phosphate ; 2,3-epoxypropyl neodecanoate ; 2,6-di-tert-butyl-p-cre | A/C Compressor Oil DE-BE | : Tris(methylphenyl) phosphate | : 2.3-epoxypropyl neodecanoate | : 2.6-di-tert-butyl-p-creso |
|---|--------------------------|--------------------------------|--------------------------------|-----------------------------|
|---|--------------------------|--------------------------------|--------------------------------|-----------------------------|

 $\label{eq:contains} \mbox{ contains no substance}(s) \mbox{ listed on the REACH Candidate List}$

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

VOC content

: Not applicable

Other information, restriction and prohibition regulations :

Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Regulatory information. UFI.

Abbreviations and acronyms

| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | | |
|-----------------|---|--|--|
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | | |
| ATE | Acute Toxicity Estimate | | |
| BCF | Bioconcentration factor | | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | | |
| DMEL | Derived Minimal Effect level | | |
| DNEL | Derived-No Effect Level | | |
| EC50 | Median effective concentration | | |
| IARC | International Agency for Research on Cancer | | |
| IATA | International Air Transport Association | | |
| IMDG | International Maritime Dangerous Goods | | |
| LC50 | Median lethal concentration | | |
| LD50 | Median lethal dose | | |
| LOAEL | Lowest Observed Adverse Effect Level | | |
| NOAEC | No-Observed Adverse Effect Concentration | | |
| NOAEL | No-Observed Adverse Effect Level | | |
| NOEC | No-Observed Effect Concentration | | |
| OECD | Organisation for Economic Co-operation and Development | | |
| PBT | Persistent Bioaccumulative Toxic | | |
| PNEC | Predicted No-Effect Concentration | | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | | |
| SDS | Safety Data Sheet | | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | | |
| STP | Sewage treatment plant | | |
| TLM | Median Tolerance Limit | | |
| vPvB | Very Persistent and Very Bioaccumulative | | |
| SDS | Safety Data Sheet | | |
| OEL | Occupational Exposure Limit | | |
| RRN | REACH Registration no. | | |
| CAO | Cargo Aircraft Only | | |
| PCA | Passenger and Cargo Aircraft | | |
| Data sources | REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. | | |
| Training advice | : Normal use of this product shall imply use in accordance with the instructions on the packaging. | | |
| | | | |

Full text of H- and EUH-statements

| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
|-------------------|---|
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| H317 | May cause an allergic skin reaction. |
| H341 | Suspected of causing genetic defects. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Muta. 2 | Germ cell mutagenicity, Category 2 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

| Skin Sens. 1 | H317 | Calculation method |
|-------------------|------|--------------------|
| Muta. 2 | H341 | Calculation method |
| Aquatic Chronic 3 | H412 | Calculation method |

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: A/C Compressor Oil DE-BEV

Ford Int. Ref. No.: 201946

Revision Date: 20.08.2024

Involved Products:

.

| Finiscode | Part number |
|-------------|---------------|
| 1 2 472 361 | DU7J M2C31 BA |

Container Size: 40 ml