

BODY SEALANT T-SMP 2



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment
Regulation (EU) 2020/878

ISSUE DATE: 03.02.2020
REVISION DATE: 14.04.2021
SUPERSEDES DATE: 03.02.2020
VERSION: 2.0

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Body Sealant T-SMP 2
Product code	Ford Internal Ref.: 202252
SDS Number	6976
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesives, sealants
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
----------------	--------------------------------	------	--------------------------------------

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	Warning
Contains	Trimethoxyvinylsilane
Hazard statements	
H317	May cause an allergic skin reaction.
Precautionary statements	
Prevention	
P261	Avoid breathing vapours, dust, fume.
P280	Wear protective gloves.
Response	

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

P362+P364

Take off contaminated clothing and wash it before reuse.

Supplemental hazard information

EUH212

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
Titanium(IV) oxide	13463-67-7 236-675-5 01-2119489379-17-XXXX	5 -< 10	Not classified	
Trimethoxyvinylsilane	2768-02-7 220-449-8 01-2119513215-52-XXXX	1 -< 3	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317 STOT RE 2, H373	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9 258-207-9 01-2119537297-32-XXXX	0,1 -< 1	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Never give anything by mouth to an unconscious person.

Inhalation

Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

Skin contact:

Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove all contaminated clothing and footwear. Hand protection : replenishing skin cream may be used.

Eyes contact

Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophtalmologist if irritation persists.

Ingestion

Rinse mouth out with water. Drink plenty of water. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Dry chemical, CO₂, dry sand, or alcohol-resistant foam. Water spray. Dry powder. Foam.

Unsuitable extinguishing media Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Toxic fumes may be released. Carbon oxides (CO, CO₂). Sulphur oxides. Nitrous oxide.

5.3. Advice for firefighters

Firefighting instructions Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures Ventilate spillage area. Keep unnecessary personnel away. Avoid contact with skin and eyes. Avoid breathing fume, vapours.

For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Mechanically recover the product. Eliminate ignition sources. Leave the product to solidify. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations". For further information refer to section 13.

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing fume, vapours. Wear personal protective equipment.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in original tightly closed container. Store in a well-ventilated place. Keep cool.

Storage temperature 10 – 25 °C

7.3. Specific end use(s)

Adhesives, sealants.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EU

Regulation	Substance	Type	Value
SCOEL Recommendations	Titanium(IV) oxide (13463-67-7) Titanium dioxide	Notes	(Ongoing)

United Kingdom

Regulation	Substance	Type	Value
EH40/2005 (Fourth edition, 2020). HSE	Titanium(IV) oxide (13463-67-7) Titanium dioxide	WEL TWA (OEL TWA) [1]	4 mg/m ³ respirable 10 mg/m ³ total inhalable

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
Trimethoxyvinylsilane (2768-02-7)	Worker	Dermal	3.9 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	27.6 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.3 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	18.9 mg/m ³	Long-term - systemic effects
		Dermal	7.8 mg/kg bodyweight/day	Long-term - systemic effects
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	Worker	Dermal	0.5 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	0.68 mg/m ³	Long-term - systemic effects
	Consumer	Oral	0.05 mg/kg bodyweight/day	Long-term - systemic effects
		Inhalation	0.17 mg/m ³	Long-term - systemic effects
		Dermal	0.25 mg/kg bodyweight/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
Trimethoxyvinylsilane (2768-02-7)	Not applicable	Freshwater	0.4 mg/l	
		Seawater	0.04 mg/l	
		Freshwater	2.4 mg/l	Intermittent release
		sediment	1.5 mg/kg dwt	Freshwater
		sediment	0.15 mg/kg dwt	Seawater
		Soil	0.06 mg/kg dwt	
		STP	6.6 mg/l	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	Not applicable	Freshwater	0.019 mg/l	
		Seawater	0.002 mg/l	
		Freshwater	0.007 mg/l	Intermittent release
		sediment	29 mg/kg dwt	Freshwater
		sediment	2.9 mg/kg dwt	Seawater
		Soil	5.9 mg/kg dwt	
		STP	1 mg/l	

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level
Materials for protective clothing	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment

Individual protection measures, such as personal protective equipment (PPE)

Eye protection EN 166. Safety glasses

Skin protection

Hand protection

EN 374. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures			No additional information available.
Respiratory protection			Type A - High-boiling (>65 °C) organic compounds
Skin and body protection			Long sleeved protective clothing
Thermal hazard protection			Wear appropriate thermal protective clothing, when necessary.
Environmental exposure controls			Avoid release to the environment.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste.
Colour	White.
Odour	Characteristic.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	Not applicable
Boiling point	No data available
Flash point	93 °C
Auto-ignition temperature	Not applicable
Decomposition temperature	No data available
Flammability (solid, gas)	Non flammable.
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	1.5 g/cm³ @ 20°C
Solubility	No data available
Log Pow	No data available
Viscosity, kinematic	Not applicable
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	Not applicable

9.2. Other information

VOC (EU) 1.8 %

10. SECTION 10: Stability and reactivity

- 10.1. Reactivity** The product is non-reactive under normal conditions of use, storage and transport.
- 10.2. Chemical stability** Stable under normal conditions.
- 10.3. Possibility of hazardous reactions** No dangerous reactions known under normal conditions of use.
- 10.4. Conditions to avoid** None under recommended storage and handling conditions (see section 7).
- 10.5. Incompatible materials** No additional information available.
- 10.6. Hazardous decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Mixture

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Body Sealant T-SMP 2	(calculated value)	ATE	Inhalation	> 20	mg/l/4h		

Substance

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Trimethoxyvinylsilane (2768-02-7)	(OECD 403 method)	LC50	Inhalation	16,8	mg/l/4h	rat	

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met

Carcinogenicity Based on available data, the classification criteria are not met

Reproductive toxicity Based on available data, the classification criteria are not met

STOT-single exposure Based on available data, the classification criteria are not met

STOT-repeated exposure Based on available data, the classification criteria are not met

Aspiration hazard Based on available data, the classification criteria are not met

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

Trimethoxyvinylsilane (2768-02-7)

Log Kow	1.1
---------	-----

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Body Sealant T-SMP 2

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Disposal must be done according to official regulations.

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations

Do not allow this material to drain into sewers/water supplies.

European List of Waste (LoW) code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

15 01 10* packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Not regulated for transport

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Trimethoxyvinylsilane	3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
Trimethoxyvinylsilane	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
Trimethoxyvinylsilane	40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU)

1.8 %

Other information, restriction and prohibition regulations

Directive 94/33/EC on the protection of young people at work, as amended.
Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

Seveso Information

Not applicable

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information**Indication of changes**

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)

EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.

STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Full text of H- and EUH-statements

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4.
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Flam. Liq. 3	Flammable liquids, Category 3.
Skin Sens. 1	Skin sensitisation, Category 1.
Skin Sens. 1B	Skin sensitisation, category 1B.
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2.
H226	Flammable liquid and vapour..
H317	May cause an allergic skin reaction..
H318	Causes serious eye damage..
H332	Harmful if inhaled..
H373	May cause damage to organs through prolonged or repeated exposure..
H400	Very toxic to aquatic life..
H411	Toxic to aquatic life with long lasting effects..
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Skin Sens. 1	H317	Calculation method
--------------	------	--------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Body Sealant T-SMP 2

Ford Int. Ref. No.: 202252

REVISION DATE: 14.04.2021

Involved Products:

	Finiscode	Part number	Container Size:
.	1 2 472 359	KU7J M4G245 AA	310 ml