

# GREASE K-LT



## SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ISSUE DATE: 05.11.2021  
REVISION DATE: 12.11.2024  
SUPERSEDES: 05.11.2021  
**VERSION: 1.1**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Grease K-LT  
Product code : Ford Internal Ref.: 503935  
SDS Number : 9213  
Product use : Professional use

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Function or use category : Lubricants, Greases and Release Products

##### 1.2.2. Uses advised against

Restrictions on use : None known

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Ford-Werke GmbH  
Edsel-Ford-Str. 2-14  
50769 Cologne  
Germany  
+49 221 90-33333  
sdseu@ford.com

##### Distributor

Ford Motor Company Ltd.  
Parts Distribution Centre  
Royal Oak Way South  
NN11 8NT Daventry, Northants  
United Kingdom  
+44 1327 305 198

#### 1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

**Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations**

EUH-statements EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Chemical name                    | CAS- No<br>EC- No<br>Index No<br>RRN              | %         | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP] | Notes |
|----------------------------------|---|-----------|---|-------|
| Dec-1-ene, trimers, hydrogenated | 157707-86-3<br>500-393-3<br>01-2119493949-12-XXXX | 70 - < 90 | Asp. Tox. 1, H304   |       |
| Tallow, lithium salt             | 68608-50-4<br>271-784-1<br>01-2120113514-69-XXXX  | 1 - < 10  | Eye Irrit. 2, H319  |       |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.   |
| First-aid measures after skin contact | : Take off immediately all contaminated clothing and wash it before reuse. Wash immediately with plenty of water. Get medical advice/attention.  |
| First-aid measures after eye contact  | : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion    | : Do not induce vomiting. Rinse mouth thoroughly. Get immediate medical advice/attention.  |

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Alcohol resistant foam. Water fog. Carbon dioxide.                     |
| Unsuitable extinguishing media | : Do not use water jet as an extinguisher, as this will spread the fire. |

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Hazardous decomposition products in case of fire | : Metal oxides. nitrogen oxides (NOx) and sulphur oxides. |
|--|---|

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Firefighting instructions      | : Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.                             |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Protective equipment | : Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the MSDS.  |
| Emergency procedures | : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. |

### 6.1.2. For emergency responders

- Protective equipment : Wear recommended personal protective equipment. For personal protection, see section 8 of the SDS.
- Emergency procedures : Keep unnecessary personnel away. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 6.3. Methods and material for containment and cleaning up

- For containment : Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
- Methods for cleaning up : Keep container tight closed. Leave the product to solidify. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing fume, vapours. Wear personal protective equipment. Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies should not work with the material.
- Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation, especially in confined areas.
- Storage conditions : Store locked up. Store in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

Lubricants, greases, release products.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

#### Tallow, lithium salt (68608-50-4)

---

##### DNEL/DMEL (Workers)

|  |                          |
|--|--------------------------|
| Acute - systemic effects, inhalation     | 6 mg/m <sup>3</sup>      |
| Long-term - local effects, dermal        | 0.172 mg/cm <sup>2</sup> |
| Long-term - systemic effects, inhalation | 3 mg/m <sup>3</sup>      |

##### DNEL/DMEL (General population)

|                                   |                          |
|-----------------------------------|--------------------------|
| Long-term - local effects, dermal | 0.086 mg/cm <sup>2</sup> |
|-----------------------------------|--------------------------|

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses with side shields. EN 166.

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing. EN 14605. EN ISO 13982

##### Hand protection:

Protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove. ISO 374-1

| Material   | Permeation        | Thickness (mm) | Comments   |
|--|-------------------|----------------|--|
| Nitrile rubber (NBR)                               | 6 (> 480 minutes) | 0,4            | Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see <a href="http://www.kcl.de">www.kcl.de</a> ) or comparable product. |
| In case of splash contact:<br>Nitrile rubber (NBR) | 6 (> 480 minutes) | 0,4            | Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see <a href="http://www.kcl.de">www.kcl.de</a> ) or comparable product. |

#### Other skin protection

##### Materials for protective clothing:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Dust formation: dust mask

### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

#### Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                   |
|-----------------|-------------------|
| Physical state  | : Solid           |
| Colour          | : Beige.          |
| Appearance      | : Paste.          |
| Odour           | : Characteristic. |
| Odour threshold | : Not available   |
| Melting point   | : Not available   |

|                                 |                                 |
|---------------------------------|---------------------------------|
| Freezing point                  | : Not available                 |
| Boiling point                   | : Not available                 |
| Flammability                    | : Not available                 |
| Explosive properties            | : Not explosive.                |
| Explosive limits                | : Not applicable                |
| Lower explosive limit (LEL)     | : Not applicable                |
| Upper explosive limit (UEL)     | : Not applicable                |
| Flash point                     | : Not applicable                |
| Auto-ignition temperature       | : Not applicable                |
| Decomposition temperature       | : Not available                 |
| pH                              | : Not available                 |
| pH solution                     | : Not available                 |
| Viscosity, kinematic            | : Not applicable                |
| Solubility                      | : Insoluble in: water.          |
| Log Kow                         | : Not available                 |
| Vapour pressure                 | : < 0.001 hPa @ 20°C            |
| Vapour pressure at 50°C         | : Not available                 |
| Density                         | : 0.86 g/cm <sup>3</sup> @ 20°C |
| Relative density                | : Not available                 |
| Relative vapour density at 20°C | : 0.86                          |
| Particle size                   | : Not available                 |
| Particle size distribution      | : Not available                 |
| Particle shape                  | : Not available                 |
| Particle aspect ratio           | : Not available                 |
| Particle aggregation state      | : Not available                 |
| Particle agglomeration state    | : Not available                 |
| Particle specific surface area  | : Not available                 |
| Particle dustiness              | : Not available                 |

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

VOC content : Not applicable.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No conditions to be specially mentioned.

### 10.5. Incompatible materials

Strong oxidizing agent.

### 10.6. Hazardous decomposition products

During fire, gases hazardous to health may be formed. Carbon dioxide. Metal oxides. Nitrogen oxides. Sulphur oxides.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                         |  |
|-------------------------|--|
| Acute toxicity (oral)   | : Based on available data, the classification criteria are not met |
| Acute toxicity (dermal) | : Based on available data, the classification criteria are not met |

|                                   |  |
|-----------------------------------|--|
| Acute toxicity (inhalation)       | : Based on available data, the classification criteria are not met |
| Skin corrosion/irritation         | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation     | : Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity            | : Based on available data, the classification criteria are not met |
| Carcinogenicity                   | : Based on available data, the classification criteria are not met |
| Reproductive toxicity             | : Based on available data, the classification criteria are not met |
| STOT-single exposure              | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure            | : Based on available data, the classification criteria are not met |
| Aspiration hazard                 | : Based on available data, the classification criteria are not met |

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |  |
|---|--|
| Ecology - general   | : The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Based on available data, the classification criteria are not met   |
| Hazardous to the aquatic environment, long-term (chronic) | : Based on available data, the classification criteria are not met   |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Grease K-LT

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

|                       |  |
|-----------------------|--|
| Other adverse effects | : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product |
|-----------------------|--|

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                           |   |
|---------------------------|---|
| Regional waste regulation | : Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.  |
| Waste treatment methods   | : Collect and reclaim or dispose in closed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not allow to enter drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions. |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID  
Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### EU restriction list (REACH Annex XVII)

| Reference code | Applicable on |
|----------------|---------------|
|----------------|---------------|

|      |                                  |
|------|----------------------------------|
| 3(b) | Dec-1-ene, trimers, hydrogenated |
|------|----------------------------------|

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

VOC content : Not applicable.

Other information, restriction and prohibition regulations : Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

##### Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

SECTION 3 : Composition/information on ingredients.

#### Abbreviations and acronyms

|       |  |
|-------|--|
| ADN   | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways                      |
| ADR   | European Agreement concerning the International Carriage of Dangerous Goods by Road                                  |
| STEL  | Short-term Exposure Limit  |
| VOC   | Volatile organic compounds   |
| ATE   | Acute Toxicity Estimate  |
| BCF   | Bioconcentration factor  |
| CLP   | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  |
| DMEL  | Derived Minimal Effect level   |
| DNEL  | Derived-No Effect Level  |
| EC50  | Median effective concentration   |
| IARC  | International Agency for Research on Cancer  |
| IATA  | International Air Transport Association  |
| IMDG  | International Maritime Dangerous Goods   |
| LC50  | Median lethal concentration  |
| LD50  | Median lethal dose   |
| LOAEL | Lowest Observed Adverse Effect Level   |
| NOAEC | No-Observed Adverse Effect Concentration   |
| NOAEL | No-Observed Adverse Effect Level   |
| NOEC  | No-Observed Effect Concentration   |
| PBT   | Persistent Bioaccumulative Toxic   |
| PNEC  | Predicted No-Effect Concentration  |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006                    |
| SDS   | Safety Data Sheet  |
| STP   | Sewage treatment plant   |
| TLM   | Median Tolerance Limit   |
| vPvB  | Very Persistent and Very Bioaccumulative   |
| OEL   | Occupational Exposure Limit  |
| RRN   | REACH Registration no.   |
| TWA   | Time Weighted Average. The average concentration of a chemical in air over the total exposure time-usually an 8-hour |

workday.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

#### Full text of H- and EUH-statements

|              |   |
|--------------|---|
| Asp. Tox. 1  | Aspiration hazard, Category 1                 |
| EUH210       | Safety data sheet available on request.       |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H304         | May be fatal if swallowed and enters airways. |
| H319         | Causes serious eye irritation.                |

*The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.*



Attachment to the Safety Data Sheet



Productname: Grease K-LT

Ford Internal Ref.: 503935

Revision Date: 12.11.2024

Involved Products:

|   | Finiscode | Part Number    | Packaging |
|---|-----------|----------------|-----------|
| 1 | 2 596 283 | MU7J 19G209 AA | 45 g      |