GREASE O-FS

SAFETY DATA SHEET



ISSUE DATE: 08.10.2021 REVISION DATE: 08.10.2021

VERSION: 1.0

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Grease O-FS

Product code : Ford Internal Ref.: 503936

SDS Number : 9209

Product use : Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Grease

1.2.2. Uses advised against

Restrictions on use : None known

1.3. Details of the supplier of the safety data sheet

Supplier Distributor

Ford-Werke GmbH Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14 Parts Distribution Centre
50769 Cologne Royal Oak Way South
Germany NN11 8NT Daventry, Northants

+49 221 90-33333 United Kingdom sdseu@ford.com +44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

EUH-statements EUH208 - Contains Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl]

Hydrogen Dithiophosphate. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards which do not result in classification : Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit

permanent damage. Note that high pressure may force the product considerable distances along

tissue planes. Defatting of the skin.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Disodium sebacate	17265-14-4 241-300-3 01-2120762063-61-XXXX	1 - < 3	Eye Irrit. 2, H319	
Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl] Hydrogen Dithiophosphate	- 947-946-9 01-2120772600-59-XXXX	0,1 - < 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 4, H413	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

First-aid measures after inhalation : May be harmful if swallowed or if inhaled. Remove person to fresh air and keep comfortable for

breathing. Get medical attention if symptoms occur.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: : Direct contact with eyes may cause temporary irritation. Defatting, drying and cracking of skin. May

cause skin irritation.

Symptoms/effects after inhalation : Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation.

Symptoms/effects after eye contact : Direct contact with eyes may cause temporary irritation. Symptoms/effects after ingestion : On ingestion in large quantities: Diarrhea, Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. carbon dioxide (CO2). Alcohol resistant foam.
Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2). Metal oxides.

Nitrogen oxides. Sulphur oxides.

5.3. Advice for firefighters

Precautionary measures fire : Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard firefighting

procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate spillage area. Keep unnecessary personnel away. Keep people away from and upwind of

spill/leak. Wear appropriate protective equipment and clothing during clean-up. Local authorities

should be advised if significant spillages cannot be contained.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Keep unnecessary personnel away. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Move containers from fire area if it can be done without personal

risk. Spill area may be slippery.

Methods for cleaning up : Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination. Never return spills in

original containers for re-use.

Other information : Dispose of materials or solid residues at an authorized site. Never return spills in original containers

for re-use.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing vapours, mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment.

Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from open flames, hot surfaces and sources of ignition. Store away from incompatible

materials (see Section 10 of the SDS). Store tightly closed in a dry, cool and well-ventilated place.

Incompatible materials : Strong oxidizing agent.

Heat and ignition sources : Do not handle, store or open near an open flame, sources of heat or sources of ignition.

7.3. Specific end use(s)

Grease.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Exposure limit values for the other components

Molybdenum compounds (insoluble compounds)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1] 10 mg/m³ Inhalable aerosol

 Product code: Ford Internal Ref.: 503936
 GB - en
 Revision date: 10/8/2021
 3/9

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

DNEL/DMEL (Workers)

Disodium sebacate (17265-14-4)

Long-term - systemic effects, dermal	10 mg/kg bw/day
Long-term - systemic effects, inhalation	35.26 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects,oral	5 mg/kg bw/day
Long-term - systemic effects, inhalation	8.7 mg/m³
Long-term - systemic effects, dermal	5 mg/kg bw/day

PNEC (Water)

PNEC aqua (freshwater)	0.018 mg/l
PNEC aqua (marine water)	0.002 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	0.548 mg/kg dwt
PNEC sediment (marine water)	0.055 mg/kg dwt

PNEC (Soil)

PNEC soil 0.099 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 10 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields. EN 166.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing

Hand protection:

protective gloves. EN 374. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

Other skin protection

Materials for protective clothing:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment 8.2.2.3. Respiratory protection

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. EN 141

8.2.2.4. Thermal hazards

Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid release to the environment.

Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Grease.
Colour : dark green.
Odour : mild.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Dropping point : > 230 °C
Freezing point : No data available
Politing point : No data available

Boiling point : No data available Flash point : 228 °C Closed cup Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : No data available Vapour pressure No data available : No data available Relative vapour density at 20 °C Relative density : < 1 @20°C Density : < 1 g/cm³

Solubility : insoluble in water.
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available

Explosive limits

9.2. Other information

VOC (EU) : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Contact with incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Based on available data, the classification criteria are not met Acute toxicity (dermal) : Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Acute toxicity (inhalation) Skin corrosion/irritation : Based on available data, the classification criteria are not met Serious eye damage/irritation : Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not metMay produce an allergic reaction Respiratory or skin sensitisation

Germ cell mutagenicity Based on available data, the classification criteria are not met

Carcinogenicity Based on available data, the classification criteria are not met (All hydrocarbons in this mixture:

Note L is applicable (DMSO <3%), therefore no classification as carcinogen. Note N is applicable)

: Based on available data, the classification criteria are not met Reproductive toxicity STOT-single exposure Based on available data, the classification criteria are not met STOT-repeated exposure : Based on available data, the classification criteria are not met Aspiration hazard Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms : Occupational exposure to the substance or mixture may cause adverse effects, Defatting, drying

and cracking of skin, May cause eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term

(chronic)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

: Not classified

: Not classified

12.5. Results of PBT and vPvB assessment

Grease O-FS

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local

regulations.

Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed

collector's sorting instructions.

Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken for recycling, recovery or waste in accordance with

local regulation.

Additional information : Dispose in accordance with all applicable regulations.

European List of Waste (LoW) code : The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

12 01 12* - spent waxes and fats

15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID Not regulated for transport

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code Applicable on

3(b) Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl] Hydrogen Dithiophosphate 3(c) Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl] Hydrogen Dithiophosphate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : Not applicable

Other information, restriction and prohibition regulations : Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently

given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

None.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate BCF Bioconcentration factor

CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL Derived Minimal Effect level
DNEL Derived-No Effect Level
EC50 Median effective concentration

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LC50 Median lethal concentration

LD50 Median lethal dose

 LOAEL
 Lowest Observed Adverse Effect Level

 NOAEC
 No-Observed Adverse Effect Concentration

 NOAEL
 No-Observed Adverse Effect Level

 NOEC
 No-Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent Bioaccumulative Toxic
PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS Safety Data Sheet
STP Sewage treatment plant
TLM Median Tolerance Limit

vPvB Very Persistent and Very Bioaccumulative

OEL Occupational Exposure Limit
RRN REACH Registration no.
CAO Cargo Aircraft Only

PCA Passenger and Cargo Aircraft

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of

 $16\ December\ 2008\ on\ classification,\ labelling\ and\ packaging\ of\ substances\ and\ mixtures,\\ amending\ and\ repealing\ Directives\ 67/548/EEC\ and\ 1999/45/EC,\ and\ amending\ Regulation\ (EC)$

No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements

Aquatic Chronic 4 Hazardous to the aquatic environment — Chronic Hazard, Category 4

EUH208 Contains Molybdenum Trioxide, Reaction products with bis[O,O-bis(2-ethylhexyl] Hydrogen Dithiophosphate. May produce an

allergic reaction.

EUH210 Safety data sheet available on request.

Eye Irrit. 2 Serious eye damage/eye irritation, Category 2

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. 2 Skin corrosion/irritation, Category 2
Skin Sens. 1B Skin sensitisation, category 1B

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Grease O-FS

Ford Int. Ref. No.: 503936 REVISION DATE: 08.10.2021

Involved Products:

Finiscode Part number Container Size:

. 1 2 596 285 MU7J 39209 CA 140 g