INTERIOR CLEANER - CLEAN REFRESH

SAFETY DATA SHEET

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law



ISSUE DATE: 09.10.2023 REVISION DATE: 09.10.2023

VERSION: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Interior Cleaner - Clean Refresh
Product code	: Ford Internal Ref.: 511267
SDS Number	: 11533
Type of product	: Detergent
Product use	: Public use

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant	identified	uses
-----------------	------------	------

Function or use category

: Cleaning product

1.2.2. Uses advised against

Restrictions on use

: None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH - 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

EUH-statements

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No	%	Classification according to Regulation (EC) No.	Notes
			1272/2008 [CLP]	
	Index No			
	RRN			
propan-2-ol	67-63-0	2,5 - < 10	Flam. Liq. 2, H225	
	200-661-7		Eye Irrit. 2, H319	
	603-117-00-0		STOT SE 3, H336	
	01-2119457558-25-XXXX			
1,2-benzisothiazol-3(2H)-one	2634-33-5	0,01 - <	Acute Tox. 4 (Oral), H302	(0.05 ≤ C ≤ 100) Skin Sens.
	220-120-9	0,05	(ATE=500 mg/kg	1, H317
	613-088-00-6		bodyweight)	
			Skin Irrit. 2, H315	
			Eye Dam. 1, H318	
			Skin Sens. 1, H317	
			Aquatic Acute 1, H400	
			(M=1.0)	
			Aquatic Chronic 2, H411	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophtalmologist if irritation persists.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Rinse mouth out with water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects:	:	May produce an allergic reaction.
Symptoms/effects after skin contact	:	May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a water jet since it may cause the fire to spread.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon oxides (CO, CO2). During fire, gases hazardous to health may be formed. Sulphur oxides.		
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions	 Stop leak if safe to do so. Prevent runoff from entering water courses, sewers and basements. Keep unnecessary personnel away. Move container from fire area if it can be done without risk. Positive pressure self-contained breathing apparatus (SCBA) and structural fire-fighters protective clothing. Use water spray or fog for cooling exposed containers. 		

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.
Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

For containment	 Collect spillage. Large Spills: Stop leak without risks if possible. Dike the spilled material, where this is possible.
Methods for cleaning up	Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Clean preferably with a detergent - Avoid the use of solvents. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for rough. Notify authorities if product onters covers or public waters.
Other information	containers for re-use. Notify authorities if product enters sewers or public waters.Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13:" Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Always observe good personal hygiene measures, such as washing after handling the material and
	before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect against frost.

7.3. Specific end use(s)

Cleaning product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

propan-2-ol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m³	
WEL STEL	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

propan-2-ol (67-63-0)

DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	1000 mg/m³
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	500 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	178 mg/m³
Acute - systemic effects, oral	51 mg/kg bodyweight
Long-term - systemic effects,oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	89 mg/m³
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140.9 mg/l
PNEC aqua (marine water)	140.9 mg/l
PNEC aqua (intermittent, freshwater)	140.9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	160 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	2251 mg/l
8.1.5. Control banding	

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166. Wear security glasses which protect from splashes

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Hand protection:

Protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove

Material	Permeation	Thickness (mm)	Comments
In case of splash contact:	6 (> 480 minutes)	0,4	EN ISO 374
Nitrile rubber (NBR)	, , , , , , , , , , , , , , , , , , ,		Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	EN ISO 374
			Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

1.2		
Physical state	: Liquid	
Colour	: Not available	
Odour	: Not available	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: Not available	
Boiling point	: Not available	
Flammability	: Non flammable.	
Explosive limits	: Not available	
Lower explosive limit (LEL)	: Not available	
Upper explosive limit (UEL)	: Not available	
Flash point	: Not available	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
рН	: Not available	
Viscosity, kinematic	: Not available	
Solubility	: Not available	
Log Kow	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50°C	: Not available	
Density	: Not available	
Relative density	: Not available	
Relative vapour density at 20°C	: Not available	
Particle size	: Not applicable	
Particle size distribution	: Not applicable	
Particle shape	: Not applicable	
Particle aspect ratio	: Not applicable	
Particle aggregation state	: Not applicable	
Particle agglomeration state	: Not applicable	

Particle specific surface area Particle dustiness Not applicableNot applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content	: 3.26 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Avoid heat, sparks, open flames and other ignition sources. Protect from freezing.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO2). Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the classification criteria are not met
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met
Skin corrosion/irritation	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not metMay produce an allergic reaction
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met

propan-2-ol (67-63-0)

STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Based on available data, the classification criteria are not met
Aspiration hazard :	Based on available data, the classification criteria are not met

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Based on available data, the classification criteria are not met

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

12.2. Persistence and degradability

propan-2-ol (67-63-0)

Persistence and degradability	Readily biodegradable. Biochemical oxygen demand within 5 days (BOD5).
12.3. Bioaccumulative potential	
propan-2-ol (67-63-0)	
Bioconcentration factor (BCF REACH)	0
Log Pow	0.05 at 25 °C
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Other adverse effects	: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

 Waste treatment methods
 : Dispose of contents/container in accordance with licensed collector's sorting instructions.

 European List of Waste (LoW, EC 2150/2002)
 : The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

 20 01 30 - detergents other than those mentioned in 20 01 29

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID Not regulated for transport

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code	Applicable on		
3(a)	propan-2-ol		
3(b)	propan-2-ol		
40.	propan-2-ol		
Contains no substance(s) lis	ted on the REACH Candidate I	List	
Contains no substance(s) lis	ted on REACH Annex XIV (Aut	thorisation List)	
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)			
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)			
VOC content	:	3.26 %	
Other information, restriction	and prohibition regulations :	Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on	
		the protection of the health and safety of workers from the risks related to chemical agents at work,	
		as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who	
		have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.	

Detergent Regulation (648/2004/EC): Labelling of contents

Component

phosphates, anionic surfactants preservation agents POTASSIUM SORBATE SODIUM BENZOATE BENZISOTHIAZOLINONE LAURYLAMINE DIPROPYLENEDIAMINE SODIUM PYRITHIONE perfumes LIMONENE

Directive 2012/18/EU (SEVESO III)

Seveso Additional information

: Not applicable

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

None.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	
EC50	European Community number Median effective concentration
EN	European Standard
IARC	•
IARC	International Agency for Research on Cancer
	International Air Transport Association
IMDG	International Maritime Dangerous Goods Median lethal concentration
LC50 LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC OECD	No-Observed Effect Concentration
	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative

% <5% Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH208	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Interior Cleaner - Clean Refresh

Ford Int. Ref. No.: 511267

Revision Date: 09.10.2023

Involved Products:

		Finiscode	Part number	
	1	2 753 118	PU7J 19526 AA	
Part	t of	f Kit:		
		2 753 112	PU7J 19G469 AA	

Cleaning Kit for Vehicle Interior

Container Size: 500 ml